CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

DX

LENGTH OF STAY BY DIAGNOSIS



UNITED STATES



1984



Length of Stay by Diagnosis, United States, 1984

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1985

LENGTH OF STAY

Copyright 1985 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1984
. . . by Diagnosis, United States, North Central Region, 1984
. . . by Diagnosis, United States, Northeastern Region, 1984
. . . by Diagnosis, United States, Southern Region, 1984
. . . by Diagnosis, United States, Western Region, 1984
. . . by Diagnosis, Canada, 1984

. . . by Operation, United States, 1984
. . . by Operation, United States, North Central Region, 1984
. . . by Operation, United States, Northeastern Region, 1984
. . . by Operation, United States, Southern Region, 1984
. . . by Operation, United States, Western Region, 1984
. . . by Operation, Canada, 1984

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1984
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1984

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1984 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Several organizations have contributed data to CPHA from other abstracting services. Some of those data were included in the 1984 series.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals and state organizations that supported this study by making their data available.

PROJECT STAFF
1984 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research Services
Wilma J. Allen, Senior Contract Manager
Carol A. Prevost, Research Associate
Jean C. Haar, Research Clerk

CONTENTS

Preface iii
Discussion of the Data 1
  Source of the Data. 1
  Data Quality. 2
  Coverage 3
  Organization of Length of Stay Tables. 5
    Definition of Multiple Diagnosis Patients 5
    Definition of Operated Patients 5
  Explanation of Statistics. 6
  Defining the Extended Stay Case 7
Length of Stay Tables 17
  Summary of All Patients. 18
  Summary of All Patients Except Newborn 19
  Diagnosis Groups 1-398 20
Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups 219
Index to Length of Stay Tables 223

DISCUSSION OF THE DATA

Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer, PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days (included only in the percentile calculations)

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books.

Most of the data used in the length of stay book series are from short-term, general hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Illinois Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Michigan Health Data Corporation, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These contributed data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included. Pediatric hospitals were also included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.



** Includes Alaska and Hawaii

Census Divisions and Regions in the United States

Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
January-December 1984

Hospital Class (1)	Short-Term Nonfederal Hospitals			Short-Term Nonfederal Hospital Beds		
	U.S. Total[2] (2)	Number in Books (3)	Percent in Books (4)	U.S. Total[2] (5)	Number in Books (6)	Percent in Books (7)
Bed Size						
6-24 beds	334	65	19.5	6,186	1,283	20.7
25-49	1,156	271	23.4	42,594	10,371	24.3
50-99	1,294	414	32.0	93,091	29,756	32.0
100-199	1,233	388	31.5	175,270	55,535	31.7
200-299	693	221	31.9	168,434	54,709	32.5
300-399	417	141	33.8	141,646	47,929	33.8
400-499	270	91	33.7	119,835	40,323	33.6
500+	314	79	25.2	218,303	51,582	23.6
Total	5,711	1,670	29.2	965,359	291,488	30.2
Region and Census Division						
Northeast	819	332	40.5	206,566	68,649	33.2
New England	242	112	46.3	48,660	19,162	39.4
Middle Atlantic	577	220	38.1	157,906	49,487	31.3
North Central	1,689	594	35.2	277,174	105,715	38.1
East North Central	892	358	40.1	187,719	77,606	41.3
West North Central	797	236	29.6	89,455	28,109	31.4
South	2,141	402	18.8	338,768	67,644	20.0
South Atlantic	811	210	25.9	159,089	38,464	24.2
East South Central	496	100	20.2	72,022	14,961	20.8
West South Central	834	92	11.0	107,657	14,219	13.2
West	1,062	342	32.2	142,851	49,480	34.6
Mountain	367	148	40.3	39,415	20,416	51.8
Pacific	695	194	27.9	103,436	29,064	28.1
Total	5,711	1,670	29.2	965,359	291,488	30.2

The Pediatric book was compiled from the data of 1,662 hospitals. The Geriatric book was compiled from the data of 1,650 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1983 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the X_i's are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

1 ADMITTING DIAGNOSIS	2 Suggested Admission Category	3 Your Hospital's Admission Category	4 Length of Stay Group
Cervix, cervical			
chronic erosion and ulceration	2		252
stricture of os	2		252
Chest pain	3		335
Criteria for admission			
1. Suspicion of life threatening disease, e.g. *a. acute myocardial infarction* *b. dissecting aortic aneurysm* *c. acute pericarditis*			
2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)			
3.			
4.			
Choking sensation	4		340
Cholangitis, acute			
with calculus	1		217
without mention of calculus	1		218
Cholecystitis			
acute			
with calculus	1		215
without mention of calculus	1		216
chronic or unspecified			
with calculus	2		215
without mention of calculus	2		216
Choledocholithiasis	2		217
Cholelithiasis	**2**		**215**
Cholesteatoma, ear	2		134

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	**Cholelithiasis**
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



Cholangitis **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) (*see also* Cholecystitis, acute) 575.0
- gangrenous (*see also* Cholecystitis, acute) 575.0
- paratyphoidal, current (*see also* Fever, paratyphoid) 002.9
- suppurative (*see also* cholecystitis, acute) 575.0
- typhoidal 002.0

Choledochitis (suppurative) 576.1

Choledocholith — *see* Choledocholithiasis

Choledocholithiasis 574.5

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.4
  - acute 574.3

Cholelithiasis (impacted) (multiple) 574.2

Note — Use the following fifth-digit subclassification with category 574:

0 without mention of obstruction

1 with obstruction

- with cholecystitis (chronic) 574.1
  - acute 574.0

- **Cholemia** (*see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** (*see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** (*see also* Cholera) 001.9
- **Cholestasis** (*see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) (*see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	156	4.7	10	1	2	4	6	9	11	15
20-34	1472	4.4	10	1	1	4	6	8	10	16
35-49	1964	5.2	14	1	2	4	7	9	12	17
50-64	3826	5.8	15	2	2	5	7	10	13	19
65+	7503	7.6	32	2	3	6	10	14	17	28
B. *Operated*										
0-19 YRS	671	9.6	30	5	5	8	11	15	17	32
20-34	9073	9.2	24	5	5	8	11	14	17	27
35-49	11544	9.9	27	5	6	8	12	16	19	30
50-64	17699	11.4	41	5	6	10	13	18	23	35
65+	18538	15.1	82	6	7	13	18	25	32	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6693	4.1	9	1	1	3	5	8	9	14
B. *Operated*	50291	8.3	14	5	5	7	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	14921	6.5	24	2	2	5	8	12	15	25
B. *Operated*	57525	11.9	54	5	6	10	14	20	25	41
1. SINGLE DX	56984	7.8	15	3	4	7	9	12	14	21
2. MULTIPLE DX	72446	10.8	53	3	5	9	13	19	24	39
A. NOT OPERATED	21614	5.7	21	1	2	5	7	11	14	22
B. OPERATED	107816	10.2	38	5	6	8	12	17	21	34
TOTAL 0-19 YRS	2325	7.5	19	2	3	7	9	12	14	22
20-34	27293	7.6	16	3	4	7	9	12	14	21
35-49	28151	8.3	21	3	4	7	10	13	16	24
50-64	36761	9.4	31	3	5	8	11	16	19	30
65+	34900	12.1	68	3	5	10	15	21	27	44
GRAND TOTAL	129430	9.5	38	3	4	8	11	16	20	33

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. Operated										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	3.8	5	1	1	3	5	7	8	11
20-34	1724	3.4	5	1	1	3	4	6	7	11
35-49	1625	3.6	6	1	1	3	5	7	8	12
50-64	1648	4.2	8	1	1	4	5	8	10	14
65+	1465	5.3	16	1	2	5	7	9	11	17
B. *Operated*										
0-19 YRS	1267	7.5	10	4	5	7	9	11	13	18
20-34	15024	7.4	8	4	5	7	8	11	13	17
35-49	13018	7.9	11	5	5	7	9	11	13	18
50-64	13588	8.6	13	5	5	8	10	13	15	21
65+	7394	10.4	24	5	6	9	12	16	19	28

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

Length of Stay Tables

1,670 Hospitals, United States, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	785920	3.1	11	1	1	3	3	5	6	14
20-34	496450	3.5	20	<1	1	3	4	6	9	25
35-49	178534	5.1	33	1	1	3	6	10	15	30
50-64	126814	5.6	35	1	1	4	7	11	15	30
65+	112650	6.1	38	1	1	4	8	12	16	32
B. *Operated*										
0-19 YRS	294209	2.8	10	<1	<1	2	3	5	8	15
20-34	573564	3.3	8	<1	1	3	4	6	8	14
35-49	266165	4.2	15	<1	1	3	6	8	11	19
50-64	224402	4.9	21	1	1	3	6	10	13	22
65+	208891	5.4	32	1	1	3	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	675675	4.5	37	1	1	3	5	7	11	36
20-34	414513	5.6	47	1	1	4	6	11	19	34
35-49	409389	6.3	43	1	2	4	8	13	18	33
50-64	652830	6.8	41	1	2	5	8	13	18	33
65+	1389655	8.1	55	2	2	6	10	15	21	40
B. *Operated*										
0-19 YRS	240728	5.5	76	<1	1	3	6	11	20	54
20-34	632686	5.2	34	1	1	4	6	9	13	31
35-49	452458	6.8	52	1	2	5	8	13	19	40
50-64	561095	8.6	82	1	2	6	11	18	25	50
65+	877738	11.0	116	2	2	8	14	23	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1700368	3.8	21	1	1	3	4	7	10	24
B. *Operated*	1567231	3.9	16	<1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	3542062	6.7	49	1	2	5	8	13	19	36
B. *Operated*	2764705	8.0	82	1	2	5	10	17	24	50
1. SINGLE DX	3267599	3.8	18	<1	1	3	4	7	10	21
2. MULTIPLE DX	6306767	7.3	64	1	2	5	9	15	21	43
A. NOT OPERATED	5242430	5.8	41	1	1	4	7	12	17	33
B. OPERATED	4331936	6.5	62	1	1	4	8	14	20	42
TOTAL 0-19 YRS	1996532	3.8	29	1	1	3	4	6	9	29
20-34	2117213	4.4	27	1	1	3	5	8	12	28
35-49	1306546	5.9	40	1	1	4	7	12	16	32
50-64	1565141	7.1	54	1	2	5	9	14	20	38
65+	2588934	8.8	76	1	2	6	11	18	24	48
GRAND TOTAL	**9574366**	**6.1**	**51**	**1**	**1**	**4**	**7**	**13**	**18**	**37**

1,670 Hospitals, United States, January-December 1984

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	329368	3.5	25	1	1	2	4	6	8	25
20-34	496450	3.5	20	<1	1	3	4	6	9	25
35-49	178534	5.1	33	1	1	3	6	10	15	30
50-64	126814	5.6	35	1	1	4	7	11	15	30
65+	112650	6.1	38	1	1	4	8	12	16	32
B. *Operated*										
0-19 YRS	294002	2.8	10	<1	<1	2	3	5	8	15
20-34	573564	3.3	8	<1	1	3	4	6	8	14
35-49	266165	4.2	15	<1	1	3	6	8	11	19
50-64	224402	4.9	21	1	1	3	6	10	13	22
65+	208891	5.4	32	1	1	3	7	12	16	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	393583	4.8	50	1	1	3	5	8	13	43
20-34	414513	5.6	47	1	1	4	6	11	19	34
35-49	409389	6.3	43	1	2	4	8	13	18	33
50-64	652830	6.8	41	1	2	5	8	13	18	33
65+	1389655	8.1	55	2	2	6	10	15	21	40
B. *Operated*										
0-19 YRS	230345	4.9	53	<1	1	3	5	10	16	41
20-34	632686	5.2	34	1	1	4	6	9	13	31
35-49	452458	6.8	52	1	2	5	8	13	19	40
50-64	561095	8.6	82	1	2	6	11	18	25	50
65+	877738	11.0	116	2	2	8	14	23	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1243816	4.2	27	1	1	3	4	8	12	28
B. *Operated*	1567024	3.9	16	<1	1	3	5	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	3259970	6.9	50	1	2	5	8	14	19	37
B. *Operated*	2754322	8.0	80	1	2	5	10	17	24	49
1. SINGLE DX	2810840	4.0	21	<1	1	3	5	8	11	23
2. MULTIPLE DX	6014292	7.4	64	1	2	5	9	15	22	43
A. NOT OPERATED	4503786	6.2	45	1	1	4	7	13	18	35
B. OPERATED	4321346	6.5	61	1	1	4	8	14	20	42
TOTAL 0-19 YRS	1247298	4.0	35	<1	1	3	4	7	11	33
20-34	2117213	4.4	27	1	1	3	5	8	12	28
35-49	1306546	5.9	40	1	1	4	7	12	16	32
50-64	1565141	7.1	54	1	2	5	9	14	20	38
65+	2588934	8.8	76	1	2	6	11	18	24	48
GRAND TOTAL	**8825132**	**6.3**	**53**	**1**	**1**	**4**	**8**	**13**	**19**	**38**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7206	3.0	5	1	1	3	4	5	7	10
20-34	3191	3.0	5	1	1	3	4	5	6	10
35-49	1269	3.4	7	1	1	3	4	6	7	10
50-64	735	3.5	5	1	1	3	5	7	8	11
65+	569	3.9	9	1	1	3	5	7	10	14
B. *Operated*										
0-19 YRS	131	4.7	12	1	2	4	6	8	11	19
20-34	225	5.4	11	2	2	4	7	9	13	17
35-49	98	5.8	13	2	3	5	7	10	12	21
50-64	48	5.9	14	2	2	6	8	9	11	23
65+	27	8.7	72	2	3	6	9	16	34	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12769	3.5	6	1	1	3	4	6	8	13
20-34	4777	3.4	6	1	1	3	4	6	8	12
35-49	2865	4.2	12	1	1	3	5	8	10	16
50-64	2960	4.5	11	1	2	4	6	8	10	16
65+	5587	5.7	27	2	2	4	7	10	14	25
B. *Operated*										
0-19 YRS	301	8.5	99	2	2	5	9	21	30	59
20-34	369	7.7	96	2	2	5	8	14	20	78
35-49	297	9.2	129	2	3	6	10	18	30	94
50-64	345	9.5	59	2	3	7	11	20	27	40
65+	499	12.4	124	3	4	9	15	24	33	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12970	3.1	5	1	1	3	4	5	7	11
B. *Operated*	529	5.5	15	2	2	4	7	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	28958	4.1	12	1	1	3	5	7	10	16
B. *Operated*	1811	9.7	106	2	3	7	11	20	29	65
1. SINGLE DX	13499	3.2	6	1	1	3	4	6	7	11
2. MULTIPLE DX	30769	4.4	19	1	1	3	5	8	11	21
A. NOT OPERATED	41928	3.8	10	1	1	3	5	7	9	15
B. OPERATED	2340	8.8	88	2	3	6	10	18	26	59
TOTAL 0-19 YRS	20407	3.4	8	1	1	3	4	6	7	13
20-34	8562	3.5	11	1	1	3	4	6	8	14
35-49	4529	4.3	20	1	1	3	5	8	10	19
50-64	4088	4.8	16	1	2	4	6	9	11	22
65+	6682	6.1	36	2	2	4	7	11	15	31
GRAND TOTAL	**44268**	**4.0**	**15**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	8.1	68	1	2	5	8	18	24	40
20-34	140	10.5	67	2	3	9	13	21	25	47
35-49	126	10.1	56	2	2	9	13	18	26	36
50-64	72	11.2	121	1	2	8	15	24	33	53
65+	65	11.4	62	1	3	11	15	22	27	33
B. *Operated*										
0-19 YRS	12	7.3	30	1	1	6	10	17	18	18
20-34	52	13.7	323	1	2	8	15	31	42	90
35-49	84	12.7	195	2	3	9	15	27	45	98
50-64	95	10.9	72	1	2	9	14	19	28	43
65+	50	12.4	72	2	3	10	18	26	29	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	10.3	93	1	3	7	15	19	31	50
20-34	186	13.7	158	3	4	11	16	26	33	76
35-49	244	14.2	128	3	4	12	18	29	37	65
50-64	281	14.4	180	3	4	11	18	28	50	99+
65+	471	14.5	149	3	4	12	17	27	36	82
B. *Operated*										
0-19 YRS	13	14.2	102	2	4	12	20	31	34	35
20-34	116	17.0	198	3	5	14	20	34	50	94
35-49	190	16.9	214	4	5	11	21	37	52	85
50-64	266	15.7	179	4	5	12	19	29	52	74
65+	476	18.7	227	4	5	14	24	38	52	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	493	10.2	72	2	2	8	14	21	27	46
B. *Operated*	293	12.0	150	2	2	9	15	24	34	90
2. MULTIPLE DX										
A. *Not Operated*	1228	14.1	151	3	4	11	17	27	37	83
B. *Operated*	1061	17.4	209	4	5	13	21	36	52	86
1. SINGLE DX	786	10.9	102	2	2	8	14	21	29	50
2. MULTIPLE DX	2289	15.6	181	3	4	12	19	31	43	86
A. NOT OPERATED	1721	13.0	132	2	3	10	16	25	34	68
B. OPERATED	1354	16.2	201	3	5	12	20	34	46	87
TOTAL 0-19 YRS	161	9.1	77	1	2	6	12	19	30	42
20-34	494	13.6	163	2	4	11	16	26	35	86
35-49	644	14.0	153	3	3	11	17	29	39	68
50-64	714	14.1	162	2	4	11	17	27	43	81
65+	1062	16.1	181	3	4	13	20	33	42	86
GRAND TOTAL	**3075**	**14.4**	**165**	**2**	**4**	**11**	**18**	**29**	**40**	**84**

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	12.0	220	<1	1	5	16	38	42	42
20-34	6	8.0	68	2	2	6	10	22	23	23
35-49	12	7.5	48	2	2	5	10	19	23	24
50-64	4	10.5	22	6	6	9	13	17	17	17
65+	10	10.5	70	1	1	9	14	22	29	29
B. *Operated*										
0-19 YRS	22	3.9	10	<1	1	3	5	8	11	13
20-34	25	6.3	27	1	1	4	9	15	16	18
35-49	22	13.1	219	<1	1	7	16	29	52	61
50-64	26	9.3	100	1	2	5	13	20	33	43
65+	13	6.6	26	1	2	6	9	13	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	10.9	167	2	2	7	14	25	43	51
20-34	22	9.8	56	2	3	7	15	18	25	33
35-49	25	13.2	321	4	5	10	14	22	97	99+
50-64	45	10.8	104	1	2	7	15	25	35	44
65+	74	14.5	122	3	4	12	17	33	39	48
B. *Operated*										
0-19 YRS	21	15.3	384	1	1	8	17	39	65	80
20-34	51	17.1	237	2	3	15	22	47	70	99+
35-49	77	19.1	291	2	3	14	27	54	64	99+
50-64	77	17.9	272	2	3	13	22	39	61	94
65+	126	23.8	298	5	7	19	34	48	58	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	9.6	87	1	2	6	13	23	31	42
B. *Operated*	108	8.0	88	1	1	5	10	18	21	52
2. MULTIPLE DX										
A. *Not Operated*	182	12.5	141	2	3	9	16	28	38	81
B. *Operated*	352	20.0	293	2	4	15	28	48	62	99+
1. SINGLE DX	149	8.4	87	1	1	6	10	18	24	46
2. MULTIPLE DX	534	17.4	253	2	3	13	23	40	56	99+
A. NOT OPERATED	223	12.0	132	2	2	9	16	27	37	63
B. OPERATED	460	17.2	270	1	2	12	23	41	59	99+
TOTAL 0-19 YRS	68	10.1	203	1	1	5	10	28	43	75
20-34	104	12.4	158	1	2	10	16	29	47	99+
35-49	136	16.0	274	2	3	11	21	43	62	99+
50-64	152	14.1	199	1	3	9	18	32	44	79
65+	223	19.1	244	3	4	14	27	41	51	80
GRAND TOTAL	**683**	**15.5**	**231**	**1**	**2**	**11**	**21**	**37**	**53**	**98**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	776	2.7	2	1	1	2	3	5	5	7
20-34	307	2.9	2	1	2	3	4	4	5	7
35-49	90	3.3	2	1	2	3	4	5	6	8
50-64	24	3.8	2	1	2	4	5	6	6	6
65+	13	3.4	1	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	85	1.7	1	1	1	2	2	2	3	8
20-34	21	2.0	4	1	1	1	2	4	7	10
35-49	3	6.3	57	1	1	3	12	15	15	15
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2048	3.1	4	1	1	3	4	5	6	10
20-34	659	3.4	3	1	2	3	4	5	7	10
35-49	265	4.2	6	2	2	4	5	7	9	14
50-64	168	4.3	4	2	2	4	5	7	8	11
65+	111	5.6	18	2	2	4	7	11	15	23
B. *Operated*										
0-19 YRS	102	2.3	3	1	1	2	3	5	6	8
20-34	32	4.5	9	1	1	4	6	8	9	15
35-49	12	8.4	51	2	3	5	11	22	23	23
50-64	11	6.3	11	3	3	5	8	11	15	15
65+	9	10.1	30	4	4	9	13	19	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1210	2.8	2	1	1	3	4	5	5	7
B. *Operated*	109	1.9	3	1	1	2	2	3	3	12
2. MULTIPLE DX										
A. *Not Operated*	3251	3.4	5	1	1	3	4	6	7	11
B. *Operated*	166	3.9	14	1	1	2	5	8	11	21
1. SINGLE DX	1319	2.7	2	1	1	2	3	5	5	7
2. MULTIPLE DX	3417	3.4	5	1	1	3	4	6	7	12
A. NOT OPERATED	4461	3.2	4	1	1	3	4	5	7	10
B. OPERATED	275	3.1	11	1	1	2	3	7	9	19
TOTAL 0-19 YRS	3011	2.9	4	1	1	3	4	5	6	9
20-34	1019	3.2	3	1	2	3	4	5	6	9
35-49	370	4.1	7	2	2	3	5	7	9	14
50-64	203	4.3	4	2	2	4	5	7	8	11
65+	133	5.7	19	2	2	4	7	11	15	22
GRAND TOTAL	**4736**	**3.2**	**5**	**1**	**1**	**3**	**4**	**5**	**7**	**11**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1367	4.8	10	1	2	4	6	10	11	15
20-34	97	5.3	19	1	2	4	6	10	11	27
35-49	60	7.6	46	2	2	6	8	15	24	34
50-64	97	8.4	50	1	2	7	10	15	27	36
65+	215	8.6	42	3	3	7	11	14	19	38
B. *Operated*										
0-19 YRS	36	8.9	53	2	2	7	11	15	20	40
20-34	6	11.3	26	2	3	12	14	17	17	17
35-49	2	14.5	41	10	10	14	19	19	19	19
50-64	9	16.0	165	7	7	10	18	39	39	39
65+	16	17.4	115	3	4	16	29	35	77	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2383	6.2	23	2	2	5	8	12	14	23
20-34	835	9.8	69	2	3	7	12	18	27	42
35-49	959	10.1	59	3	4	8	12	18	26	38
50-64	2450	10.7	48	3	4	9	13	18	24	38
65+	11437	11.7	64	4	5	10	14	20	26	44
B. *Operated*										
0-19 YRS	216	13.9	174	3	4	10	17	28	42	97
20-34	293	17.0	203	3	5	13	21	39	47	93
35-49	390	18.3	194	4	6	15	23	38	49	77
50-64	893	19.4	202	5	7	16	24	40	53	99+
65+	2867	20.5	207	6	8	17	25	40	54	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1836	5.5	20	1	2	4	7	11	12	26
B. *Operated*	69	12.1	89	2	3	10	15	30	38	88
2. MULTIPLE DX										
A. *Not Operated*	18064	10.7	60	3	4	9	13	19	25	41
B. *Operated*	4659	19.6	206	5	7	16	24	39	53	96
1. SINGLE DX	1905	5.8	24	1	2	4	7	11	13	29
2. MULTIPLE DX	22723	12.5	103	3	4	10	15	24	32	59
A. NOT OPERATED	19900	10.2	58	2	3	9	13	18	24	41
B. OPERATED	4728	19.5	205	5	7	16	24	39	53	96
TOTAL 0-19 YRS	4002	6.1	31	1	2	5	8	11	14	27
20-34	1231	11.1	109	2	3	8	14	23	32	54
35-49	1411	12.2	110	3	4	9	15	24	32	55
50-64	3449	12.9	103	4	5	10	15	24	33	60
65+	14535	13.4	105	4	5	11	16	25	33	61
GRAND TOTAL	**24628**	**12.0**	**100**	**3**	**4**	**9**	**14**	**23**	**31**	**57**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	781	7.1	21	2	2	6	10	13	15	22
20-34	195	5.5	14	2	2	5	7	10	12	18
35-49	132	5.7	15	2	2	4	7	11	13	23
50-64	116	5.8	14	2	3	5	7	10	13	22
65+	54	5.9	11	3	3	5	7	10	13	19
B. *Operated*										
0-19 YRS	46	8.1	27	1	1	9	11	15	16	21
20-34	28	9.3	44	2	2	10	12	17	38	99+
35-49	31	11.6	60	2	3	10	15	25	27	28
50-64	25	12.0	87	1	2	10	18	28	30	33
65+	13	10.3	69	2	3	7	15	23	29	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	886	7.4	35	2	2	6	10	14	16	28
20-34	375	7.0	41	2	2	5	9	13	19	31
35-49	301	7.3	28	2	3	6	10	14	19	27
50-64	484	8.3	32	3	3	7	10	15	20	32
65+	1078	10.2	71	3	4	8	13	19	25	46
B. *Operated*										
0-19 YRS	115	14.2	131	2	4	11	19	29	36	83
20-34	111	17.7	268	3	4	12	23	45	52	93
35-49	113	16.1	192	2	3	13	21	35	46	88
50-64	183	17.2	231	3	4	12	23	37	48	86
65+	348	19.0	236	3	5	14	26	39	54	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1278	6.5	19	2	2	5	9	12	14	22
B. *Operated*	143	10.0	53	1	2	9	12	21	27	39
2. MULTIPLE DX										
A. *Not Operated*	3124	8.5	49	2	3	7	11	16	20	34
B. *Operated*	870	17.5	221	3	4	13	23	38	51	85
1. SINGLE DX	1421	6.9	23	2	2	6	10	12	15	24
2. MULTIPLE DX	3994	10.4	100	2	3	8	12	21	30	55
A. NOT OPERATED	4402	7.9	41	2	3	6	10	15	19	31
B. OPERATED	1013	16.4	204	2	4	12	21	35	48	83
TOTAL 0-19 YRS	1828	7.7	38	2	2	7	11	14	17	31
20-34	709	8.3	86	2	2	5	10	16	26	54
35-49	577	8.9	73	2	2	6	11	19	25	46
50-64	808	10.0	92	3	3	7	11	21	30	51
65+	1493	12.1	123	3	4	9	15	24	34	64
GRAND TOTAL	**5415**	**9.5**	**82**	**2**	**3**	**7**	**11**	**18**	**26**	**52**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2323	3.7	5	1	1	3	4	6	8	13
20-34	1361	3.8	6	1	2	3	5	7	8	12
35-49	309	4.7	9	1	2	4	6	8	10	15
50-64	65	5.4	10	1	2	5	8	10	11	14
65+	17	7.2	32	1	2	6	10	12	20	25
B. *Operated*										
0-19 YRS	35	5.1	9	2	3	4	6	9	10	17
20-34	19	4.9	9	1	1	5	7	8	11	13
35-49	7	14.9	132	3	4	10	27	31	31	31
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1121	4.4	10	1	2	4	5	8	11	19
20-34	757	4.6	10	1	2	4	6	8	10	14
35-49	244	5.8	15	2	2	5	7	10	13	19
50-64	122	7.1	87	2	2	5	8	12	17	45
65+	104	11.2	62	2	3	9	15	23	26	36
B. *Operated*										
0-19 YRS	44	12.2	263	2	3	7	13	22	44	98
20-34	42	10.8	168	2	3	8	10	19	37	77
35-49	12	16.4	207	2	2	11	24	42	42	42
50-64	16	10.6	68	2	3	8	13	19	31	36
65+	12	31.8	669	6	9	22	42	80	83	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4075	3.8	6	1	2	3	5	7	8	13
B. *Operated*	62	6.1	31	1	2	5	7	10	15	31
2. MULTIPLE DX										
A. *Not Operated*	2348	5.0	19	1	2	4	6	9	12	22
B. *Operated*	126	13.8	268	2	3	8	15	35	43	87
1. SINGLE DX	4137	3.8	7	1	2	3	5	7	9	13
2. MULTIPLE DX	2474	5.5	35	1	2	4	6	10	14	25
A. NOT OPERATED	6423	4.3	11	1	2	3	5	8	10	17
B. OPERATED	188	11.3	202	2	2	7	12	23	40	82
TOTAL 0-19 YRS	3523	4.0	11	1	2	3	5	7	9	16
20-34	2179	4.2	12	1	2	3	5	7	9	14
35-49	572	5.5	20	2	2	4	7	10	13	26
50-64	204	6.8	62	2	2	5	8	12	15	30
65+	133	12.6	146	2	3	9	16	24	27	80
GRAND TOTAL	**6611**	**4.5**	**18**	**1**	**2**	**3**	**5**	**8**	**10**	**19**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1058	3.3	5	1	1	3	4	6	7	11
20-34	345	4.9	9	1	2	4	6	8	11	14
35-49	142	4.7	7	1	2	4	6	8	10	14
50-64	278	5.6	30	1	2	5	7	9	12	20
65+	450	6.1	25	1	2	5	8	11	13	22
B. *Operated*										
0-19 YRS	20	6.5	63	1	2	4	5	19	29	30
20-34	28	3.4	6	<1	<1	2	5	7	8	9
35-49	16	8.1	111	<1	1	4	10	31	34	34
50-64	27	4.8	11	1	2	4	6	10	12	14
65+	30	4.1	10	1	1	3	6	8	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2468	3.9	8	1	2	3	5	7	9	15
20-34	612	5.7	27	2	2	5	7	9	11	21
35-49	412	6.9	32	2	2	6	8	12	15	28
50-64	1016	6.9	24	2	3	6	8	12	16	27
65+	3550	8.4	44	2	3	7	10	15	20	37
B. *Operated*										
0-19 YRS	57	10.1	107	2	2	6	13	29	50	99+
20-34	63	11.5	80	3	4	9	14	20	36	43
35-49	56	12.3	247	2	3	9	14	25	66	99
50-64	114	11.9	96	2	3	9	15	26	31	48
65+	332	13.5	131	2	3	10	17	29	41	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2273	4.4	14	1	2	4	6	8	10	17
B. *Operated*	121	5.0	32	<1	1	3	6	9	13	33
2. MULTIPLE DX										
A. *Not Operated*	8058	6.6	33	2	2	5	8	12	16	30
B. *Operated*	622	12.6	128	2	3	9	16	28	38	65
1. SINGLE DX	2394	4.5	15	1	2	4	6	8	11	17
2. MULTIPLE DX	8680	7.0	42	2	2	5	8	13	18	35
A. NOT OPERATED	10331	6.1	29	1	2	5	7	11	15	28
B. OPERATED	743	11.3	120	2	2	8	14	26	35	59
TOTAL 0-19 YRS	3603	3.8	10	1	1	3	5	7	8	16
20-34	1048	5.7	26	2	2	5	7	10	12	27
35-49	626	6.9	51	2	2	6	8	12	17	38
50-64	1435	7.0	33	2	2	6	8	12	17	31
65+	4362	8.5	51	2	3	7	10	16	21	40
GRAND TOTAL	**11074**	**6.5**	**37**	**1**	**2**	**5**	**8**	**12**	**17**	**32**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	465	5.4	17	2	2	5	7	9	11	21
20-34	1206	6.2	17	2	2	5	8	11	14	22
35-49	371	7.0	27	2	3	6	9	12	15	20
50-64	174	8.1	26	2	3	6	11	15	18	25
65+	69	7.3	34	2	2	6	10	15	16	36
B. *Operated*										
0-19 YRS	10	7.6	67	1	1	5	7	22	27	27
20-34	57	4.4	15	1	1	3	7	10	11	18
35-49	28	6.6	37	1	1	5	10	17	20	21
50-64	25	5.8	44	<1	1	2	10	13	19	28
65+	14	8.5	77	1	1	6	10	23	29	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	5.8	46	2	2	4	6	9	13	33
20-34	1019	6.7	22	2	2	5	8	12	15	24
35-49	470	8.3	38	2	3	7	10	15	18	33
50-64	381	8.7	32	2	3	7	11	16	19	27
65+	377	9.8	68	2	3	8	12	18	23	39
B. *Operated*										
0-19 YRS	8	15.1	206	2	2	11	22	38	44	44
20-34	103	9.3	41	2	2	8	12	18	21	32
35-49	71	11.5	119	2	2	9	14	23	41	56
50-64	110	12.0	94	1	2	10	17	26	31	42
65+	98	11.3	46	2	3	11	15	22	25	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2285	6.3	20	2	2	5	8	11	14	22
B. *Operated*	134	5.8	36	1	1	4	8	13	19	28
2. MULTIPLE DX										
A. *Not Operated*	2523	7.7	38	2	3	6	10	14	18	31
B. *Operated*	390	11.1	75	2	2	9	14	23	28	45
1. SINGLE DX	2419	6.3	21	2	2	5	8	12	14	23
2. MULTIPLE DX	2913	8.1	44	2	3	6	10	15	20	34
A. NOT OPERATED	4808	7.0	30	2	2	6	9	13	17	27
B. OPERATED	524	9.7	70	1	1	8	13	21	26	43
TOTAL 0-19 YRS	759	5.7	31	2	2	5	7	9	12	27
20-34	2385	6.5	21	2	2	5	8	12	15	23
35-49	940	8.0	41	2	3	6	10	14	18	35
50-64	690	8.9	43	2	3	7	12	17	22	32
65+	558	9.7	61	2	3	8	12	19	23	39
GRAND TOTAL	**5332**	**7.3**	**34**	**2**	**2**	**6**	**9**	**14**	**18**	**29**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1669	3.9	6	1	2	3	5	7	8	12
20-34	550	4.3	5	2	2	4	5	7	9	12
35-49	80	5.2	15	1	2	4	7	10	12	21
50-64	15	6.1	7	1	3	6	8	9	10	10
65+	4	8.0	5	6	6	7	9	11	11	11
B. *Operated*										
0-19 YRS	17	4.4	10	<1	1	4	6	8	11	13
20-34	17	6.3	10	1	2	6	9	10	12	13
35-49	2	7.5	1	7	7	7	8	8	8	8
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2705	4.2	6	1	2	4	5	7	9	12
20-34	808	4.7	8	2	2	4	6	8	10	15
35-49	162	5.3	10	1	1	5	7	10	12	14
50-64	55	7.1	28	1	1	6	10	15	18	24
65+	24	6.7	42	<1	1	5	11	13	19	26
B. *Operated*										
0-19 YRS	76	6.4	19	2	2	5	9	12	15	23
20-34	42	8.0	24	3	3	7	9	16	18	22
35-49	19	9.7	66	3	4	8	11	19	30	37
50-64	10	12.6	38	4	6	12	15	21	27	27
65+	4	11.5	54	6	6	9	16	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2318	4.0	7	1	2	3	5	7	9	12
B. *Operated*	38	5.3	10	1	1	5	7	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	3754	4.4	7	1	2	4	5	8	10	13
B. *Operated*	151	7.8	31	2	3	6	10	15	18	27
1. SINGLE DX	2356	4.1	7	1	2	4	5	7	9	12
2. MULTIPLE DX	3905	4.5	9	1	2	4	6	8	10	15
A. NOT OPERATED	6072	4.3	7	1	2	4	5	7	9	13
B. OPERATED	189	7.3	27	2	2	6	9	14	17	26
TOTAL 0-19 YRS	4467	4.1	6	1	2	4	5	7	9	12
20-34	1417	4.7	8	2	2	4	6	8	10	15
35-49	263	5.6	17	1	2	5	7	10	12	21
50-64	82	7.5	29	1	1	7	10	15	18	26
65+	32	7.4	39	1	1	7	11	14	21	26
GRAND TOTAL	**6261**	**4.4**	**8**	**1**	**2**	**4**	**5**	**8**	**10**	**14**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.9	324	<1	<1	1	3	22	58	64
20-34	13	2.1	2	<1	<1	2	3	4	6	6
35-49	5	2.4	5	<1	<1	1	4	6	6	6
50-64	3	1.7		1	1	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	498	1.7	1	<1	<1	1	2	3	4	6
20-34	1410	1.9	2	<1	<1	2	2	3	4	7
35-49	441	2.3	4	<1	<1	2	3	4	5	10
50-64	122	2.4	4	<1	<1	2	3	4	5	12
65+	37	2.8	5	<1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.9	11	<1	<1	2	7	8	9	10
20-34	28	2.6	7	<1	<1	2	3	6	8	12
35-49	7	2.6	17	<1	<1	<1	1	10	12	12
50-64	4	3.8	24	<1	<1	1	6	11	11	11
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	148	2.5	4	<1	<1	2	3	5	6	9
20-34	539	2.9	17	<1	1	2	3	5	7	11
35-49	295	2.9	4	<1	1	2	4	5	7	12
50-64	141	3.5	9	<1	<1	3	4	7	9	16
65+	63	5.0	20	1	2	3	6	11	16	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	3.8	115	<1	<1	1	3	4	6	64
B. *Operated*	2508	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	57	3.1	10	<1	<1	2	4	8	11	12
B. *Operated*	1186	3.0	11	<1	1	2	4	6	8	13
1. SINGLE DX	2542	2.0	4	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1243	3.0	11	<1	1	2	4	6	8	13
A. NOT OPERATED	91	3.3	48	<1	<1	2	3	7	10	43
B. OPERATED	3694	2.3	5	<1	<1	2	3	4	6	10
TOTAL 0-19 YRS	674	2.0	8	<1	<1	1	2	4	5	8
20-34	1990	2.2	6	<1	<1	2	3	4	5	9
35-49	748	2.5	4	<1	<1	2	3	4	6	12
50-64	270	3.0	7	<1	<1	2	4	5	8	16
65+	103	4.2	15	<1	1	3	5	9	12	20
GRAND TOTAL	**3785**	**2.3**	**6**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5857	2.8	3	1	1	3	3	5	5	9
20-34	1311	3.4	6	1	1	3	4	6	7	12
35-49	558	3.7	10	1	1	3	5	6	8	13
50-64	325	4.1	9	1	2	3	5	7	8	16
65+	215	4.2	7	1	2	4	5	8	9	16
B. *Operated*										
0-19 YRS	167	3.4	14	<1	<1	3	4	6	7	24
20-34	73	4.8	15	1	1	3	6	9	14	20
35-49	36	5.2	20	1	1	3	7	13	13	20
50-64	22	9.7	177	1	1	6	10	25	40	61
65+	7	9.6	95	3	3	3	18	24	25	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7695	3.2	5	1	1	3	4	5	7	11
20-34	2918	3.8	8	1	1	3	5	7	9	15
35-49	1755	4.3	10	1	2	3	5	8	10	15
50-64	1757	4.6	14	1	2	4	6	8	11	19
65+	3000	5.7	26	2	2	4	7	10	13	25
B. *Operated*										
0-19 YRS	252	5.7	44	1	1	4	6	11	18	36
20-34	256	8.7	101	1	2	6	10	18	27	60
35-49	146	11.0	195	1	2	7	12	22	41	82
50-64	175	11.0	131	2	3	8	13	22	37	76
65+	226	12.6	164	2	3	9	15	28	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8266	3.0	4	1	1	3	4	5	6	10
B. *Operated*	305	4.5	31	<1	1	3	5	8	13	26
2. MULTIPLE DX										
A. *Not Operated*	17125	4.0	12	1	1	3	5	7	9	17
B. *Operated*	1055	9.5	125	1	2	6	11	20	30	61
1. SINGLE DX	8571	3.1	5	1	1	3	4	5	7	11
2. MULTIPLE DX	18180	4.3	20	1	1	3	5	8	10	21
A. NOT OPERATED	25391	3.7	9	1	1	3	4	7	8	15
B. OPERATED	1360	8.4	108	1	2	5	10	18	28	60
TOTAL 0-19 YRS	13971	3.1	5	1	1	3	4	5	6	11
20-34	4558	3.9	14	1	1	3	5	7	9	18
35-49	2495	4.5	24	1	1	3	5	8	11	21
50-64	2279	5.1	27	1	2	4	6	9	13	28
65+	3448	6.1	37	2	2	5	7	11	15	31
GRAND TOTAL	**26751**	**3.9**	**16**	**1**	**1**	**3**	**5**	**7**	**9**	**18**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	234	4.0	5	1	2	4	5	7	8	10
20-34	107	4.1	6	1	2	4	5	7	9	14
35-49	81	3.9	4	1	2	4	5	6	7	14
50-64	43	5.3	10	2	2	4	7	10	12	15
65+	14	5.4	16	1	2	5	7	10	15	17
B. *Operated*										
0-19 YRS	5	5.0	15	1	1	4	8	10	10	10
20-34	4	5.8	3	4	4	5	7	8	8	8
35-49	3	6.3	25	1	1	7	10	11	11	11
50-64										
65+	2	8.0	8	6	6	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	97	4.6	7	1	2	4	6	8	10	14
20-34	85	4.9	12	1	2	4	6	10	11	17
35-49	55	5.9	21	2	2	5	7	10	13	31
50-64	47	6.8	16	2	2	6	8	12	14	20
65+	34	8.8	51	2	3	7	9	25	26	28
B. *Operated*										
0-19 YRS	10	16.9	662	2	2	6	10	63	79	79
20-34	13	9.7	49	1	2	10	13	18	24	26
35-49	4	9.8	69	3	3	7	16	21	21	21
50-64	8	17.8	434	3	4	10	18	54	67	67
65+	9	8.8	31	3	3	8	11	18	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	479	4.2	6	1	2	4	5	7	9	14
B. *Operated*	14	5.9	11	1	1	6	8	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	318	5.7	18	2	2	5	7	10	13	26
B. *Operated*	44	12.6	249	2	3	9	12	24	54	79
1. SINGLE DX	493	4.2	6	1	2	4	5	7	9	14
2. MULTIPLE DX	362	6.5	51	2	2	5	8	11	15	32
A. NOT OPERATED	797	4.8	11	1	2	4	6	8	11	17
B. OPERATED	58	11.0	199	1	2	8	11	21	39	78
TOTAL 0-19 YRS	346	4.6	27	1	2	4	6	8	9	13
20-34	209	4.8	12	1	2	4	6	10	11	17
35-49	143	4.9	14	1	2	4	6	8	11	22
50-64	98	7.0	54	2	2	5	8	12	14	46
65+	59	7.9	39	2	3	6	9	17	25	28
GRAND TOTAL	**855**	**5.2**	**26**	**1**	**2**	**4**	**6**	**9**	**12**	**25**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	331	5.0	8	2	2	4	6	9	11	14
20-34	521	4.9	8	2	2	4	6	8	11	15
35-49	84	5.6	21	1	1	4	8	11	14	25
50-64	26	7.3	27	1	2	7	11	13	19	21
65+	35	7.5	118	1	1	3	10	17	22	60
B. *Operated*										
0-19 YRS	58	3.3	6	<1	1	3	4	7	8	10
20-34	186	3.0	11	<1	<1	2	3	7	10	16
35-49	69	3.8	61	<1	<1	2	4	6	9	55
50-64	16	2.9	3	<1	1	2	4	6	6	6
65+	10	3.1	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	318	5.6	20	2	2	5	7	10	12	20
20-34	513	5.3	12	2	2	5	6	9	11	18
35-49	111	6.9	26	1	2	6	8	14	18	24
50-64	65	8.2	74	1	2	6	11	16	22	49
65+	122	8.8	58	1	2	7	12	16	20	43
B. *Operated*										
0-19 YRS	47	5.9	18	2	2	5	8	10	16	21
20-34	163	5.5	30	<1	1	4	7	11	14	30
35-49	78	7.4	161	<1	1	4	8	12	25	78
50-64	51	10.3	104	2	2	6	13	27	33	43
65+	68	11.3	87	2	2	8	15	27	30	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	997	5.1	14	1	2	4	6	10	11	17
B. *Operated*	339	3.2	20	<1	<1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1129	6.1	25	2	2	5	7	11	15	23
B. *Operated*	407	7.5	77	1	1	5	9	16	25	44
1. SINGLE DX	1336	4.6	16	1	1	4	6	9	11	17
2. MULTIPLE DX	1536	6.4	39	1	2	5	8	12	16	33
A. NOT OPERATED	2126	5.6	20	1	2	4	7	10	13	21
B. OPERATED	746	5.6	55	<1	1	3	7	11	19	36
TOTAL 0-19 YRS	754	5.2	14	1	2	4	7	9	11	16
20-34	1383	4.8	13	1	1	4	6	9	11	18
35-49	342	6.1	63	1	1	4	7	11	16	47
50-64	158	8.2	73	1	2	5	11	19	27	43
65+	235	9.1	75	1	1	7	12	20	26	45
GRAND TOTAL	**2872**	**5.6**	**29**	**1**	**2**	**4**	**7**	**10**	**14**	**27**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	88	4.8	47	1	1	3	6	8	11	45
20-34	48	6.2	21	1	2	5	8	12	15	25
35-49	38	8.6	74	2	2	6	11	20	24	43
50-64	27	6.9	95	1	1	4	8	13	24	51
65+	29	7.5	37	<1	3	5	9	14	21	29
B. *Operated*										
0-19 YRS	24	9.4	153	<1	1	4	9	30	39	46
20-34	47	10.0	81	1	2	8	13	23	29	44
35-49	64	7.8	48	1	1	6	9	20	23	32
50-64	71	7.6	55	<1	1	6	9	16	19	41
65+	46	6.6	24	<1	<1	6	10	12	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	4.4	23	<1	<1	3	6	9	12	25
20-34	154	6.1	28	1	2	5	7	11	14	34
35-49	147	8.4	78	2	2	6	10	16	31	62
50-64	209	10.2	146	1	2	7	11	19	32	66
65+	496	10.7	107	2	3	8	12	20	27	66
B. *Operated*										
0-19 YRS	35	22.9	416	3	3	12	41	57	62	72
20-34	141	14.6	252	1	2	9	17	39	52	67
35-49	178	14.7	264	2	3	9	16	34	59	99+
50-64	246	15.7	278	2	3	9	20	42	61	99+
65+	277	15.7	195	2	3	12	21	38	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	6.3	51	1	2	4	7	12	19	45
B. *Operated*	252	8.1	62	<1	1	6	10	18	25	44
2. MULTIPLE DX										
A. *Not Operated*	1297	8.4	88	1	2	6	10	16	23	59
B. *Operated*	877	15.6	251	2	3	10	20	41	55	99+
1. SINGLE DX	482	7.2	58	1	1	5	8	15	22	44
2. MULTIPLE DX	2174	11.3	167	1	2	7	13	26	42	75
A. NOT OPERATED	1527	8.1	83	1	2	6	10	16	22	57
B. OPERATED	1129	13.9	219	1	2	9	17	35	50	98
TOTAL 0-19 YRS	438	6.2	90	<1	<1	4	6	11	22	57
20-34	390	9.6	129	1	2	6	10	21	35	62
35-49	427	10.9	160	2	2	7	13	25	40	98
50-64	553	12.2	201	1	2	8	14	30	46	90
65+	848	12.0	137	2	3	9	14	26	38	69
GRAND TOTAL	**2656**	**10.6**	**149**	**1**	**2**	**7**	**12**	**24**	**39**	**72**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	3.8	18	1	1	3	4	6	11	25
20-34	21	4.4	5	1	1	5	6	8	8	8
35-49	10	6.5	41	2	2	4	7	16	24	24
50-64	7	9.4	28	2	3	8	14	17	17	17
65+	4	16.3	95	8	8	13	23	30	30	30
B. *Operated*										
0-19 YRS	20	5.0	14	2	3	4	5	7	14	20
20-34	10	4.8	11	1	1	4	5	10	12	12
35-49	11	8.2	27	2	3	8	11	16	20	20
50-64	5	9.4	63	1	1	11	15	20	20	20
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.6	19	1	1	3	5	8	15	23
20-34	37	5.3	13	1	1	4	6	9	14	18
35-49	30	8.5	84	2	2	5	8	20	26	43
50-64	27	5.9	13	2	2	5	7	10	15	18
65+	24	9.3	37	3	4	7	12	18	22	28
B. *Operated*										
0-19 YRS	27	4.9	15	2	2	4	6	8	10	22
20-34	38	7.4	59	1	2	6	8	11	27	40
35-49	29	11.8	100	2	2	8	20	26	29	42
50-64	14	12.9	94	4	4	9	18	28	33	35
65+	14	16.4	132	3	3	16	23	34	39	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	5.3	29	1	1	3	6	11	16	28
B. *Operated*	46	6.2	23	2	2	5	8	13	20	20
2. MULTIPLE DX										
A. *Not Operated*	177	6.2	33	1	2	5	7	14	19	27
B. *Operated*	122	9.5	83	2	2	6	10	23	29	41
1. SINGLE DX	132	5.6	27	1	2	4	7	12	17	26
2. MULTIPLE DX	299	7.6	56	2	2	5	8	19	24	40
A. NOT OPERATED	263	5.9	32	1	2	4	7	13	18	28
B. OPERATED	168	8.6	69	2	2	6	9	21	27	40
TOTAL 0-19 YRS	150	4.5	17	1	1	3	5	8	13	23
20-34	106	5.8	29	1	2	5	7	9	13	35
35-49	80	9.4	78	2	2	6	11	23	26	43
50-64	53	8.5	47	2	2	6	11	18	23	35
65+	42	12.3	82	3	4	9	17	27	31	40
GRAND TOTAL	**431**	**7.0**	**48**	**1**	**2**	**5**	**8**	**16**	**23**	**36**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	4.7	8	1	1	4	6	9	11	12
20-34	130	4.6	13	1	2	4	6	8	11	20
35-49	78	6.2	13	2	2	6	8	11	13	17
50-64	37	6.0	27	1	2	4	7	11	15	29
65+	18	4.0	4	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS	33	4.6	20	1	1	4	6	9	10	25
20-34	450	4.7	23	1	1	3	6	10	13	27
35-49	312	4.7	18	1	1	3	6	10	14	20
50-64	98	5.8	27	1	1	4	8	11	15	29
65+	24	5.1	22	1	1	3	7	12	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	212	6.1	43	1	1	5	8	11	13	21
20-34	289	6.7	42	1	2	5	8	12	16	31
35-49	318	8.2	48	2	3	6	10	17	22	41
50-64	245	7.9	39	2	3	6	10	14	18	32
65+	219	9.3	55	2	3	8	11	17	22	41
B. *Operated*										
0-19 YRS	38	10.1	101	2	2	8	12	19	31	52
20-34	589	10.5	88	2	2	8	15	24	29	48
35-49	549	12.6	155	2	2	9	16	27	36	70
50-64	281	11.6	120	1	2	9	15	24	32	58
65+	130	13.4	119	2	3	10	18	29	38	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	5.1	13	1	2	4	7	10	12	18
B. *Operated*	917	4.8	21	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*	1283	7.6	46	1	2	6	10	14	19	34
B. *Operated*	1587	11.6	120	2	2	9	16	25	33	58
1. SINGLE DX	1247	4.9	19	1	1	3	7	10	13	23
2. MULTIPLE DX	2870	9.8	91	2	2	7	12	21	28	51
A. NOT OPERATED	1613	7.1	41	1	2	6	9	13	17	32
B. OPERATED	2504	9.1	95	1	2	6	12	21	28	50
TOTAL 0-19 YRS	350	6.1	42	1	1	5	8	11	15	25
20-34	1458	7.4	59	1	2	5	9	16	23	42
35-49	1257	9.1	95	1	2	6	11	20	27	48
50-64	661	9.0	76	1	2	7	11	18	27	50
65+	391	10.2	79	2	3	8	13	19	28	48
GRAND TOTAL	**4117**	**8.3**	**75**	**1**	**2**	**6**	**10**	**18**	**25**	**44**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	5.7	16	2	2	5	9	10	10	10
50-64	1	12.0		12	12	12	12	12	12	12
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	3	16.3	180	1	1	22	25	26	26	26
20-34	3	26.7	826	4	4	17	48	59	59	59
35-49	8	4.1	15	1	1	2	6	11	12	12
50-64	4	4.3	6	1	1	4	6	7	7	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	7.8	118	1	1	3	10	27	29	29
20-34	5	5.4	37	<1	<1	4	7	16	16	16
35-49	11	10.2	172	<1	1	6	10	32	44	45
50-64	9	7.3	40	1	1	7	9	17	22	22
65+	23	7.9	28	2	3	7	10	14	18	25
B. *Operated*										
0-19 YRS	4	4.3	5	2	2	4	6	7	7	7
20-34	5	4.4	1	3	3	4	5	6	6	6
35-49	16	9.9	123	1	1	4	17	22	35	40
50-64	20	8.3	33	2	3	6	9	19	21	23
65+	10	4.6	21	1	1	3	6	12	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	6.7	15	2	2	5	10	12	12	12
B. *Operated*	18	9.9	206	1	1	4	12	25	46	59
2. MULTIPLE DX										
A. *Not Operated*	54	8.0	66	1	1	6	10	17	25	44
B. *Operated*	55	7.4	55	1	1	5	7	19	22	39
1. SINGLE DX	25	9.0	152	1	1	4	11	22	34	59
2. MULTIPLE DX	109	7.7	60	1	1	6	9	19	23	42
A. NOT OPERATED	61	7.9	60	1	1	6	10	15	24	43
B. OPERATED	73	8.1	91	1	1	5	8	20	23	55
TOTAL 0-19 YRS	14	8.4	96	1	1	4	10	26	28	29
20-34	14	9.5	226	<1	2	4	6	21	51	59
35-49	38	8.4	106	1	1	4	10	22	33	45
50-64	34	7.6	31	1	2	6	8	19	22	23
65+	34	7.0	27	1	2	6	10	14	15	25
GRAND TOTAL	**134**	**8.0**	**76**	**1**	**1**	**5**	**10**	**19**	**23**	**47**

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.3	13	1	1	3	6	9	13	14
20-34	4	5.0	3	3	3	5	6	7	7	7
35-49	56	5.4	26	1	1	4	7	11	16	26
50-64	131	5.0	18	1	1	4	6	9	14	24
65+	90	5.0	17	1	1	4	6	9	16	21
B. *Operated*										
0-19 YRS	23	7.7	63	<1	1	4	14	23	24	25
20-34	77	3.8	15	1	1	3	4	7	11	23
35-49	267	5.2	37	1	1	3	6	11	17	30
50-64	813	5.8	50	1	1	3	7	13	19	35
65+	821	4.9	38	<1	1	3	6	10	15	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	7.1	127	1	1	4	8	11	37	46
20-34	30	6.5	81	1	1	4	7	12	21	48
35-49	171	7.1	51	1	2	5	9	14	17	32
50-64	523	8.1	72	1	2	6	10	16	22	53
65+	618	9.1	105	1	2	6	11	18	28	58
B. *Operated*										
0-19 YRS	30	10.8	205	1	1	7	15	19	28	78
20-34	75	8.5	78	1	1	5	11	21	26	42
35-49	475	11.5	129	1	2	9	16	25	32	59
50-64	1740	12.0	147	1	2	8	16	28	35	76
65+	2353	11.5	163	1	2	8	15	25	36	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	5.1	19	1	1	4	6	9	14	23
B. *Operated*	2001	5.3	42	1	1	3	6	12	17	33
2. MULTIPLE DX										
A. *Not Operated*	1357	8.4	85	1	2	6	10	16	24	53
B. *Operated*	4673	11.6	153	1	2	8	15	26	35	68
1. SINGLE DX	2294	5.3	39	1	1	3	6	11	16	32
2. MULTIPLE DX	6030	10.9	139	1	2	7	14	24	33	64
A. NOT OPERATED	1650	7.8	75	1	2	6	9	15	22	49
B. OPERATED	6674	9.7	128	1	2	6	13	23	31	62
TOTAL 0-19 YRS	80	8.3	122	1	1	5	10	18	24	68
20-34	186	6.2	55	1	1	4	7	14	22	42
35-49	969	8.6	92	1	1	5	11	20	27	49
50-64	3207	9.5	113	1	2	6	13	23	31	57
65+	3882	9.6	131	1	2	6	12	21	30	63
GRAND TOTAL	**8324**	**9.3**	**118**	**1**	**2**	**6**	**12**	**21**	**30**	**60**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	18	6.8	31	1	2	5	9	16	20	22
50-64	54	6.2	41	1	1	5	7	11	17	40
65+	85	6.7	41	1	2	4	8	15	24	30
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	1	6.0		6	6	6	6	6	6	6
35-49	38	13.2	185	1	2	9	16	28	50	58
50-64	197	11.3	122	1	2	8	15	24	31	58
65+	172	8.8	66	1	2	6	13	19	26	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.2	12	1	1	5	8	10	10	10
35-49	52	9.0	125	1	2	5	10	18	36	64
50-64	318	8.1	85	1	2	5	10	16	26	61
65+	497	8.9	65	2	2	7	11	18	23	43
B. *Operated*										
0-19 YRS	2	11.5	85	5	5	11	18	18	18	18
20-34	11	19.7	199	6	7	12	35	40	42	42
35-49	111	18.5	278	2	4	14	24	40	46	96
50-64	760	17.5	233	2	4	14	22	38	51	80
65+	1078	16.4	233	2	3	12	21	35	48	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	6.6	40	1	2	4	8	14	21	30
B. *Operated*	409	10.4	105	1	2	7	14	23	29	55
2. MULTIPLE DX										
A. *Not Operated*	873	8.6	75	1	2	6	10	17	24	48
B. *Operated*	1962	17.0	235	2	3	13	22	37	49	82
1. SINGLE DX	566	9.3	90	1	2	6	13	21	28	47
2. MULTIPLE DX	2835	14.4	201	2	3	10	19	32	44	79
A. NOT OPERATED	1030	8.3	70	1	2	6	10	17	23	45
B. OPERATED	2371	15.9	219	2	3	12	21	34	46	80
TOTAL 0-19 YRS	3	8.3	72	2	2	5	15	18	18	18
20-34	18	14.1	173	1	3	9	15	38	41	42
35-49	219	14.4	224	2	2	10	19	34	45	93
50-64	1329	13.9	192	2	2	10	18	31	42	78
65+	1832	13.2	178	2	2	9	17	29	40	71
GRAND TOTAL	**3401**	**13.6**	**186**	**2**	**2**	**9**	**18**	**30**	**41**	**72**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	5.6	42	1	1	2	12	15	15	15
35-49	7	5.1	18	1	1	3	8	11	12	12
50-64	40	5.0	21	<1	1	3	6	11	17	19
65+	65	6.5	55	1	2	5	7	10	17	46
B. *Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	10	12.2	38	2	4	13	18	19	20	20
35-49	44	11.3	64	1	2	10	14	24	30	99+
50-64	173	11.7	69	2	3	11	14	19	25	50
65+	248	13.4	94	2	2	12	17	26	31	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	4.8	5	3	3	4	6	8	8	8
20-34	18	6.3	21	1	1	5	9	13	16	17
35-49	79	6.3	34	2	2	4	8	13	20	27
50-64	310	7.9	64	1	2	6	9	17	24	40
65+	880	8.9	86	1	2	6	11	18	24	51
B. *Operated*										
0-19 YRS	5	11.6	65	4	4	11	16	24	24	24
20-34	58	16.9	173	3	5	14	22	31	35	77
35-49	243	17.3	147	4	6	14	21	32	41	61
50-64	1116	17.5	144	4	6	15	22	32	42	65
65+	2811	18.6	163	4	7	16	23	34	44	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	5.8	40	1	1	4	7	11	17	40
B. *Operated*	476	12.5	81	2	2	11	16	24	30	50
2. MULTIPLE DX										
A. *Not Operated*	1292	8.5	77	1	2	6	10	17	24	47
B. *Operated*	4233	18.2	157	4	6	15	23	33	43	71
1. SINGLE DX	595	11.2	80	1	2	10	15	23	29	49
2. MULTIPLE DX	5525	15.9	156	2	4	13	21	31	40	68
A. NOT OPERATED	1411	8.2	74	1	2	6	10	17	23	46
B. OPERATED	4709	17.6	152	4	6	15	22	32	42	70
TOTAL 0-19 YRS	11	8.2	40	3	3	6	10	18	23	24
20-34	93	13.5	140	2	2	11	17	27	33	70
35-49	373	14.0	132	2	3	11	19	27	37	60
50-64	1639	14.8	135	2	3	12	19	29	38	60
65+	4004	16.0	158	2	4	13	21	31	39	69
GRAND TOTAL	**6120**	**15.5**	**150**	**2**	**3**	**13**	**20**	**30**	**39**	**67**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64	4	11.3	48	4	4	11	17	19	19	19
65+	3	10.0	63	4	4	7	16	19	19	19
B. *Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	10	10.1	22	3	4	9	15	16	17	17
50-64	19	18.7	223	6	7	15	26	44	55	57
65+	26	13.9	90	4	5	11	17	24	38	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.0	2	7	7	8	9	9	9	9
35-49	9	6.1	17	1	1	5	10	12	12	12
50-64	47	7.8	69	2	2	5	9	14	20	48
65+	73	8.2	44	2	2	6	11	18	23	31
B. *Operated*										
0-19 YRS										
20-34	18	12.6	63	4	6	10	17	21	30	36
35-49	64	17.7	259	6	7	13	20	32	55	91
50-64	200	18.8	186	6	8	15	22	38	49	68
65+	303	20.4	171	8	9	17	24	37	53	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	10.1	42	4	4	7	17	19	19	19
B. *Operated*	56	14.8	128	4	6	10	17	29	42	57
2. MULTIPLE DX										
A. *Not Operated*	131	7.9	50	2	2	6	10	16	20	38
B. *Operated*	585	19.3	184	7	8	16	23	37	52	73
1. SINGLE DX	64	14.2	118	4	5	10	17	28	39	56
2. MULTIPLE DX	716	17.2	179	3	5	14	21	34	47	70
A. NOT OPERATED	139	8.0	50	2	2	6	10	17	20	37
B. OPERATED	641	18.9	181	7	8	15	23	36	52	71
TOTAL 0-19 YRS										
20-34	21	12.0	56	4	6	9	15	21	28	36
35-49	84	15.4	219	3	5	11	16	26	52	85
50-64	270	16.7	183	3	5	13	20	35	46	62
65+	405	17.7	165	3	5	15	22	34	45	70
GRAND TOTAL	**780**	**17.0**	**175**	**3**	**5**	**13**	**21**	**33**	**46**	**70**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	3	5.0	19	2	2	3	8	10	10	10
35-49	15	3.0	8	<1	1	2	4	8	9	10
50-64	74	4.3	14	1	1	3	5	8	11	21
65+	161	6.0	73	<1	1	4	7	12	17	46
B. *Operated*										
0-19 YRS	5	6.8	13	3	3	8	10	10	10	10
20-34	31	11.8	14	6	8	11	14	17	18	21
35-49	237	10.2	16	3	5	10	12	16	17	22
50-64	1000	11.0	22	4	7	10	13	16	19	27
65+	1682	12.1	38	3	7	11	14	19	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	4.2	3	2	2	4	5	7	7	7
20-34	37	7.5	52	1	1	6	9	16	19	39
35-49	185	7.3	51	1	2	5	10	13	20	33
50-64	731	8.0	64	1	2	5	10	17	23	43
65+	2310	8.9	83	2	2	6	11	18	26	49
B. *Operated*										
0-19 YRS	29	12.5	54	3	4	12	17	20	23	38
20-34	136	12.9	72	3	5	11	16	22	27	74
35-49	896	13.9	69	5	7	12	16	22	27	47
50-64	4957	14.6	75	6	8	13	17	24	30	52
65+	15174	17.1	109	7	8	14	20	29	37	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	5.3	52	<1	1	3	6	11	14	41
B. *Operated*	2955	11.5	31	3	7	11	13	18	21	31
2. MULTIPLE DX										
A. *Not Operated*	3269	8.6	77	1	2	6	10	18	25	46
B. *Operated*	21192	16.4	101	7	8	14	19	28	35	60
1. SINGLE DX	3209	11.0	35	2	4	10	13	18	21	31
2. MULTIPLE DX	24461	15.3	105	3	6	13	19	27	34	59
A. NOT OPERATED	3523	8.4	76	1	2	6	10	17	24	45
B. OPERATED	24147	15.8	95	6	8	13	19	27	34	58
TOTAL 0-19 YRS	41	10.4	51	2	3	10	14	18	22	38
20-34	207	11.6	63	2	3	11	15	20	23	53
35-49	1333	12.2	63	2	4	11	15	20	25	44
50-64	6762	13.3	71	3	5	12	16	23	28	48
65+	19327	15.6	109	3	6	13	19	28	35	60
GRAND TOTAL	**27670**	**14.8**	**98**	**3**	**6**	**13**	**18**	**26**	**33**	**57**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	8.3	68	1	1	6	13	20	20	20
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	25	3.3	4	<1	1	3	4	7	7	8
50-64	73	6.7	57	1	1	5	7	14	25	43
65+	87	5.4	20	1	2	4	7	13	15	20
B. *Operated*										
0-19 YRS	3	10.3	30	4	4	13	14	14	14	14
20-34	24	10.5	45	2	3	10	13	17	23	32
35-49	210	10.3	28	2	3	10	14	17	19	24
50-64	815	11.4	37	2	3	11	15	18	21	28
65+	1250	11.6	67	2	3	11	15	20	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	9.6	101	2	2	6	13	27	27	27
20-34	19	6.7	31	<1	1	5	9	17	20	20
35-49	111	7.3	38	1	2	5	9	14	18	34
50-64	508	8.2	57	1	2	6	10	19	23	37
65+	1286	8.9	79	2	2	6	11	17	26	52
B. *Operated*										
0-19 YRS	8	11.6	25	2	4	11	15	18	18	18
20-34	81	14.9	92	3	5	12	19	32	36	83
35-49	527	13.8	75	3	5	12	17	24	30	44
50-64	2629	15.4	90	4	6	13	19	26	33	50
65+	6859	17.1	127	3	6	15	21	31	39	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	191	5.7	34	1	1	4	7	12	16	29
B. *Operated*	2302	11.4	53	2	3	11	15	19	22	35
2. MULTIPLE DX										
A. *Not Operated*	1929	8.6	70	1	2	6	11	17	24	46
B. *Operated*	10104	16.5	115	3	6	14	21	29	37	61
1. SINGLE DX	2493	10.9	53	2	2	11	14	19	22	34
2. MULTIPLE DX	12033	15.2	116	3	4	13	19	28	36	60
A. NOT OPERATED	2120	8.4	68	1	2	6	10	17	24	45
B. OPERATED	12406	15.5	108	3	5	13	19	28	35	58
TOTAL 0-19 YRS	20	10.3	46	1	2	10	14	19	23	27
20-34	126	12.7	82	2	3	11	16	28	34	58
35-49	873	11.8	64	2	3	11	15	20	26	43
50-64	4025	13.5	82	2	4	12	17	24	30	45
65+	9482	15.2	122	2	4	13	19	28	36	62
GRAND TOTAL	**14526**	**14.5**	**108**	**2**	**4**	**13**	**18**	**27**	**34**	**56**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	2.8	6	<1	<1	2	3	5	8	14
20-34	9	2.9	3	1	1	3	4	5	5	5
35-49	18	5.2	17	<1	1	5	6	12	15	16
50-64	41	5.8	25	1	1	4	8	12	15	27
65+	61	4.8	15	<1	1	4	6	10	12	20
B. *Operated*										
0-19 YRS	38	10.1	61	2	2	8	13	22	25	36
20-34	29	9.8	88	1	2	8	11	17	32	47
35-49	54	9.6	60	<1	1	7	13	23	27	30
50-64	145	10.9	71	1	2	9	14	21	27	40
65+	219	11.3	73	1	2	10	15	21	29	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	4.0	12	1	1	3	5	9	11	17
20-34	31	6.7	31	1	1	5	9	13	18	26
35-49	94	8.0	72	1	2	5	9	20	28	43
50-64	311	7.6	47	1	1	6	10	16	21	36
65+	656	9.0	59	2	2	7	11	19	23	39
B. *Operated*										
0-19 YRS	55	18.1	263	3	5	12	21	36	54	86
20-34	65	13.3	103	2	3	11	16	27	38	50
35-49	239	15.5	114	3	4	13	21	30	36	50
50-64	735	16.5	152	3	5	14	21	31	42	79
65+	1685	18.2	178	3	6	15	22	34	44	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	165	4.6	16	<1	1	3	6	9	13	20
B. *Operated*	485	10.8	71	1	2	9	14	21	27	39
2. MULTIPLE DX										
A. *Not Operated*	1153	8.2	55	1	2	6	11	17	23	38
B. *Operated*	2779	17.4	167	3	5	14	22	33	43	75
1. SINGLE DX	650	9.2	64	1	1	7	13	19	25	37
2. MULTIPLE DX	3932	14.7	151	2	3	12	19	29	38	69
A. NOT OPERATED	1318	7.7	51	1	2	6	10	16	22	36
B. OPERATED	3264	16.4	158	2	4	14	21	31	40	72
TOTAL 0-19 YRS	190	9.1	132	1	1	5	12	20	33	56
20-34	134	10.3	87	1	2	8	13	20	30	48
35-49	405	12.5	106	2	2	10	17	26	32	46
50-64	1232	13.3	129	1	2	11	17	27	36	66
65+	2621	15.0	154	2	3	12	19	30	37	72
GRAND TOTAL	**4582**	**13.9**	**143**	**2**	**3**	**11**	**18**	**28**	**36**	**68**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	10.0	57	2	2	11	15	17	17	17
35-49	10	8.1	78	1	1	7	10	21	31	31
50-64	71	5.8	46	1	1	4	7	11	13	39
65+	103	6.4	54	1	2	5	8	11	18	44
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	2	15.0	32	11	11	15	19	19	19	19
35-49	28	13.6	133	1	1	12	18	30	39	47
50-64	132	13.4	107	1	2	11	19	28	33	48
65+	196	15.5	112	2	3	14	20	28	37	53
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	18.8	243	7	7	12	27	45	45	45
20-34	8	4.1	22	1	1	3	4	12	15	15
35-49	116	7.3	47	1	1	5	10	15	18	35
50-64	665	7.8	53	2	2	6	9	16	21	42
65+	1328	9.2	70	2	2	7	12	18	25	42
B. *Operated*										
0-19 YRS	9	19.8	127	7	8	19	24	37	44	44
20-34	27	21.3	284	2	6	18	26	42	53	81
35-49	239	17.3	141	3	5	14	23	31	37	64
50-64	1277	17.7	150	3	6	15	22	33	43	65
65+	2771	18.9	149	4	7	16	25	34	43	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	6.3	51	1	2	4	8	11	18	39
B. *Operated*	359	14.5	111	1	2	13	20	28	35	51
2. MULTIPLE DX										
A. *Not Operated*	2122	8.7	64	2	2	6	11	18	23	42
B. *Operated*	4323	18.5	150	4	6	16	24	34	43	65
1. SINGLE DX	546	11.7	106	1	2	9	17	24	33	48
2. MULTIPLE DX	6445	15.3	143	2	3	13	20	30	38	59
A. NOT OPERATED	2309	8.5	64	2	2	6	10	17	23	42
B. OPERATED	4682	18.2	148	3	6	16	24	34	42	64
TOTAL 0-19 YRS	15	18.8	148	7	7	18	23	44	45	45
20-34	40	16.7	248	1	2	13	22	37	45	81
35-49	393	13.8	131	1	2	11	19	29	35	49
50-64	2145	14.0	136	2	3	11	19	29	36	58
65+	4398	15.5	142	2	3	13	21	31	38	59
GRAND TOTAL	**6991**	**15.0**	**141**	**2**	**3**	**12**	**20**	**30**	**38**	**58**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.3	7	1	1	6	7	8	8	8
35-49	142	3.7	14	1	1	2	4	8	12	19
50-64	529	5.0	30	1	1	3	6	11	17	28
65+	504	5.8	38	1	1	4	7	11	14	32
B. *Operated*										
0-19 YRS	7	9.7	22	3	4	10	12	17	18	18
20-34	36	10.8	50	2	3	9	12	22	25	37
35-49	435	8.5	36	1	2	8	12	16	19	30
50-64	1801	9.0	45	1	2	8	12	17	21	30
65+	1855	8.9	54	1	2	8	12	18	22	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.9	33	1	1	7	10	17	20	22
20-34	45	7.1	103	1	1	5	8	11	24	54
35-49	1199	7.4	54	1	2	5	9	16	21	39
50-64	5785	7.8	57	1	2	5	10	17	23	38
65+	7994	9.2	73	2	2	7	12	19	25	45
B. *Operated*										
0-19 YRS	17	9.5	109	1	2	4	15	20	34	42
20-34	91	12.7	110	2	3	10	16	23	33	61
35-49	1751	12.6	105	2	3	10	16	24	30	57
50-64	9988	12.7	98	2	3	10	16	24	31	50
65+	14076	13.3	110	2	3	11	17	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1181	5.2	32	1	1	4	7	11	15	31
B. *Operated*	4134	8.9	48	1	2	8	12	17	22	33
2. MULTIPLE DX										
A. *Not Operated*	15039	8.5	66	1	2	6	11	18	24	41
B. *Operated*	25923	13.0	105	2	3	11	17	25	32	54
1. SINGLE DX	5315	8.1	47	1	1	7	11	17	20	32
2. MULTIPLE DX	40962	11.4	96	2	2	9	15	23	30	50
A. NOT OPERATED	16220	8.3	64	1	2	6	11	17	24	41
B. OPERATED	30057	12.5	100	2	3	10	16	24	31	52
TOTAL 0-19 YRS	40	8.9	61	1	2	7	12	18	21	42
20-34	178	10.7	98	1	2	8	13	21	29	54
35-49	3527	9.9	83	1	2	8	13	20	26	45
50-64	18103	10.6	84	2	2	8	14	22	28	45
65+	24429	11.5	97	2	3	9	15	23	30	52
GRAND TOTAL	**46277**	**11.0**	**91**	**2**	**2**	**9**	**14**	**22**	**29**	**49**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	3	3
20-34	5	11.2	131	1	1	9	18	29	29	29
35-49	20	4.6	27	<1	1	3	5	10	17	23
50-64	62	4.3	30	<1	<1	3	5	10	12	35
65+	52	3.6	11	1	1	3	4	7	9	20
B. *Operated*										
0-19 YRS	27	6.8	40	1	1	5	10	16	22	25
20-34	44	6.9	37	<1	1	5	8	16	20	28
35-49	168	6.8	40	<1	1	4	11	16	20	25
50-64	776	6.7	63	<1	1	3	11	16	20	34
65+	702	5.9	57	<1	1	2	9	15	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.5	7	1	1	5	7	8	9	9
20-34	50	5.7	15	1	1	5	8	11	13	17
35-49	84	7.3	49	1	2	6	9	16	18	41
50-64	286	7.4	41	1	1	5	10	16	19	34
65+	359	7.7	68	1	1	5	10	17	23	54
B. *Operated*										
0-19 YRS	31	10.9	144	1	2	8	14	25	26	63
20-34	63	10.3	104	1	2	8	12	22	39	93
35-49	276	13.6	167	1	2	11	18	28	36	67
50-64	1286	13.1	155	1	2	11	18	28	38	76
65+	1523	12.9	181	1	2	10	18	30	40	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	4.2	26	<1	1	2	5	9	13	29
B. *Operated*	1717	6.4	57	<1	1	2	10	16	20	34
2. MULTIPLE DX										
A. *Not Operated*	794	7.3	52	1	1	5	10	16	21	40
B. *Operated*	3179	13.0	168	1	2	10	18	29	39	77
1. SINGLE DX	1864	6.2	55	<1	1	2	10	15	20	33
2. MULTIPLE DX	3973	11.8	149	1	2	9	16	27	37	73
A. NOT OPERATED	941	6.8	49	1	1	5	9	15	19	38
B. OPERATED	4896	10.7	139	1	1	8	15	24	33	69
TOTAL 0-19 YRS	81	7.4	78	1	1	5	9	16	24	52
20-34	162	8.0	62	1	2	6	10	17	23	51
35-49	548	10.2	116	1	1	7	15	22	28	50
50-64	2410	10.1	119	1	1	7	14	23	30	59
65+	2636	10.2	140	1	1	6	14	24	34	72
GRAND TOTAL	**5837**	**10.1**	**126**	**1**	**1**	**7**	**14**	**23**	**32**	**61**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	3.8	12	1	1	3	4	6	8	19
20-34	34	6.5	206	1	1	3	5	11	17	85
35-49	15	6.3	40	1	3	4	7	9	23	28
50-64	34	5.6	25	1	2	5	7	8	15	28
65+	35	5.0	14	1	1	4	7	10	13	14
B. *Operated*										
0-19 YRS	263	6.8	41	1	1	5	10	13	16	33
20-34	221	6.6	37	1	2	5	9	12	17	28
35-49	190	6.9	36	1	1	6	9	13	20	29
50-64	248	7.0	49	1	1	5	9	14	19	36
65+	303	7.6	71	1	1	5	9	16	21	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	378	4.6	26	1	1	3	5	9	13	30
20-34	122	4.7	18	1	1	3	6	10	16	20
35-49	65	6.1	34	1	2	5	7	11	18	31
50-64	152	7.4	95	1	1	5	9	15	20	50
65+	252	8.5	74	1	2	6	11	18	25	45
B. *Operated*										
0-19 YRS	163	12.2	128	2	2	9	16	24	33	63
20-34	152	11.7	165	2	2	8	15	24	33	91
35-49	173	11.9	161	1	2	8	17	28	34	91
50-64	375	14.0	164	2	3	10	19	31	44	65
65+	672	13.2	171	2	2	9	17	30	41	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	4.7	40	1	1	3	5	8	13	27
B. *Operated*	1225	7.0	48	1	1	5	9	14	18	36
2. MULTIPLE DX										
A. *Not Operated*	969	6.1	52	1	1	4	7	13	19	33
B. *Operated*	1535	13.0	163	2	2	9	17	29	40	71
1. SINGLE DX	1490	6.6	48	1	1	5	9	13	18	36
2. MULTIPLE DX	2504	10.4	131	1	2	7	13	23	33	63
A. NOT OPERATED	1234	5.8	49	1	1	4	7	12	18	32
B. OPERATED	2760	10.4	121	1	2	7	13	23	33	61
TOTAL 0-19 YRS	951	6.4	54	1	1	4	8	13	19	39
20-34	529	7.6	86	1	2	5	9	16	20	38
35-49	443	8.7	91	1	2	6	10	21	28	45
50-64	809	10.3	122	1	2	7	13	23	33	60
65+	1262	10.7	131	1	2	7	14	23	34	63
GRAND TOTAL	**3994**	**9.0**	**103**	**1**	**2**	**6**	**11**	**20**	**28**	**55**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	6.5	85	<1	<1	3	9	19	31	32
35-49	22	3.6	16	<1	1	2	4	8	14	17
50-64	26	5.4	41	<1	1	4	7	10	16	33
65+	10	7.7	45	1	2	5	11	18	24	24
B. *Operated*										
0-19 YRS	10	3.4	6	2	2	2	4	7	9	9
20-34	251	4.3	10	<1	1	4	6	8	9	14
35-49	462	4.3	10	1	1	3	6	8	10	16
50-64	532	5.0	14	1	1	4	7	10	12	18
65+	387	5.5	32	1	2	4	7	11	14	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	28	<1	<1	3	9	11	11	11
20-34	41	5.1	22	1	1	3	6	13	17	18
35-49	97	6.5	36	1	1	5	8	15	19	30
50-64	111	6.4	50	1	1	5	8	13	17	39
65+	143	7.5	38	1	2	5	10	15	20	39
B. *Operated*										
0-19 YRS	13	4.8	11	1	2	3	7	9	12	13
20-34	139	6.8	32	1	1	5	10	14	18	30
35-49	292	6.3	28	1	2	5	8	13	17	28
50-64	498	7.6	39	1	2	6	10	15	20	28
65+	670	8.8	77	2	2	6	11	18	24	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	5.3	40	<1	1	3	6	11	17	33
B. *Operated*	1642	4.8	16	1	1	4	7	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	395	6.6	40	1	1	5	9	14	18	33
B. *Operated*	1612	7.8	53	1	2	6	10	16	21	35
1. SINGLE DX	1711	4.8	17	1	1	4	7	9	12	19
2. MULTIPLE DX	2007	7.6	51	1	2	6	10	15	21	34
A. NOT OPERATED	464	6.5	40	1	1	5	8	14	17	33
B. OPERATED	3254	6.3	37	1	2	5	8	12	17	29
TOTAL 0-19 YRS	26	4.3	10	1	2	3	6	9	11	13
20-34	442	5.2	21	<1	1	4	7	10	14	23
35-49	873	5.2	20	1	1	4	7	10	13	23
50-64	1167	6.2	30	1	1	5	8	12	17	26
65+	1210	7.6	60	1	2	5	10	15	22	39
GRAND TOTAL	**3718**	**6.3**	**37**	**1**	**1**	**5**	**8**	**13**	**17**	**29**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	4	3.3	3	1	1	3	4	5	5	5
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	22	5.5	28	1	1	3	7	12	19	23
B. *Operated*										
0-19 YRS	36	2.3	3	<1	<1	2	3	5	6	8
20-34	110	2.8	14	<1	<1	2	3	5	8	23
35-49	315	2.2	6	<1	<1	2	2	4	6	12
50-64	758	2.5	7	<1	<1	2	3	5	6	13
65+	1502	3.0	12	<1	<1	2	3	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	20	7.6	84	1	2	4	8	21	32	35
35-49	17	7.4	14	2	2	7	9	14	15	15
50-64	45	6.9	110	<1	1	4	7	16	24	64
65+	164	7.2	66	<1	1	4	9	16	22	42
B. *Operated*										
0-19 YRS	19	8.5	74	1	2	5	12	19	29	36
20-34	58	8.1	124	<1	<1	4	9	25	31	60
35-49	268	5.5	104	<1	<1	2	6	11	20	45
50-64	920	4.8	48	<1	1	3	5	11	16	36
65+	2845	5.6	55	1	1	3	7	12	18	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	5.3	25	1	1	3	6	12	17	23
B. *Operated*	2721	2.8	10	<1	<1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	248	7.1	71	1	1	4	9	15	23	42
B. *Operated*	4110	5.5	58	1	1	3	6	12	18	38
1. SINGLE DX	2749	2.8	10	<1	<1	2	3	5	8	15
2. MULTIPLE DX	4358	5.5	59	1	1	3	6	12	18	41
A. NOT OPERATED	276	6.9	66	1	1	4	8	15	23	42
B. OPERATED	6831	4.4	41	<1	1	2	5	10	14	32
TOTAL 0-19 YRS	58	4.6	35	<1	<1	2	5	12	16	35
20-34	192	4.9	60	<1	<1	2	5	11	21	36
35-49	600	3.8	53	<1	<1	2	3	8	12	32
50-64	1724	3.9	33	<1	<1	2	4	8	13	30
65+	4533	4.8	43	<1	1	3	5	11	15	33
GRAND TOTAL	**7107**	**4.5**	**42**	**<1**	**1**	**2**	**5**	**10**	**15**	**33**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	15	2.7	3	1	1	2	4	6	6	6
35-49	60	4.4	79	<1	1	2	4	7	15	61
50-64	79	4.5	16	1	1	3	6	9	14	20
65+	90	4.7	27	1	1	3	6	9	12	32
B. *Operated*										
0-19 YRS	11	4.5	4	1	2	5	6	7	7	7
20-34	491	5.2	9	1	2	5	7	9	10	13
35-49	2976	5.4	8	1	2	5	7	9	10	14
50-64	4490	5.9	9	1	2	6	7	9	11	15
65+	4298	6.3	11	2	2	6	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	7.0	40	2	2	5	9	18	18	18
20-34	83	5.8	36	<1	1	4	7	12	24	26
35-49	530	8.0	85	1	1	5	10	18	27	54
50-64	1182	8.4	71	1	1	6	11	18	26	44
65+	1357	9.7	109	1	2	7	12	20	29	53
B. *Operated*										
0-19 YRS	20	8.8	50	2	2	7	11	18	25	30
20-34	560	6.8	23	2	3	6	8	11	14	26
35-49	3820	7.2	29	2	3	6	8	11	14	29
50-64	7576	8.1	42	2	3	7	9	13	17	36
65+	11531	8.9	41	2	4	8	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	244	4.4	34	1	1	3	5	9	12	23
B. *Operated*	12266	5.9	10	1	2	6	8	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	3157	8.8	89	1	2	6	11	19	27	50
B. *Operated*	23507	8.3	39	2	3	7	10	14	18	35
1. SINGLE DX	12510	5.9	10	1	2	6	8	9	11	16
2. MULTIPLE DX	26664	8.4	45	2	3	7	10	14	19	37
A. NOT OPERATED	3401	8.5	87	1	1	6	11	19	26	49
B. OPERATED	35773	7.5	31	2	3	7	9	12	16	30
TOTAL 0-19 YRS	36	7.3	36	2	2	6	8	16	20	30
20-34	1149	6.0	18	1	2	5	8	10	12	24
35-49	7386	6.5	26	1	2	6	8	11	13	26
50-64	13327	7.4	35	2	3	6	9	12	16	31
65+	17276	8.3	40	2	3	7	10	14	18	35
GRAND TOTAL	**39174**	**7.6**	**36**	**2**	**3**	**7**	**9**	**13**	**16**	**32**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	53	3.5	3	1	2	3	4	5	6	9
35-49	163	3.8	10	1	2	3	4	5	6	22
50-64	209	3.8	9	1	2	3	4	5	8	21
65+	169	4.2	8	2	2	4	5	5	8	19
B. *Operated*										
0-19 YRS	3	4.7	14	2	2	3	7	9	9	9
20-34	399	4.9	13	1	1	4	7	10	12	14
35-49	503	5.4	20	1	1	4	8	11	14	19
50-64	338	4.9	19	1	2	4	6	9	12	19
65+	255	4.0	10	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	89	6.7	47	1	1	5	8	13	23	38
35-49	281	6.2	59	1	1	4	7	11	18	43
50-64	366	6.2	41	1	1	4	7	13	19	32
65+	381	6.9	62	2	2	4	8	14	19	38
B. *Operated*										
0-19 YRS	8	9.5	64	2	2	8	11	22	27	27
20-34	410	7.6	48	1	2	6	9	14	19	33
35-49	762	9.7	87	2	2	7	11	19	28	50
50-64	686	9.5	90	1	2	7	12	20	28	58
65+	777	10.0	122	2	2	7	12	21	30	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	595	3.9	9	1	2	3	4	5	7	20
B. *Operated*	1498	4.9	16	1	1	4	7	10	13	17
2. MULTIPLE DX										
A. *Not Operated*	1118	6.4	53	1	1	4	7	13	19	37
B. *Operated*	2643	9.4	93	1	2	7	11	19	27	51
1. SINGLE DX	2093	4.6	14	1	1	4	6	9	12	18
2. MULTIPLE DX	3761	8.5	83	1	2	6	10	17	25	48
A. NOT OPERATED	1713	5.6	39	1	2	4	6	11	16	32
B. OPERATED	4141	7.8	70	1	2	6	10	16	22	46
TOTAL 0-19 YRS	13	7.3	48	2	2	4	10	15	25	27
20-34	951	6.2	32	1	1	5	8	12	15	27
35-49	1709	7.3	60	1	2	5	9	14	21	43
50-64	1599	7.0	58	1	2	4	8	15	21	39
65+	1582	7.7	84	1	2	5	9	16	22	48
GRAND TOTAL	**5854**	**7.1**	**62**	**1**	**2**	**5**	**9**	**14**	**21**	**43**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	4.2	1	3	3	4	5	6	6	6
35-49	27	3.0	1	1	1	3	4	4	5	5
50-64	158	3.3	2	1	2	3	4	5	5	8
65+	204	3.8	9	1	2	3	4	5	7	21
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	37	5.6	8	1	2	6	7	8	12	13
35-49	214	5.6	8	1	1	6	7	9	10	14
50-64	984	5.9	10	1	1	6	8	9	11	14
65+	964	6.1	14	1	2	6	8	10	12	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.5	12	1	1	6	8	9	9	9
20-34	16	5.1	17	1	1	4	7	10	15	17
35-49	38	3.5	8	1	1	3	4	6	9	16
50-64	244	5.4	61	1	1	4	6	11	16	31
65+	561	7.7	99	1	2	4	9	17	24	59
B. *Operated*										
0-19 YRS	7	9.3	4	7	7	10	11	12	12	12
20-34	64	9.7	126	3	4	7	10	14	33	72
35-49	587	7.1	19	1	2	7	8	11	15	25
50-64	2705	8.1	40	2	2	7	9	13	17	34
65+	3923	9.1	56	2	2	8	11	16	21	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	395	3.6	5	1	2	3	4	5	6	15
B. *Operated*	2200	6.0	12	1	1	6	8	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	863	6.9	84	1	1	4	8	15	21	55
B. *Operated*	7286	8.6	48	2	2	7	10	15	19	36
1. SINGLE DX	2595	5.6	12	1	1	6	7	9	11	17
2. MULTIPLE DX	8149	8.4	52	1	2	7	10	15	19	36
A. NOT OPERATED	1258	5.8	62	1	1	4	6	12	17	47
B. OPERATED	9486	8.0	41	1	2	7	9	14	18	33
TOTAL 0-19 YRS	12	8.1	9	1	4	8	10	11	12	12
20-34	123	7.6	75	1	2	6	8	12	15	54
35-49	866	6.4	16	1	2	6	8	11	13	21
50-64	4091	7.2	34	1	2	7	9	12	15	28
65+	5652	8.3	53	1	2	7	10	15	20	38
GRAND TOTAL	**10744**	**7.7**	**44**	**1**	**2**	**7**	**9**	**13**	**18**	**34**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.1	1	1	1	2	2	4	5	5
20-34	23	2.2	2	<1	1	2	2	5	6	6
35-49	88	2.7	12	1	1	2	2	5	7	23
50-64	262	2.5	8	<1	1	2	2	4	6	19
65+	191	3.0	10	1	1	2	3	5	8	18
B. *Operated*										
0-19 YRS	30	6.5	9	3	3	6	7	9	13	16
20-34	114	6.2	5	3	4	6	8	9	11	12
35-49	138	8.3	18	2	4	7	10	14	17	21
50-64	293	8.8	31	2	3	8	11	15	18	23
65+	161	10.0	34	3	4	8	11	18	21	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	7.1	79	2	2	3	6	24	28	29
20-34	59	4.3	26	1	1	3	5	10	13	32
35-49	227	4.0	18	1	1	2	5	9	12	23
50-64	853	4.4	32	1	1	2	5	9	14	33
65+	1000	6.6	65	1	1	4	8	15	22	41
B. *Operated*										
0-19 YRS	41	10.2	30	4	5	9	13	19	20	28
20-34	235	9.2	26	3	4	8	12	16	19	28
35-49	627	11.1	75	5	5	9	12	18	24	52
50-64	1592	13.4	96	5	6	11	16	24	31	53
65+	1771	16.3	123	6	7	13	20	29	39	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	574	2.7	9	1	1	2	3	5	7	19
B. *Operated*	736	8.5	26	2	4	7	10	14	18	24
2. MULTIPLE DX										
A. *Not Operated*	2151	5.4	47	1	1	3	6	13	18	34
B. *Operated*	4266	14.0	105	5	6	11	17	26	33	61
1. SINGLE DX	1310	5.9	27	1	1	5	8	12	16	23
2. MULTIPLE DX	6417	11.1	102	1	2	9	15	22	29	54
A. NOT OPERATED	2725	4.8	40	1	1	2	5	11	17	31
B. OPERATED	5002	13.2	97	4	5	10	16	24	31	58
TOTAL 0-19 YRS	93	7.7	32	1	2	7	9	15	20	29
20-34	431	7.4	24	1	2	7	9	14	17	26
35-49	1080	8.6	61	1	2	7	10	16	21	38
50-64	3000	9.4	83	1	1	8	12	19	26	47
65+	3123	12.1	118	1	2	10	16	25	32	60
GRAND TOTAL	**7727**	**10.2**	**93**	**1**	**2**	**8**	**13**	**21**	**28**	**52**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	11	3.2	2	1	1	3	4	5	6	6
35-49	11	2.1	1	1	1	2	3	3	3	3
50-64	19	2.6	2	<1	<1	2	4	5	5	5
65+	23	4.4	28	1	1	3	4	7	18	25
B. *Operated*										
0-19 YRS	2	10.0		10	10	10	10	10	10	10
20-34	18	5.7	21	1	1	4	8	11	16	19
35-49	44	5.9	23	1	2	4	10	14	15	16
50-64	85	7.2	44	1	2	5	10	17	19	33
65+	186	8.4	80	1	2	6	10	19	26	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.2	4	1	1	3	5	5	5	5
20-34	5	3.8	7	<1	<1	3	5	8	8	8
35-49	19	10.2	236	<1	1	6	12	17	47	70
50-64	59	6.3	101	<1	1	3	7	14	17	68
65+	155	9.6	167	2	2	5	10	21	36	79
B. *Operated*										
0-19 YRS	5	8.6	18	6	6	7	10	16	16	16
20-34	28	11.4	108	3	3	7	15	27	33	45
35-49	81	13.1	196	1	2	9	16	31	44	98
50-64	189	12.8	150	2	2	9	16	26	40	85
65+	576	12.8	145	2	3	9	17	27	35	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	65	3.4	13	<1	1	3	4	5	8	23
B. *Operated*	335	7.6	60	1	2	5	10	16	23	38
2. MULTIPLE DX										
A. *Not Operated*	244	8.6	151	1	2	5	9	17	29	73
B. *Operated*	879	12.8	149	2	3	9	17	27	36	74
1. SINGLE DX	400	6.9	55	1	1	4	9	16	21	35
2. MULTIPLE DX	1123	11.9	152	2	2	8	15	26	35	74
A. NOT OPERATED	309	7.5	126	1	1	4	8	15	25	71
B. OPERATED	1214	11.4	130	2	2	8	15	25	32	65
TOTAL 0-19 YRS	14	6.8	19	1	1	6	10	13	15	16
20-34	62	7.7	67	1	2	4	10	18	25	43
35-49	155	9.9	150	1	2	6	13	20	33	93
50-64	352	9.8	119	1	2	7	12	21	29	72
65+	940	11.2	137	2	2	7	15	25	32	68
GRAND TOTAL	**1523**	**10.6**	**131**	**1**	**2**	**7**	**14**	**23**	**32**	**69**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	19	<1	<1	1	6	10	10	10
20-34										
35-49	4	3.3	4	1	1	3	5	6	6	6
50-64	46	5.3	25	1	1	4	7	10	14	28
65+	184	6.5	44	1	1	5	8	12	17	36
B. *Operated*										
0-19 YRS	6	6.5	16	2	2	6	10	11	11	11
20-34	1	13.0		13	13	13	13	13	13	13
35-49	52	7.1	29	1	2	5	10	16	18	20
50-64	1485	6.2	23	1	1	5	8	13	16	22
65+	4038	5.9	18	1	2	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	8	1	1	4	6	8	10	10
20-34	1	8.0		8	8	8	8	8	8	8
35-49	23	6.9	71	1	1	4	9	14	25	40
50-64	549	7.9	63	1	2	6	10	16	23	42
65+	3252	8.6	71	1	2	6	10	18	24	45
B. *Operated*										
0-19 YRS	22	9.3	94	2	3	6	12	18	30	47
20-34	8	7.9	63	1	1	6	11	21	24	24
35-49	86	9.4	80	2	2	7	11	17	25	53
50-64	3133	8.5	51	2	2	7	11	16	21	37
65+	17296	9.1	57	2	3	7	11	17	23	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	238	6.2	39	1	1	5	8	12	16	35
B. *Operated*	5582	6.0	19	1	2	5	8	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	3835	8.5	70	1	2	6	10	18	24	45
B. *Operated*	20545	9.0	56	2	3	7	11	17	22	40
1. SINGLE DX	5820	6.0	20	1	2	5	8	11	14	22
2. MULTIPLE DX	24380	8.9	58	2	3	7	11	17	23	41
A. NOT OPERATED	4073	8.3	68	1	2	6	10	17	24	45
B. OPERATED	26127	8.4	50	2	2	7	10	16	21	37
TOTAL 0-19 YRS	42	7.2	59	1	2	6	10	13	18	47
20-34	10	8.4	52	1	1	8	13	19	24	24
35-49	165	8.2	62	1	2	6	10	16	19	49
50-64	5213	7.7	45	1	2	6	10	15	20	34
65+	24770	8.5	53	2	2	7	10	16	21	39
GRAND TOTAL	**30200**	**8.3**	**52**	**2**	**2**	**6**	**10**	**16**	**21**	**38**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.9	2	1	1	3	4	5	5	5
20-34	40	4.4	5	1	1	4	6	7	9	10
35-49	14	4.1	6	1	2	4	5	6	10	11
50-64	5	2.0	1	<1	<1	2	3	3	3	3
65+	4	3.3	2	1	1	4	4	4	4	4
B. *Operated*										
0-19 YRS	65	4.2	13	1	1	3	5	8	11	20
20-34	556	4.1	10	1	1	3	5	8	10	15
35-49	239	3.8	9	1	1	3	5	7	9	17
50-64	78	4.4	21	1	1	3	5	8	11	29
65+	66	5.6	17	1	2	5	7	10	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	4.0	2	1	2	4	5	5	7	7
20-34	157	5.9	24	1	1	5	7	9	15	32
35-49	57	5.3	16	1	2	4	5	10	16	21
50-64	12	7.3	115	1	2	4	6	20	37	40
65+	16	11.6	177	2	3	7	15	18	45	57
B. *Operated*										
0-19 YRS	34	7.6	31	1	1	7	10	14	18	25
20-34	289	8.4	73	1	2	6	10	18	25	51
35-49	136	6.7	33	1	2	5	9	15	20	26
50-64	107	7.5	48	1	1	5	9	17	22	35
65+	170	8.2	86	2	2	5	10	18	25	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	3.8	5	1	1	4	5	6	8	11
B. *Operated*	1004	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	258	6.1	36	1	2	5	6	11	16	34
B. *Operated*	736	7.9	63	1	2	5	10	17	23	44
1. SINGLE DX	1081	4.1	11	1	1	3	5	8	10	17
2. MULTIPLE DX	994	7.4	57	1	2	5	9	15	21	41
A. NOT OPERATED	335	5.6	30	1	2	5	6	9	14	32
B. OPERATED	1740	5.7	37	1	1	4	7	12	17	29
TOTAL 0-19 YRS	129	4.9	17	1	1	4	7	10	13	22
20-34	1042	5.6	33	1	1	4	7	11	15	30
35-49	446	4.9	19	1	1	4	6	10	14	23
50-64	202	6.2	42	1	1	4	7	15	19	35
65+	256	7.6	74	1	2	5	9	15	21	54
GRAND TOTAL	**2075**	**5.7**	**36**	**1**	**1**	**4**	**7**	**11**	**16**	**31**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	7	<1	<1	3	5	7	7	7
20-34										
35-49	7	4.9	47	1	1	3	5	17	20	20
50-64	30	3.4	10	<1	1	3	5	6	9	16
65+	102	4.5	41	<1	<1	3	5	8	12	38
B. *Operated*										
0-19 YRS	10	4.8	30	<1	<1	2	5	14	18	18
20-34	68	3.5	14	<1	1	2	4	6	9	22
35-49	477	4.0	19	1	1	3	5	8	13	22
50-64	2241	4.2	16	1	1	3	5	8	12	19
65+	4552	4.4	18	1	1	3	5	9	12	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	6.4	25	2	2	5	9	15	16	16
20-34										
35-49	26	7.3	28	1	1	6	12	14	18	20
50-64	228	6.6	71	1	1	4	8	18	25	41
65+	981	8.2	82	1	2	5	10	18	27	46
B. *Operated*										
0-19 YRS	17	6.9	30	1	2	5	9	14	20	22
20-34	57	5.6	50	<1	1	3	7	11	18	41
35-49	408	6.4	62	1	1	4	8	15	21	44
50-64	3314	7.4	68	1	2	5	9	17	23	41
65+	12213	7.9	70	1	2	5	9	17	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	4.3	33	<1	1	3	5	8	12	29
B. *Operated*	7348	4.3	17	1	1	3	5	8	12	22
2. MULTIPLE DX										
A. *Not Operated*	1242	7.9	79	1	1	5	10	17	26	46
B. *Operated*	16009	7.8	69	1	2	5	9	17	23	43
1. SINGLE DX	7491	4.3	18	1	1	3	5	8	12	22
2. MULTIPLE DX	17251	7.8	70	1	2	5	9	17	24	44
A. NOT OPERATED	1385	7.5	75	1	1	5	9	17	25	45
B. OPERATED	23357	6.7	56	1	2	4	8	15	21	38
TOTAL 0-19 YRS	38	5.9	26	<1	1	4	8	14	17	22
20-34	125	4.4	31	<1	1	3	5	8	13	33
35-49	918	5.1	40	1	1	3	6	12	16	33
50-64	5813	6.1	50	1	1	4	7	14	19	36
65+	17848	7.0	60	1	2	5	8	15	22	40
GRAND TOTAL	**24742**	**6.7**	**57**	**1**	**2**	**4**	**8**	**15**	**21**	**39**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	2.8	6	<1	1	2	4	6	9	10
20-34	1	4.0		4	4	4	4	4	4	4
35-49	18	4.0	14	1	1	3	5	9	13	15
50-64	29	4.1	15	1	1	3	5	10	12	18
65+	43	5.2	15	1	1	4	7	10	12	21
B. *Operated*										
0-19 YRS	80	9.3	18	3	5	9	11	14	18	25
20-34	23	8.4	26	<1	1	9	11	16	18	19
35-49	181	9.2	26	2	4	9	11	15	18	30
50-64	422	9.2	21	2	3	9	11	15	18	23
65+	445	10.3	37	2	2	10	13	18	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	5.8	29	1	1	4	7	13	16	29
20-34	12	6.4	17	2	2	5	9	13	15	15
35-49	90	8.7	109	1	2	5	11	19	32	55
50-64	359	8.5	67	1	2	6	11	18	23	42
65+	615	9.1	64	1	2	7	12	19	23	42
B. *Operated*										
0-19 YRS	100	12.6	106	3	5	10	13	22	37	57
20-34	37	13.6	94	2	5	10	15	26	32	51
35-49	321	12.3	66	2	4	11	15	21	25	43
50-64	1364	12.8	75	3	5	11	15	22	27	54
65+	2435	14.5	96	3	5	13	18	26	33	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	4.1	13	1	1	3	5	9	11	19
B. *Operated*	1151	9.6	28	2	3	9	12	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	1152	8.6	66	1	2	6	11	18	23	45
B. *Operated*	4257	13.7	88	3	5	12	17	24	31	53
1. SINGLE DX	1279	9.0	29	1	2	9	11	16	19	26
2. MULTIPLE DX	5409	12.6	88	2	3	11	16	23	30	50
A. NOT OPERATED	1280	8.2	63	1	2	6	11	17	22	42
B. OPERATED	5408	12.8	78	2	4	11	16	22	29	49
TOTAL 0-19 YRS	293	8.7	61	1	1	8	10	15	21	45
20-34	73	10.6	67	1	2	9	13	19	26	47
35-49	610	10.6	63	2	3	9	13	19	22	44
50-64	2174	11.2	66	2	3	10	14	20	25	46
65+	3538	12.9	88	2	3	11	16	23	30	50
GRAND TOTAL	**6688**	**12.0**	**78**	**2**	**3**	**10**	**15**	**22**	**28**	**48**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.4	27	<1	<1	1	2	3	4	30
20-34										
35-49	2	4.5	25	1	1	4	8	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+	3	3.3	5	2	2	2	5	6	6	6
B. *Operated*										
0-19 YRS	44	2.6	4	<1	<1	2	4	5	6	13
20-34	11	3.0	4	1	1	3	4	6	7	7
35-49	21	3.3	16	1	1	3	3	4	12	20
50-64	41	4.1	12	1	1	3	5	8	11	19
65+	72	3.4	8	1	1	3	4	7	8	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	5.9	208	<1	<1	1	3	13	43	62
20-34	1	3.0		3	3	3	3	3	3	3
35-49	10	6.6	10	2	2	6	10	11	11	11
50-64	9	4.7	6	2	2	4	6	9	9	9
65+	23	7.0	27	1	2	6	10	14	18	22
B. *Operated*										
0-19 YRS	29	6.9	151	<1	<1	3	7	17	20	65
20-34	3	6.3	10	4	4	5	9	10	10	10
35-49	9	4.3	6	2	2	3	6	8	9	9
50-64	38	5.8	41	1	1	3	6	18	21	25
65+	93	5.1	36	1	2	3	5	11	13	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.6	24	<1	<1	1	2	4	7	30
B. *Operated*	189	3.3	9	1	1	3	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*	61	6.2	72	<1	1	4	8	12	15	58
B. *Operated*	172	5.5	54	1	1	3	6	12	18	39
1. SINGLE DX	226	3.2	11	<1	1	2	4	6	8	20
2. MULTIPLE DX	233	5.7	58	1	1	3	6	12	17	43
A. NOT OPERATED	98	4.9	56	<1	<1	3	6	11	14	47
B. OPERATED	361	4.4	31	1	1	3	5	8	13	25
TOTAL 0-19 YRS	122	4.1	76	<1	<1	2	3	7	16	63
20-34	15	3.7	6	1	1	3	5	7	9	10
35-49	42	4.4	13	1	1	3	5	9	11	20
50-64	89	4.9	24	1	1	3	5	10	19	24
65+	191	4.7	25	1	2	3	5	9	12	31
GRAND TOTAL	**459**	**4.5**	**37**	**<1**	**1**	**3**	**5**	**9**	**13**	**30**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	4.4	25	<1	1	3	6	9	14	25
20-34	36	4.9	17	1	1	4	6	14	16	99+
35-49	97	8.0	112	1	2	5	8	18	28	63
50-64	154	9.1	147	1	1	6	10	19	32	65
65+	111	11.2	181	2	2	7	14	23	41	79
B. *Operated*										
0-19 YRS	215	9.5	35	2	2	9	12	17	20	33
20-34	217	10.8	67	2	3	9	14	19	24	40
35-49	247	11.3	74	2	3	9	14	20	27	63
50-64	325	14.5	110	3	5	13	18	25	32	64
65+	226	16.6	162	4	5	14	20	28	43	65
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	5.9	49	1	1	3	7	14	20	38
20-34	173	7.1	59	1	1	4	9	16	24	42
35-49	320	8.5	104	1	2	6	9	19	30	61
50-64	537	11.4	147	2	2	7	14	25	37	67
65+	652	12.2	152	2	3	8	14	27	46	69
B. *Operated*										
0-19 YRS	362	17.0	249	2	4	13	21	34	60	91
20-34	242	16.5	209	3	4	13	20	35	53	83
35-49	347	17.1	246	3	4	12	21	38	52	74
50-64	559	20.6	315	3	5	14	25	51	66	91
65+	596	23.2	297	5	8	18	29	53	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	518	7.9	116	1	1	5	9	16	26	66
B. *Operated*	1230	12.7	98	2	4	11	16	22	29	61
2. MULTIPLE DX										
A. *Not Operated*	1879	10.2	128	1	2	7	12	23	34	62
B. *Operated*	2106	19.7	282	3	5	15	24	44	61	91
1. SINGLE DX	1748	11.3	108	2	2	9	14	21	28	62
2. MULTIPLE DX	3985	15.2	232	2	3	11	19	34	53	84
A. NOT OPERATED	2397	9.7	126	1	2	6	11	22	33	63
B. OPERATED	3336	17.1	225	3	4	13	21	35	54	84
TOTAL 0-19 YRS	894	11.1	150	1	2	8	14	23	32	77
20-34	668	11.6	130	2	2	9	14	24	33	74
35-49	1011	12.1	160	2	2	8	14	26	37	71
50-64	1575	15.1	218	2	3	11	18	32	51	78
65+	1585	16.9	237	2	3	12	21	38	55	85
GRAND TOTAL	**5733**	**14.0**	**197**	**2**	**2**	**10**	**17**	**30**	**47**	**78**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	4	1	1	2	3	6	7	7
20-34	4	10.5	246	2	2	3	19	34	34	34
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	3.3	2	2	2	3	4	5	5	5
65+	5	5.4	28	1	1	3	9	14	14	14
B. *Operated*										
0-19 YRS	29	10.1	41	2	3	9	12	20	23	25
20-34	26	11.8	90	1	1	10	18	24	30	40
35-49	22	7.9	43	1	1	6	11	18	21	24
50-64	19	15.8	145	2	3	12	21	37	39	40
65+	16	13.9	130	1	1	14	17	22	40	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	37	7.9	110	1	1	4	8	19	31	52
20-34	8	3.3	7	1	1	2	5	7	8	8
35-49	11	10.9	94	2	2	7	13	25	35	36
50-64	29	9.2	58	1	1	8	13	21	25	30
65+	42	10.5	76	1	2	8	15	22	26	44
B. *Operated*										
0-19 YRS	61	17.1	192	3	4	13	22	33	49	66
20-34	33	17.9	124	2	6	15	26	31	38	49
35-49	37	20.9	367	2	4	14	32	41	55	99
50-64	37	19.5	339	2	4	14	22	49	64	81
65+	67	22.6	226	3	7	19	30	47	60	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	5.0	53	1	1	3	5	10	23	34
B. *Operated*	112	11.6	87	1	2	10	16	23	31	43
2. MULTIPLE DX										
A. *Not Operated*	127	9.0	80	1	1	6	13	20	27	46
B. *Operated*	235	19.8	243	3	5	15	27	39	54	84
1. SINGLE DX	133	10.5	87	1	2	8	15	22	31	42
2. MULTIPLE DX	362	16.0	212	2	2	12	22	35	47	67
A. NOT OPERATED	148	8.5	78	1	1	6	11	19	27	44
B. OPERATED	347	17.1	207	2	3	13	23	35	48	68
TOTAL 0-19 YRS	135	12.2	147	1	2	8	17	30	33	57
20-34	71	13.6	123	1	2	11	20	29	34	47
35-49	71	15.1	253	1	2	11	19	36	42	91
50-64	88	14.8	213	2	2	11	19	32	41	75
65+	130	16.9	192	1	3	14	24	38	48	73
GRAND TOTAL	**495**	**14.5**	**184**	**1**	**2**	**11**	**19**	**32**	**41**	**65**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	3.2	7	<1	1	2	4	7	8	13
20-34	47	2.7	3	<1	1	2	4	5	6	8
35-49	44	2.5	2	1	1	2	3	4	5	8
50-64	30	2.5	3	1	1	2	3	5	6	8
65+	19	3.4	7	<1	1	3	4	7	10	11
B. *Operated*										
0-19 YRS	71	9.3	171	2	2	5	9	23	32	72
20-34	316	4.2	8	1	2	4	5	7	9	19
35-49	301	4.1	6	1	2	4	5	7	8	15
50-64	183	4.8	7	2	3	4	5	8	10	15
65+	110	5.9	14	2	3	5	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	5.7	55	<1	1	3	7	15	20	41
20-34	76	4.0	12	1	1	3	5	8	9	20
35-49	92	4.5	31	1	1	3	5	10	14	33
50-64	122	6.1	62	1	1	3	6	13	22	43
65+	158	9.5	175	2	2	6	11	18	27	89
B. *Operated*										
0-19 YRS	128	10.6	173	2	3	7	11	20	30	79
20-34	357	5.7	42	2	2	4	6	9	11	52
35-49	407	6.4	28	2	3	5	7	12	17	30
50-64	413	7.5	61	2	3	5	8	15	22	45
65+	440	10.7	131	3	3	6	13	25	36	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198	2.8	4	1	1	2	4	5	7	11
B. *Operated*	981	4.9	21	2	2	4	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	552	6.4	85	1	1	4	7	14	20	48
B. *Operated*	1745	7.9	79	2	3	5	8	16	24	54
1. SINGLE DX	1179	4.5	19	1	2	4	5	8	10	20
2. MULTIPLE DX	2297	7.6	81	2	2	5	8	15	23	53
A. NOT OPERATED	750	5.5	66	1	1	3	6	11	17	42
B. OPERATED	2726	6.8	61	2	2	5	7	13	19	48
TOTAL 0-19 YRS	361	7.7	119	1	1	5	8	16	26	73
20-34	796	4.8	24	1	2	4	5	8	10	22
35-49	844	5.2	21	1	2	4	6	10	13	24
50-64	748	6.4	48	2	2	4	7	12	18	39
65+	727	9.5	123	2	3	6	11	20	28	70
GRAND TOTAL	**3476**	**6.5**	**62**	**1**	**2**	**4**	**7**	**13**	**19**	**44**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.9	3	<1	1	2	4	6	7	9
20-34	38	4.4	16	<1	<1	3	5	12	13	15
35-49	110	5.4	77	<1	1	3	5	10	17	52
50-64	297	6.2	59	1	1	4	8	13	17	45
65+	337	7.6	74	1	1	5	10	15	21	44
B. *Operated*										
0-19 YRS	60	5.7	19	1	1	5	7	11	14	25
20-34	71	5.7	24	<1	1	5	8	11	15	25
35-49	220	6.8	47	1	1	5	9	14	21	33
50-64	542	6.8	41	<1	1	5	9	15	20	28
65+	659	7.1	53	1	1	5	10	15	19	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	238	4.7	30	<1	1	3	5	10	14	33
20-34	718	6.4	42	1	1	5	8	14	19	33
35-49	2991	8.0	66	1	2	6	10	17	23	39
50-64	9466	8.7	74	1	2	6	11	19	25	44
65+	16567	9.6	82	2	2	7	12	20	27	47
B. *Operated*										
0-19 YRS	257	10.7	129	1	2	8	12	19	31	71
20-34	919	9.8	109	1	2	7	11	20	29	59
35-49	3512	10.9	105	1	2	8	14	23	31	55
50-64	10210	12.5	127	2	2	9	16	26	35	59
65+	15243	13.2	137	2	3	10	17	27	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	850	6.3	62	1	1	4	8	13	18	37
B. *Operated*	1552	6.8	45	1	1	5	9	15	19	32
2. MULTIPLE DX										
A. *Not Operated*	29980	9.1	77	1	2	7	11	19	26	45
B. *Operated*	30141	12.6	130	2	2	9	16	26	35	60
1. SINGLE DX	2402	6.6	51	1	1	4	9	14	19	34
2. MULTIPLE DX	60121	10.8	106	2	2	8	14	23	31	54
A. NOT OPERATED	30830	9.0	77	1	2	6	11	19	25	45
B. OPERATED	31693	12.3	127	2	2	9	16	26	35	59
TOTAL 0-19 YRS	623	7.1	76	1	1	5	9	14	20	43
20-34	1746	8.1	79	1	2	6	10	16	24	46
35-49	6833	9.4	88	1	2	7	12	20	27	47
50-64	20515	10.5	103	1	2	8	14	23	30	53
65+	32806	11.2	110	2	2	8	14	23	31	55
GRAND TOTAL	**62523**	**10.7**	**105**	**1**	**2**	**8**	**14**	**23**	**30**	**53**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	2.7	9	<1	1	2	3	5	10	15
20-34	96	3.4	12	1	1	2	4	7	9	20
35-49	58	4.5	34	<1	1	2	6	10	13	35
50-64	38	4.0	14	1	1	3	6	10	11	14
65+	27	5.7	23	1	1	5	8	11	19	19
B. *Operated*										
0-19 YRS	301	6.1	21	1	1	5	8	12	15	19
20-34	690	6.2	27	1	1	5	8	11	15	28
35-49	255	6.7	28	1	1	6	9	13	17	26
50-64	139	6.8	34	1	2	6	9	12	17	36
65+	80	7.4	36	1	2	6	10	16	20	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	4.7	47	1	1	2	5	12	16	39
20-34	309	4.6	18	1	1	3	6	10	13	23
35-49	134	7.5	110	1	1	5	8	15	24	68
50-64	146	7.4	56	1	1	6	9	18	21	35
65+	164	8.1	52	1	2	6	10	18	25	32
B. *Operated*										
0-19 YRS	133	9.8	107	1	2	8	11	17	21	54
20-34	437	9.5	90	1	2	7	11	19	25	47
35-49	240	9.9	78	1	2	8	12	21	28	43
50-64	222	12.0	108	2	2	9	16	25	32	54
65+	257	18.1	281	3	3	13	24	41	54	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	278	3.8	18	1	1	2	5	9	11	20
B. *Operated*	1465	6.4	27	1	1	5	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	817	6.3	51	1	1	4	8	14	19	32
B. *Operated*	1289	11.7	141	1	2	8	15	25	35	67
1. SINGLE DX	1743	6.0	27	1	1	5	8	12	15	24
2. MULTIPLE DX	2106	9.6	113	1	1	7	12	21	29	57
A. NOT OPERATED	1095	5.7	44	1	1	4	7	13	18	31
B. OPERATED	2754	8.9	[illegible]	1	2	7	11	18	25	48
TOTAL 0-19 YRS	557	6.5	47	1	1	5	8	13	17	34
20-34	1532	6.6	46	1	1	5	8	13	18	31
35-49	687	7.8	65	1	1	6	10	16	22	41
50-64	545	8.9	76	1	1	7	11	20	26	41
65+	528	12.7	186	1	2	8	16	29	39	79
GRAND TOTAL	**3849**	**8.0**	**77**	**1**	**1**	**6**	**10**	**17**	**23**	**44**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	420	4.1	22	<1	<1	3	5	8	11	26
20-34	21	4.6	43	<1	<1	1	5	15	22	23
35-49	21	7.1	81	<1	<1	3	9	19	30	37
50-64	41	5.2	28	1	1	3	8	11	18	23
65+	67	6.1	38	1	1	3	9	18	20	24
B. *Operated*										
0-19 YRS	318	7.9	94	<1	1	5	9	18	26	51
20-34	43	16.8	298	1	1	10	28	37	46	82
35-49	35	10.5	137	1	2	5	14	33	37	41
50-64	68	7.5	64	1	2	5	9	21	28	35
65+	85	7.4	82	1	2	5	8	16	22	55
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	706	5.5	31	1	1	4	7	11	16	27
20-34	73	8.2	101	<1	<1	4	9	23	34	43
35-49	71	9.0	84	1	1	6	12	19	25	51
50-64	325	7.1	67	1	1	5	9	15	19	36
65+	907	8.3	72	1	2	6	10	17	24	40
B. *Operated*										
0-19 YRS	370	14.8	206	1	2	10	19	37	45	75
20-34	82	22.8	361	1	4	16	35	58	62	91
35-49	71	16.3	217	2	4	10	23	39	49	95
50-64	284	15.1	221	2	3	10	20	37	45	68
65+	646	12.2	130	2	3	9	15	26	36	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	570	4.5	27	<1	1	3	5	10	15	24
B. *Operated*	549	8.6	112	1	1	5	10	22	32	49
2. MULTIPLE DX										
A. *Not Operated*	2082	7.2	60	1	1	5	9	15	21	36
B. *Operated*	1453	14.2	190	2	3	10	18	34	45	71
1. SINGLE DX	1119	6.5	73	<1	1	4	7	15	24	42
2. MULTIPLE DX	3535	10.1	126	1	2	6	12	23	34	60
A. NOT OPERATED	2652	6.6	54	1	1	4	8	14	20	35
B. OPERATED	2002	12.7	175	1	2	8	16	31	41	66
TOTAL 0-19 YRS	1814	7.5	91	<1	1	4	9	17	26	50
20-34	219	15.0	278	<1	1	8	24	38	53	75
35-49	198	11.7	151	1	2	7	15	32	38	66
50-64	718	10.2	141	1	2	6	12	25	36	56
65+	1705	9.6	97	1	2	7	12	21	29	51
GRAND TOTAL	**4654**	**9.2**	**115**	**1**	**1**	**6**	**11**	**22**	**32**	**56**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	148	4.4	15	<1	<1	4	5	8	11	20
20-34	63	6.9	82	<1	<1	3	7	27	31	34
35-49	84	6.7	67	1	1	4	7	16	26	42
50-64	108	5.8	64	<1	1	3	7	13	18	48
65+	143	5.6	68	<1	1	3	6	13	20	47
B. *Operated*										
0-19 YRS	82	12.6	222	<1	1	7	14	38	47	59
20-34	86	15.3	243	1	1	7	28	36	41	69
35-49	99	14.9	268	1	2	6	25	39	49	68
50-64	113	12.1	199	1	2	6	14	38	45	55
65+	124	12.2	248	2	2	7	12	30	55	79
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	273	5.0	41	<1	1	4	5	10	15	24
20-34	164	8.0	92	1	1	5	9	19	27	48
35-49	191	7.3	103	1	1	4	8	16	25	56
50-64	516	7.4	74	1	1	5	9	17	25	47
65+	1196	7.1	60	1	1	4	9	16	22	42
B. *Operated*										
0-19 YRS	170	21.7	365	2	3	15	34	47	61	98
20-34	262	26.2	400	2	3	26	37	56	67	92
35-49	312	24.5	376	2	3	23	37	55	62	99
50-64	544	24.7	381	2	3	21	37	52	62	93
65+	988	19.4	299	3	3	13	30	45	57	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	546	5.6	55	<1	1	3	6	12	20	37
B. *Operated*	504	13.3	236	1	2	7	19	36	46	68
2. MULTIPLE DX										
A. *Not Operated*	2340	7.0	67	1	1	4	9	16	23	44
B. *Operated*	2276	22.3	353	2	3	16	34	50	61	92
1. SINGLE DX	1050	9.3	156	<1	1	5	9	28	38	60
2. MULTIPLE DX	4616	14.6	267	1	2	8	21	39	51	77
A. NOT OPERATED	2886	6.7	65	1	1	4	8	15	22	43
B. OPERATED	2780	20.7	343	2	3	14	33	48	60	89
TOTAL 0-19 YRS	673	10.0	191	<1	1	5	11	29	43	82
20-34	575	17.3	326	1	1	8	29	41	57	79
35-49	686	16.2	311	1	1	8	27	43	56	76
50-64	1281	15.0	285	1	1	8	23	41	50	76
65+	2451	12.2	202	1	2	7	15	33	45	71
GRAND TOTAL	**5666**	**13.6**	**250**	**1**	**1**	**7**	**19**	**37**	**49**	**75**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	94	3.3	16	<1	<1	2	4	6	9	26
20-34	82	3.7	12	1	1	3	5	8	11	18
35-49	231	3.8	17	1	1	2	5	8	12	23
50-64	358	5.1	37	1	1	3	6	10	15	30
65+	403	6.5	39	1	1	4	9	15	19	29
B. *Operated*										
0-19 YRS	126	7.4	55	1	1	5	10	16	26	36
20-34	218	7.0	45	1	1	5	9	14	23	35
35-49	420	6.1	30	1	1	4	8	13	17	26
50-64	884	7.4	52	1	1	5	10	16	21	37
65+	1092	7.3	49	1	1	5	10	15	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	4.3	24	<1	1	3	5	9	14	24
20-34	193	6.9	66	1	1	4	8	16	25	44
35-49	537	5.9	45	1	1	4	7	13	17	30
50-64	1598	8.3	76	1	1	6	10	18	24	44
65+	3510	9.4	89	1	2	7	12	20	28	51
B. *Operated*										
0-19 YRS	123	14.2	172	1	2	9	20	32	47	76
20-34	244	14.1	175	2	3	11	18	30	42	77
35-49	677	12.9	152	2	3	9	17	27	37	63
50-64	2199	13.5	161	2	3	10	17	29	41	68
65+	4401	14.4	160	2	3	11	19	30	40	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1168	5.1	32	1	1	3	6	11	16	25
B. *Operated*	2740	7.1	47	1	1	5	10	15	20	35
2. MULTIPLE DX										
A. *Not Operated*	6019	8.6	80	1	2	6	11	19	26	47
B. *Operated*	7644	14.0	160	2	3	10	18	29	40	68
1. SINGLE DX	3908	6.5	43	1	1	4	9	14	19	33
2. MULTIPLE DX	13663	11.6	132	1	2	8	15	25	35	61
A. NOT OPERATED	7187	8.0	74	1	1	5	10	17	24	45
B. OPERATED	10384	12.2	140	1	2	9	16	26	36	63
TOTAL 0-19 YRS	524	7.2	82	<1	1	4	9	17	27	48
20-34	737	9.0	104	1	1	6	11	21	29	50
35-49	1865	8.2	90	1	1	5	10	18	26	45
50-64	5039	10.2	115	1	2	7	13	22	31	56
65+	9406	11.4	124	1	2	8	15	25	33	59
GRAND TOTAL	**17571**	**10.5**	**117**	**1**	**2**	**7**	**13**	**23**	**32**	**56**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		<1	<1	<1	2	2	2	2
20-34	4	2.5	1	<1	<1	3	3	3	3	3
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	158	3.0	6	<1	1	2	3	6	8	11
20-34	510	2.8	4	1	1	3	4	5	5	7
35-49	633	2.8	2	1	1	3	4	5	5	7
50-64	714	3.1	3	1	1	3	4	5	6	9
65+	496	3.3	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.0	18	2	2	5	8	8	8	8
35-49	3	7.7	69	1	1	5	14	17	17	17
50-64	4	3.5		3	3	3	4	4	4	4
65+	8	3.6	11	1	1	3	4	9	11	11
B. *Operated*										
0-19 YRS	45	3.6	9	<1	1	2	5	6	11	14
20-34	112	3.1	5	1	1	3	4	5	6	14
35-49	245	3.4	5	1	1	3	4	6	8	13
50-64	441	3.9	6	1	2	3	5	7	8	13
65+	575	4.6	16	1	2	4	5	8	10	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.9	1	<1	<1	1	3	4	4	4
B. *Operated*	2511	3.0	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	18	4.3	17	1	1	3	5	10	15	17
B. *Operated*	1418	4.0	10	1	2	3	5	7	9	16
1. SINGLE DX	2523	3.0	3	1	1	3	4	5	6	8
2. MULTIPLE DX	1436	4.0	10	1	1	3	5	7	9	16
A. NOT OPERATED	30	3.3	12	<1	<1	2	4	7	11	17
B. OPERATED	3929	3.4	6	1	1	3	4	5	7	12
TOTAL 0-19 YRS	207	3.1	7	<1	1	2	4	6	9	13
20-34	628	2.9	4	1	1	3	4	5	5	8
35-49	883	3.0	3	1	1	3	4	5	6	9
50-64	1162	3.4	5	1	1	3	4	6	7	11
65+	1079	4.0	10	1	2	3	5	7	9	16
GRAND TOTAL	**3959**	**3.4**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.1	2	<1	<1	2	2	4	6	6
20-34	22	2.7	3	<1	1	2	3	5	7	8
35-49	68	2.3	5	<1	<1	2	3	4	5	14
50-64	114	1.8	1	<1	<1	1	2	3	4	6
65+	146	2.1	4	<1	<1	1	2	4	6	11
B. *Operated*										
0-19 YRS	141	4.0	15	<1	1	2	5	10	12	16
20-34	184	5.3	17	<1	1	4	8	11	13	18
35-49	457	4.0	15	<1	<1	2	6	10	12	17
50-64	1166	3.5	13	<1	<1	2	5	9	11	15
65+	1322	3.6	16	<1	1	2	4	10	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.6	11	1	1	3	6	9	10	16
20-34	43	4.8	25	1	2	3	5	10	15	28
35-49	108	3.8	7	1	1	3	5	7	9	13
50-64	319	3.9	11	<1	1	3	5	8	10	17
65+	759	4.9	29	1	1	3	6	10	13	28
B. *Operated*										
0-19 YRS	131	7.2	82	1	1	4	9	18	24	55
20-34	253	7.2	40	1	2	6	9	13	19	34
35-49	772	6.5	40	1	1	5	9	13	18	30
50-64	2734	5.8	39	1	1	4	8	12	16	30
65+	5637	6.9	54	1	1	4	10	15	20	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	383	2.1	3	<1	<1	2	3	4	5	9
B. *Operated*	3270	3.7	15	<1	<1	2	5	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	1259	4.6	22	1	1	3	6	9	12	23
B. *Operated*	9527	6.6	49	1	1	4	9	14	19	33
1. SINGLE DX	3653	3.6	14	<1	<1	2	5	9	11	16
2. MULTIPLE DX	10786	6.4	46	1	1	4	9	14	18	33
A. NOT OPERATED	1642	4.0	19	<1	1	3	5	8	11	21
B. OPERATED	12797	5.9	42	1	1	3	8	13	17	30
TOTAL 0-19 YRS	335	5.1	42	<1	1	3	7	11	16	25
20-34	502	6.1	30	1	1	5	8	12	15	26
35-49	1405	5.2	30	<1	1	3	7	11	15	27
50-64	4333	4.9	30	<1	1	3	7	11	14	25
65+	7864	6.1	46	1	1	4	8	14	18	32
GRAND TOTAL	**14439**	**5.6**	**39**	**1**	**1**	**3**	**8**	**12**	**17**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	1.6	1	<1	<1	1	2	2	3	6
20-34	4	2.0	1	1	1	2	3	3	3	3
35-49	9	2.1	2	<1	<1	2	3	5	5	5
50-64	4	2.3	4	1	1	2	3	5	5	5
65+	8	2.5	4	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	433	2.1	4	<1	<1	2	2	3	6	11
20-34	155	2.8	7	<1	<1	2	3	7	9	12
35-49	200	3.4	10	<1	<1	2	5	8	10	14
50-64	247	4.5	24	<1	1	2	7	10	12	22
65+	165	4.4	19	<1	1	2	7	11	13	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.9	3	<1	<1	1	2	4	6	8
20-34	3	3.7	1	3	3	3	5	5	5	5
35-49	7	2.7	6	1	1	2	3	7	8	8
50-64	14	2.8	5	<1	1	2	3	5	9	10
65+	23	7.4	81	<1	1	4	8	19	32	35
B. *Operated*										
0-19 YRS	122	3.1	11	1	1	2	3	6	9	20
20-34	79	5.5	32	<1	1	4	8	13	17	28
35-49	153	6.2	34	1	1	4	8	12	16	34
50-64	271	6.2	29	1	1	5	9	14	17	25
65+	323	7.7	60	1	1	5	10	18	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	1.8	1	<1	<1	1	2	3	5	6
B. *Operated*	1200	3.2	12	<1	<1	2	3	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	69	4.1	35	<1	1	2	4	8	14	34
B. *Operated*	948	6.3	40	1	1	4	9	15	18	32
1. SINGLE DX	1285	3.1	12	<1	<1	2	3	8	10	15
2. MULTIPLE DX	1017	6.1	40	1	1	4	8	14	18	33
A. NOT OPERATED	154	2.8	17	<1	1	2	3	5	8	30
B. OPERATED	2148	4.6	27	<1	1	2	6	11	15	25
TOTAL 0-19 YRS	637	2.2	5	<1	1	2	2	4	6	12
20-34	241	3.7	17	<1	1	2	5	10	12	18
35-49	369	4.5	21	<1	1	2	7	10	13	21
50-64	536	5.3	27	<1	1	3	8	12	15	25
65+	519	6.6	50	1	1	4	9	16	19	35
GRAND TOTAL	**2302**	**4.4**	**27**	**<1**	**1**	**2**	**6**	**10**	**14**	**25**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	27	2.3	9	<1	<1	1	2	6	8	15
20-34	18	2.7	8	1	1	2	3	5	10	13
35-49	22	2.6	4	<1	1	2	3	6	7	8
50-64	23	3.3	5	<1	1	3	5	7	8	9
65+	13	3.1	8	<1	1	2	3	7	10	11
B. *Operated*										
0-19 YRS	2092	2.5	3	<1	1	2	3	5	6	9
20-34	1944	2.5	4	<1	<1	2	3	4	6	11
35-49	2326	2.5	6	<1	<1	2	3	5	7	11
50-64	2055	2.6	6	<1	<1	2	3	5	7	12
65+	878	2.9	10	<1	<1	2	3	5	7	17
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	45	3.5	30	<1	<1	2	3	10	13	32
20-34	33	4.0	9	<1	<1	4	6	9	11	11
35-49	59	4.2	12	<1	<1	3	6	10	12	12
50-64	62	4.5	17	1	1	4	6	9	10	26
65+	93	5.6	28	1	1	4	8	11	13	32
B. *Operated*										
0-19 YRS	409	4.0	22	<1	1	3	4	8	12	21
20-34	727	3.8	14	<1	1	3	5	8	11	19
35-49	1279	4.0	20	<1	1	3	5	8	11	22
50-64	1725	4.3	24	1	1	3	5	9	12	23
65+	1331	5.2	34	1	1	3	6	11	16	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	2.8	7	<1	1	2	3	6	8	14
B. *Operated*	9295	2.6	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX										
A. *Not Operated*	292	4.6	21	<1	1	3	6	10	12	24
B. *Operated*	5471	4.3	24	1	1	3	5	9	13	23
1. SINGLE DX	9398	2.6	6	<1	<1	2	3	5	6	12
2. MULTIPLE DX	5763	4.3	24	1	1	3	5	9	13	23
A. NOT OPERATED	395	4.1	18	<1	1	3	5	9	11	18
B. OPERATED	14766	3.2	13	<1	1	2	4	6	9	18
TOTAL 0-19 YRS	2573	2.8	7	<1	1	2	3	5	7	13
20-34	2722	2.9	7	<1	<1	2	3	5	8	14
35-49	3686	3.0	12	<1	<1	2	3	6	9	16
50-64	3865	3.4	15	<1	1	2	4	7	10	18
65+	2315	4.3	26	<1	1	3	5	9	13	25
GRAND TOTAL	**15161**	**3.2**	**13**	**<1**	**1**	**2**	**4**	**6**	**9**	**18**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	69	2.7	6	<1	<1	2	4	5	8	12
20-34	16	2.8	7	1	1	2	3	6	9	11
35-49	13	3.1	4	1	1	2	3	6	8	8
50-64	15	2.9	6	<1	1	2	4	8	8	8
65+	11	3.8	8	<1	<1	2	7	8	8	8
B. *Operated*										
0-19 YRS	2057	2.3	5	<1	<1	2	2	4	6	12
20-34	636	2.5	5	<1	<1	2	3	5	7	10
35-49	524	2.8	7	<1	<1	2	3	6	8	13
50-64	426	2.7	10	<1	<1	2	3	5	7	18
65+	247	2.9	12	<1	<1	2	3	6	9	20
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	95	3.8	18	<1	<1	2	5	10	12	23
20-34	26	3.4	5	<1	1	3	5	7	8	9
35-49	30	4.7	13	<1	<1	4	7	10	11	14
50-64	47	4.3	7	<1	<1	4	6	8	10	12
65+	104	6.4	27	1	1	5	9	13	16	26
B. *Operated*										
0-19 YRS	536	4.2	42	<1	<1	2	4	9	14	34
20-34	360	3.6	14	<1	<1	2	4	9	12	17
35-49	454	4.2	25	<1	<1	2	5	9	14	28
50-64	484	4.8	51	<1	<1	3	6	10	13	31
65+	510	6.8	72	<1	1	4	8	16	23	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	124	2.8	6	<1	<1	2	4	6	8	11
B. *Operated*	3890	2.5	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*	302	4.8	19	<1	1	4	7	10	13	24
B. *Operated*	2344	4.8	44	<1	<1	2	5	11	16	32
1. SINGLE DX	4014	2.5	6	<1	<1	2	3	5	7	13
2. MULTIPLE DX	2646	4.8	41	<1	<1	3	6	11	15	30
A. NOT OPERATED	426	4.2	16	<1	1	3	6	9	12	19
B. OPERATED	6234	3.3	22	<1	<1	2	3	7	10	23
TOTAL 0-19 YRS	2757	2.7	13	<1	<1	2	3	5	8	18
20-34	1038	2.9	9	<1	<1	2	3	6	9	15
35-49	1021	3.5	15	<1	<1	2	4	8	10	22
50-64	972	3.8	31	<1	<1	2	4	8	11	27
65+	872	5.6	52	<1	1	3	7	14	19	33
GRAND TOTAL	**6660**	**3.4**	**22**	**<1**	**<1**	**2**	**4**	**7**	**11**	**23**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0		2	2	2	2	2	2	2
20-34	4	2.3	4	<1	<1	1	3	5	5	5
35-49	7	1.[illegible]		<1	<1	1	2	2	2	2
50-64	3	2[illegible]		2	2	2	2	2	2	2
65+	2	1.[illegible]		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	550	1.8	2	<1	<1	2	2	3	3	5
20-34	1237	1.7	1	<1	<1	2	2	2	3	4
35-49	1025	1.9	5	<1	<1	2	2	3	3	6
50-64	495	2.0	2	<1	<1	2	2	3	3	9
65+	273	2.2	1	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	9	1.7	2	<1	<1	1	2	4	5	5
50-64	8	1.4		<1	<1	1	2	2	2	2
65+	5	1.8		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	85	2.3	2	<1	1	2	3	4	4	8
20-34	479	2.4	4	<1	<1	2	3	4	5	11
35-49	873	2.6	4	<1	1	2	3	4	6	12
50-64	652	2.8	8	<1	1	2	3	5	7	14
65+	583	3.2	6	1	1	2	4	6	8	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	1.7	1	<1	<1	2	2	2	4	5
B. *Operated*	3580	1.8	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	27	1.7	1	<1	<1	2	2	2	3	5
B. *Operated*	2672	2.7	6	<1	1	2	3	5	7	12
1. SINGLE DX	3599	1.8	2	<1	<1	2	2	3	3	6
2. MULTIPLE DX	2699	2.7	5	<1	1	2	3	5	7	12
A. NOT OPERATED	46	1.7	1	<1	<1	2	2	2	3	5
B. OPERATED	6252	2.2	4	<1	<1	2	2	3	5	10
TOTAL 0-19 YRS	640	1.9	2	<1	<1	2	2	3	3	6
20-34	1723	1.9	2	<1	<1	2	2	3	4	7
35-49	1914	2.2	5	<1	<1	2	2	3	5	10
50-64	1158	2.5	5	<1	1	2	3	4	6	11
65+	863	2.9	5	<1	1	2	3	5	7	12
GRAND TOTAL	**6298**	**2.2**	**4**	**<1**	**<1**	**2**	**2**	**3**	**5**	**10**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	66	3.2	4	<1	1	3	5	6	7	10
35-49	91	2.9	5	<1	1	2	3	6	8	11
50-64	14	3.4	7	1	1	3	5	7	9	10
65+	10	7.5	88	1	1	4	8	23	31	31
B. *Operated*										
0-19 YRS	7	4.7	5	1	1	5	6	8	8	8
20-34	1553	5.3	6	1	2	6	7	8	8	11
35-49	4774	5.7	5	1	2	6	7	8	9	11
50-64	739	5.5	8	1	1	6	7	8	9	12
65+	61	5.4	35	<1	1	5	7	8	9	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	230	3.1	8	<1	<1	2	4	6	8	13
35-49	594	3.2	11	<1	1	2	4	7	9	13
50-64	111	3.6	11	<1	1	2	5	8	9	18
65+	72	6.6	35	1	2	5	8	13	17	35
B. *Operated*										
0-19 YRS	39	6.6	13	1	2	6	8	11	12	20
20-34	5783	5.9	8	1	2	6	7	9	10	15
35-49	31368	6.4	8	2	3	6	7	9	10	16
50-64	6353	6.5	11	1	2	6	8	9	11	19
65+	812	8.7	33	2	4	8	10	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	183	3.3	10	<1	1	3	4	6	8	15
B. *Operated*	7134	5.6	6	1	2	6	7	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	1010	3.4	13	<1	1	2	5	7	9	16
B. *Operated*	44355	6.4	9	1	3	6	7	9	11	16
1. SINGLE DX	7317	5.5	6	1	2	6	7	8	9	11
2. MULTIPLE DX	45365	6.3	9	1	2	6	7	9	11	16
A. NOT OPERATED	1193	3.4	12	<1	1	2	5	7	9	16
B. OPERATED	51489	6.3	9	1	2	6	7	9	10	16
TOTAL 0-19 YRS	51	5.8	13	1	1	6	7	10	12	20
20-34	7632	5.7	8	1	2	6	7	8	10	15
35-49	36827	6.2	8	1	2	6	7	9	10	15
50-64	7217	6.4	11	1	2	6	8	9	11	18
65+	955	8.3	34	2	2	7	9	14	19	35
GRAND TOTAL	**52682**	**6.2**	**9**	**1**	**2**	**6**	**7**	**9**	**10**	**16**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	3.3	2	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	50	3.3	5	<1	<1	3	5	7	7	8
35-49	54	3.8	5	<1	1	4	5	7	8	9
50-64	22	3.6	6	<1	1	3	6	7	8	9
65+	11	4.1	11	1	1	2	7	9	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49	6	3.8	8	2	2	3	5	9	9	9
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	3	2.7	2	1	1	3	4	4	4	4
20-34	126	4.9	7	1	1	5	6	8	9	13
35-49	384	6.2	9	2	2	6	7	9	11	16
50-64	132	5.5	17	1	1	5	7	10	11	25
65+	67	5.2	13	1	1	4	8	10	13	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*	140	3.6	6	<1	1	2	6	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	10	3.6	5	1	1	3	4	7	9	9
B. *Operated*	712	5.7	11	1	2	6	7	9	11	16
1. SINGLE DX	143	3.6	6	<1	1	2	5	7	8	9
2. MULTIPLE DX	722	5.7	11	1	2	6	7	9	11	16
A. NOT OPERATED	13	3.5	4	1	1	3	4	6	8	9
B. OPERATED	852	5.4	10	1	1	6	7	9	10	15
TOTAL 0-19 YRS	6	2.2	1	1	1	2	3	4	4	4
20-34	177	4.4	7	<1	1	5	6	7	8	12
35-49	447	5.9	9	1	2	6	7	9	10	15
50-64	156	5.2	16	<1	1	5	7	9	11	24
65+	79	5.0	13	1	1	4	7	10	13	15
GRAND TOTAL	**865**	**5.3**	**10**	**1**	**1**	**6**	**7**	**9**	**10**	**15**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	2.8	2	1	1	3	4	5	5	5
20-34	10	1.6		<1	<1	1	2	3	3	3
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	2	2.5	5	1	1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	365	5.1	3	3	3	5	6	7	8	10
20-34	1536	5.1	2	3	3	5	6	7	7	10
35-49	510	5.9	3	3	4	6	7	8	9	12
50-64	320	6.9	9	4	5	7	8	9	12	15
65+	158	7.4	6	4	5	7	8	10	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	4	1	1	3	4	5	5	5
20-34	15	2.4	3	<1	<1	2	3	5	6	7
35-49	8	3.1	6	<1	<1	2	4	7	8	8
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	8	8.8	57	1	1	9	12	20	23	23
B. *Operated*										
0-19 YRS	288	5.7	6	3	4	5	6	8	9	16
20-34	1968	5.7	3	3	4	5	6	8	9	12
35-49	1600	6.8	8	4	4	6	7	9	11	19
50-64	1100	8.5	39	4	5	7	9	13	16	27
65+	942	10.7	48	5	6	9	12	18	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	2.3	2	<1	1	2	3	4	4	5
B. *Operated*	2889	5.6	4	3	4	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	37	4.0	20	<1	<1	2	5	10	12	23
B. *Operated*	5898	7.3	22	4	4	6	8	11	14	25
1. SINGLE DX	2916	5.5	4	3	4	5	6	8	9	12
2. MULTIPLE DX	5935	7.3	22	4	4	6	8	11	14	25
A. NOT OPERATED	64	3.3	13	<1	1	2	4	7	11	22
B. OPERATED	8787	6.7	17	3	4	6	7	10	13	22
TOTAL 0-19 YRS	668	5.3	4	3	3	5	6	7	8	14
20-34	3529	5.4	3	3	4	5	6	7	8	11
35-49	2121	6.5	7	4	4	6	7	9	11	17
50-64	1425	8.1	33	4	5	7	9	12	15	25
65+	1108	10.2	44	5	6	8	12	17	22	38
GRAND TOTAL	**8851**	**6.7**	**17**	**3**	**4**	**6**	**7**	**10**	**13**	**22**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	2	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	10	2.2	2	<1	<1	2	4	4	4	4
20-34	52	3.7	5	<1	<1	4	5	7	8	9
35-49	56	2.6	4	<1	<1	2	4	6	7	9
50-64	36	3.2	7	<1	<1	2	5	7	8	12
65+	19	3.5	8	<1	<1	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	<1	<1	2	4	4	4	4
20-34	3	5.0	9	2	2	5	7	8	8	8
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	9	3.7	3	1	1	5	5	5	5	5
20-34	59	4.5	10	<1	1	4	6	9	11	13
35-49	79	4.6	7	<1	1	5	7	8	8	13
50-64	64	5.5	9	1	2	5	7	10	11	15
65+	41	5.1	21	1	1	4	6	10	13	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.6	5	2	2	5	5	8	9	9
B. *Operated*	173	3.1	5	<1	<1	2	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	7	4.7	7	<1	<1	5	7	8	8	8
B. *Operated*	252	4.9	10	1	1	5	6	9	10	15
1. SINGLE DX	180	3.2	5	<1	<1	2	5	6	8	10
2. MULTIPLE DX	259	4.9	10	1	1	5	6	9	10	15
A. NOT OPERATED	14	4.6	5	<1	2	5	6	8	9	9
B. OPERATED	425	4.2	9	<1	<1	4	6	8	9	13
TOTAL 0-19 YRS	23	3.0	3	<1	<1	3	5	5	5	5
20-34	116	4.2	8	<1	1	4	6	8	9	13
35-49	138	3.8	7	<1	<1	3	6	8	8	10
50-64	101	4.7	10	<1	<1	4	7	9	10	14
65+	61	4.6	17	<1	1	3	6	9	11	25
GRAND TOTAL	**439**	**4.2**	**9**	**<1**	**<1**	**4**	**6**	**8**	**9**	**13**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	5.0	18	2	2	5	8	8	8	8
B. *Operated*										
0-19 YRS	19	2.1	2	<1	<1	2	3	4	5	5
20-34	67	3.0	21	<1	1	2	3	5	6	31
35-49	51	2.1	1	<1	1	2	3	3	4	5
50-64	34	2.3	1	<1	1	2	3	4	5	6
65+	13	1.8	1	<1	<1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	19	2.1	1	<1	<1	2	3	4	4	4
20-34	29	3.5	11	<1	1	3	4	6	13	16
35-49	35	3.8	12	1	1	2	5	8	10	17
50-64	43	4.2	19	1	1	3	5	8	12	26
65+	50	4.7	13	1	1	4	6	9	13	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.3	8	<1	<1	1	2	7	8	8
B. *Operated*	184	2.5	9	<1	1	2	3	4	5	16
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	176	3.9	13	1	1	3	5	8	12	18
1. SINGLE DX	190	2.5	8	<1	1	2	3	4	5	16
2. MULTIPLE DX	176	3.9	13	1	1	3	5	8	12	18
A. NOT OPERATED	6	2.3	8	<1	<1	1	2	7	8	8
B. OPERATED	360	3.2	11	<1	1	2	4	6	8	18
TOTAL 0-19 YRS	39	2.1	2	<1	<1	2	3	4	5	5
20-34	96	3.2	18	<1	1	2	3	5	7	27
35-49	88	2.8	6	1	1	2	3	5	7	15
50-64	78	3.4	12	<1	1	3	4	6	9	22
65+	65	4.1	12	1	1	3	5	8	11	18
GRAND TOTAL	**366**	**3.2**	**11**	**<1**	**1**	**2**	**4**	**6**	**8**	**18**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	4.0		4	4	4	4	4	4	4
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	2	17.0	450	2	2	17	32	32	32	32
65+										
B. *Operated*										
0-19 YRS	5	2.0	2	<1	<1	2	3	4	4	4
20-34	23	3.4	17	<1	<1	2	4	9	14	16
35-49	37	4.4	16	<1	1	3	5	11	13	14
50-64	105	3.5	11	<1	1	2	4	8	10	16
65+	88	3.7	14	<1	1	3	4	8	11	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	7.0	43	1	1	6	12	14	14	14
35-49	3	4.7	9	2	2	4	7	8	8	8
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	9	6.1	29	1	1	4	11	14	15	15
B. *Operated*										
0-19 YRS	11	7.2	68	1	1	5	9	19	29	30
20-34	36	4.6	13	<1	1	3	7	10	12	15
35-49	75	5.8	21	<1	1	4	8	11	13	25
50-64	155	5.0	26	<1	1	3	7	12	15	28
65+	297	5.7	30	1	2	4	8	12	15	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	7.7	143	2	2	3	4	29	32	32
B. *Operated*	258	3.6	13	<1	1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	18	5.4	22	1	1	3	8	13	15	15
B. *Operated*	574	5.5	27	1	1	3	8	12	15	28
1. SINGLE DX	264	3.7	16	<1	1	2	4	9	11	21
2. MULTIPLE DX	592	5.5	27	1	1	3	8	12	15	28
A. NOT OPERATED	24	6.0	48	1	1	3	7	14	20	32
B. OPERATED	832	4.9	24	1	1	3	7	11	14	27
TOTAL 0-19 YRS	18	5.2	47	<1	1	3	5	11	22	30
20-34	63	4.3	15	<1	<1	3	6	10	13	16
35-49	117	5.2	19	<1	1	3	8	11	13	19
50-64	264	4.5	23	<1	1	3	6	10	13	27
65+	394	5.3	27	1	1	3	7	12	14	28
GRAND TOTAL	**856**	**5.0**	**24**	**1**	**1**	**3**	**7**	**11**	**14**	**28**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	68	1.5	1	<1	<1	1	2	2	3	5
20-34	16	2.1	1	<1	<1	2	3	3	4	5
35-49	11	8.4	349	<1	<1	2	4	32	61	64
50-64	8	1.9		<1	<1	2	2	3	3	3
65+	8	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34										
35-49										
50-64										
65+	1	10.0		10	10	10	10	10	10	10
B. *Operated*										
0-19 YRS	12	2.8	18	<1	<1	2	2	7	15	16
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	7	4.4	37	1	1	3	3	15	18	18
50-64	10	8.1	176	1	1	3	8	27	45	45
65+	14	4.9	21	1	1	3	7	13	15	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	111	2.3	36	<1	<1	1	2	3	4	32
2. MULTIPLE DX										
A. *Not Operated*	4	4.8	13	2	2	3	7	10	10	10
B. *Operated*	45	4.9	55	1	1	3	4	13	17	45
1. SINGLE DX	115	2.3	35	<1	<1	1	2	3	4	29
2. MULTIPLE DX	49	4.9	51	1	1	3	4	12	16	45
A. NOT OPERATED	8	[illegible].9	10	1	1	2	3	8	10	10
B. OPERATED	156	3.1	43	<1	<1	2	2	4	9	43
TOTAL 0-19 YRS	87	1.7	3	<1	<1	1	2	2	3	12
20-34	18	2.3	1	<1	<1	2	3	4	5	5
35-49	18	6.8	222	<1	1	2	3	16	46	64
50-64	18	5.3	104	<1	1	2	4	9	31	45
65+	23	4.0	17	1	1	2	4	11	14	16
GRAND TOTAL	**164**	**3.0**	**41**	**<1**	**<1**	**2**	**2**	**4**	**9**	**41**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	10	<1	<1	3	6	8	8	8
20-34	5	1.8	2	1	1	1	2	4	4	4
35-49	24	3.2	8	<1	1	2	4	6	11	11
50-64	36	3.4	18	<1	1	2	4	7	11	23
65+	34	7.3	162	<1	1	4	7	12	23	74
B. *Operated*										
0-19 YRS	55	8.9	41	1	2	8	12	14	20	37
20-34	142	9.9	50	1	2	9	12	17	21	40
35-49	308	9.9	33	1	3	9	12	17	21	29
50-64	335	10.1	37	1	2	9	13	18	21	30
65+	175	12.6	94	2	3	11	16	23	27	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.1	9	2	2	4	7	10	11	11
20-34	26	6.5	41	<1	1	4	9	16	21	27
35-49	43	5.0	16	<1	1	3	7	12	14	16
50-64	98	6.2	34	1	2	4	8	13	18	32
65+	365	9.9	126	2	2	7	11	19	31	73
B. *Operated*										
0-19 YRS	64	11.4	55	2	3	11	15	22	24	38
20-34	141	14.6	157	2	4	11	17	32	47	99+
35-49	303	14.6	145	2	4	12	17	31	43	99+
50-64	630	16.4	176	2	5	13	20	34	53	99+
65+	694	19.9	227	3	6	16	26	40	53	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	4.6	64	<1	1	3	5	10	12	47
B. *Operated*	1015	10.4	49	1	2	9	13	18	22	34
2. MULTIPLE DX										
A. *Not Operated*	541	8.6	98	1	2	6	10	17	26	62
B. *Operated*	1832	17.1	190	2	5	13	22	36	50	99+
1. SINGLE DX	1119	9.9	53	1	2	9	13	18	22	34
2. MULTIPLE DX	2373	15.2	182	2	3	12	19	33	47	99+
A. NOT OPERATED	645	7.9	94	1	2	5	10	16	25	62
B. OPERATED	2847	14.7	150	2	3	12	18	30	41	90
TOTAL 0-19 YRS	133	9.7	48	2	2	9	13	18	23	38
20-34	314	11.6	105	1	2	10	14	22	33	74
35-49	678	11.5	92	1	2	10	14	22	30	67
50-64	1099	13.1	132	2	2	11	17	26	37	99+
65+	1268	15.7	200	2	3	12	20	33	48	87
GRAND TOTAL	**3492**	**13.5**	**147**	**2**	**3**	**11**	**17**	**28**	**39**	**81**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	5	3.0		3	3	3	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64	3	3.7		3	3	4	4	4	4	4
65+	1	7.0		7	7	7	7	7	7	7
B. *Operated*										
0-19 YRS	99	3.3	3	1	1	3	4	5	5	13
20-34	833	3.2	2	1	2	3	4	5	5	7
35-49	1039	3.4	2	1	2	3	4	5	5	7
50-64	628	3.6	2	2	2	3	4	5	6	9
65+	243	4.0	3	2	2	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.3	2	1	1	2	3	4	4	4
35-49	8	2.3	1	<1	<1	2	3	4	4	4
50-64	10	6.9	13	1	2	7	9	11	12	12
65+	18	6.4	25	2	2	5	8	11	19	23
B. *Operated*										
0-19 YRS	25	4.2	3	2	3	4	5	6	7	11
20-34	347	3.7	2	2	2	4	4	5	6	10
35-49	558	4.3	8	2	2	4	5	6	9	16
50-64	617	4.7	8	2	2	4	5	8	10	16
65+	423	5.9	50	2	3	4	6	9	14	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	3.7	2	2	2	3	4	6	7	7
B. *Operated*	2842	3.4	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	39	5.4	18	1	1	4	8	10	12	23
B. *Operated*	1970	4.7	17	2	2	4	5	7	10	18
1. SINGLE DX	2853	3.4	2	1	2	3	4	5	6	8
2. MULTIPLE DX	2009	4.7	17	2	2	4	5	7	10	18
A. NOT OPERATED	50	5.0	15	1	1	4	7	9	12	23
B. OPERATED	4812	3.9	8	2	2	4	4	6	7	13
TOTAL 0-19 YRS	125	3.5	3	1	2	3	4	5	6	12
20-34	1188	3.4	2	1	2	3	4	5	6	8
35-49	1606	3.7	4	2	2	3	4	5	6	11
50-64	1258	4.2	6	2	2	4	5	6	8	14
65+	685	5.2	33	2	3	4	5	8	11	27
GRAND TOTAL	**4862**	**4.0**	**8**	**2**	**2**	**4**	**4**	**6**	**7**	**13**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	3	1	1	3	4	5	5	5
20-34	15	2.9	4	1	1	3	4	6	6	6
35-49	9	3.8	2	2	2	4	5	6	6	6
50-64	9	3.4	7	1	1	3	4	8	9	9
65+	3	4.0	7	2	2	3	6	7	7	7
B. *Operated*										
0-19 YRS	22	8.0	23	1	2	8	10	15	17	19
20-34	141	7.8	25	3	4	7	10	12	14	21
35-49	148	7.3	20	2	3	6	9	14	17	26
50-64	175	7.0	21	2	3	6	9	12	14	28
65+	94	7.4	57	2	3	5	8	14	17	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.0	1	1	1	3	4	4	4	4
20-34	57	5.3	24	1	1	4	7	11	13	27
35-49	59	6.2	47	2	2	4	7	11	16	47
50-64	71	4.9	12	1	1	4	7	10	12	16
65+	75	8.3	49	2	2	7	11	15	25	37
B. *Operated*										
0-19 YRS	25	11.4	124	2	3	10	14	16	33	59
20-34	166	9.9	83	3	4	8	12	16	19	67
35-49	273	9.6	101	3	3	7	11	17	23	64
50-64	465	10.1	109	3	3	7	11	19	29	67
65+	413	11.9	137	3	4	8	15	24	34	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	3.3	4	1	1	3	5	6	7	9
B. *Operated*	580	7.4	27	2	3	6	9	12	15	28
2. MULTIPLE DX										
A. *Not Operated*	269	6.2	34	1	2	4	8	12	15	30
B. *Operated*	1342	10.5	114	3	3	8	12	20	27	69
1. SINGLE DX	621	7.1	27	2	3	6	9	12	15	28
2. MULTIPLE DX	1611	9.8	103	2	3	7	11	19	25	67
A. NOT OPERATED	310	5.8	31	1	1	4	7	12	14	29
B. OPERATED	1922	9.6	90	3	3	7	11	18	24	66
TOTAL 0-19 YRS	59	8.4	70	1	2	7	10	15	18	56
20-34	379	8.1	53	1	3	7	10	13	16	46
35-49	489	8.3	70	2	3	6	10	16	21	49
50-64	720	8.8	80	2	3	6	10	16	23	58
65+	585	10.7	116	3	3	7	13	22	29	75
GRAND TOTAL	**2232**	**9.1**	**83**	**2**	**3**	**7**	**10**	**17**	**23**	**60**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	2.7	2	<1	<1	3	4	5	5	5
35-49										
50-64	7	3.1		2	2	3	4	4	4	4
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	32	2.6	4	<1	<1	2	4	6	7	8
20-34	2231	3.5	6	<1	1	3	5	6	7	9
35-49	985	4.3	6	1	1	4	6	7	8	11
50-64	246	4.7	8	<1	1	5	7	8	9	12
65+	99	4.5	11	1	1	3	7	8	10	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	28	1.8	3	<1	<1	1	2	4	5	8
35-49	21	2.1	4	<1	<1	1	3	6	7	7
50-64	15	1.7	1	<1	<1	1	3	3	3	3
65+	9	4.3	15	<1	<1	2	6	11	12	12
B. *Operated*										
0-19 YRS	27	3.3	12	<1	<1	2	3	7	13	16
20-34	1986	4.7	7	1	1	5	6	8	9	13
35-49	1559	5.8	10	1	2	6	7	9	10	16
50-64	422	6.5	17	1	2	6	8	11	15	21
65+	307	6.5	23	1	2	6	8	11	15	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.9	2	<1	1	3	4	4	5	5
B. *Operated*	3593	3.8	6	1	1	3	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	73	2.2	5	<1	<1	1	2	5	7	11
B. *Operated*	4301	5.4	11	1	1	5	7	9	10	16
1. SINGLE DX	3612	3.8	6	1	1	3	6	7	8	10
2. MULTIPLE DX	4374	5.3	11	1	1	5	7	9	10	16
A. NOT OPERATED	92	2.3	4	<1	<1	1	3	5	6	11
B. OPERATED	7894	4.7	9	1	1	5	6	8	9	15
TOTAL 0-19 YRS	59	2.9	8	<1	<1	2	3	6	8	16
20-34	4255	4.0	7	1	1	4	6	7	8	11
35-49	2565	5.2	9	1	1	5	7	8	9	14
50-64	690	5.7	14	1	1	6	7	10	12	19
65+	417	6.0	21	1	2	6	8	10	14	22
GRAND TOTAL	**7986**	**4.6**	**9**	**1**	**1**	**5**	**6**	**8**	**9**	**15**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	15	4.0	12	1	1	3	5	7	13	15
65+	10	3.8	6	<1	<1	3	4	8	9	9
B. *Operated*										
0-19 YRS	14	2.8	4	<1	1	2	3	6	6	6
20-34	88	3.3	6	<1	<1	3	5	7	8	11
35-49	245	4.3	11	1	1	3	6	8	11	16
50-64	369	4.8	32	1	1	3	6	10	13	23
65+	446	4.5	21	1	1	3	6	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	3.5	8	<1	<1	3	6	6	6	6
35-49	8	4.8	21	<1	1	3	6	13	15	15
50-64	29	5.1	25	<1	1	3	5	13	15	22
65+	70	6.0	36	1	1	4	7	13	20	31
B. *Operated*										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	110	6.4	69	1	1	5	7	12	18	54
35-49	358	5.1	10	1	2	5	7	9	11	15
50-64	754	6.9	45	1	2	5	9	13	18	33
65+	1387	8.3	69	1	2	6	11	18	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.6	9	<1	1	3	5	7	10	15
B. *Operated*	1162	4.4	21	1	1	3	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*	112	5.6	30	1	1	4	7	13	17	27
B. *Operated*	2611	7.4	55	1	2	5	9	15	21	36
1. SINGLE DX	1190	4.4	21	1	1	3	6	9	12	18
2. MULTIPLE DX	2723	7.3	54	1	2	5	9	15	21	35
A. NOT OPERATED	140	5.2	27	<1	1	4	6	12	15	23
B. OPERATED	3773	6.5	46	1	1	4	8	13	18	32
TOTAL 0-19 YRS	17	3.7	7	<1	1	3	6	8	9	9
20-34	203	5.0	42	<1	1	4	6	8	13	36
35-49	613	4.8	11	1	1	4	6	9	11	16
50-64	1167	6.1	41	1	1	5	8	12	16	32
65+	1913	7.3	59	1	1	5	10	16	22	36
GRAND TOTAL	**3913**	**6.4**	**46**	**1**	**1**	**4**	**8**	**13**	**18**	**32**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	151	2.9	12	<1	<1	2	3	6	9	15
20-34	135	3.3	6	<1	1	3	4	7	9	11
35-49	148	3.5	8	1	1	3	5	7	9	12
50-64	221	3.8	11	<1	1	3	5	9	11	16
65+	228	5.4	45	1	1	3	7	10	14	33
B. *Operated*										
0-19 YRS	538	4.7	28	<1	1	3	6	10	13	23
20-34	748	4.1	12	1	1	3	5	8	11	18
35-49	768	3.7	11	<1	1	3	5	8	10	15
50-64	1068	4.5	21	1	1	3	6	10	13	22
65+	1027	4.5	24	1	1	3	6	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	209	3.8	33	1	1	3	4	8	11	40
20-34	199	5.0	52	<1	1	3	5	9	18	35
35-49	322	4.4	15	<1	1	3	6	9	12	21
50-64	729	5.5	29	<1	1	4	7	12	16	27
65+	1777	7.1	49	1	1	5	9	15	20	41
B. *Operated*										
0-19 YRS	332	7.9	55	1	2	6	11	18	22	38
20-34	657	7.0	69	1	2	5	8	13	19	53
35-49	933	7.3	67	1	2	6	9	14	21	54
50-64	1721	7.9	67	1	2	6	10	16	23	50
65+	3429	9.5	93	1	2	7	12	20	27	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	883	3.9	20	<1	1	3	5	9	11	19
B. *Operated*	4149	4.3	19	1	1	3	5	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	3236	6.1	41	1	1	4	8	13	18	33
B. *Operated*	7072	8.5	80	1	2	6	11	18	25	52
1. SINGLE DX	5032	4.3	19	1	1	3	5	9	12	20
2. MULTIPLE DX	10308	7.8	69	1	2	5	10	16	22	47
A. NOT OPERATED	4119	5.6	37	1	1	4	7	12	16	32
B. OPERATED	11221	7.0	62	1	1	4	9	15	20	42
TOTAL 0-19 YRS	1230	5.2	37	<1	1	3	6	12	17	31
20-34	1739	5.3	40	1	1	4	6	10	14	29
35-49	2171	5.4	39	1	1	4	7	11	15	34
50-64	3739	6.2	46	1	1	4	8	13	18	37
65+	6461	7.9	72	1	2	5	10	17	23	45
GRAND TOTAL	**15340**	**6.6**	**56**	**1**	**1**	**4**	**8**	**14**	**19**	**40**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	2	1	1	2	3	5	5	5
20-34	26	3.4	5	1	1	3	4	7	9	11
35-49	28	3.3	3	1	1	3	5	6	6	7
50-64	21	4.6	10	1	1	4	5	11	12	12
65+	11	4.2	4	1	2	4	5	7	9	9
B. *Operated*										
0-19 YRS	77	3.0	2	1	1	3	4	5	5	6
20-34	588	3.4	2	1	2	3	4	5	5	9
35-49	954	3.7	3	2	2	4	4	5	6	10
50-64	811	4.0	3	2	2	4	5	6	7	10
65+	333	4.3	3	2	3	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.3	1	2	2	3	4	5	5	5
20-34	57	3.7	9	<1	1	3	4	8	11	14
35-49	89	3.9	8	<1	1	3	5	7	10	15
50-64	118	4.4	15	1	1	4	5	8	13	21
65+	180	5.9	22	1	2	5	7	11	14	22
B. *Operated*										
0-19 YRS	30	4.3	7	1	2	4	5	8	9	13
20-34	247	4.1	5	2	2	4	5	6	8	12
35-49	544	4.9	10	2	2	4	5	8	10	20
50-64	753	5.3	15	2	3	4	5	9	12	21
65+	658	6.9	31	3	3	5	8	13	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	91	3.7	6	1	1	3	5	7	9	12
B. *Operated*	2763	3.8	3	2	2	4	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	452	4.8	16	1	1	4	6	9	12	19
B. *Operated*	2232	5.5	18	2	3	4	6	10	13	23
1. SINGLE DX	2854	3.8	3	2	2	4	4	5	6	10
2. MULTIPLE DX	2684	5.4	18	2	2	4	6	10	13	22
A. NOT OPERATED	543	4.6	14	1	1	4	6	9	11	19
B. OPERATED	4995	4.6	10	2	2	4	5	7	10	19
TOTAL 0-19 YRS	120	3.3	3	1	1	3	4	5	6	10
20-34	918	3.6	4	1	2	3	4	5	7	11
35-49	1615	4.1	6	2	2	4	5	6	8	13
50-64	1703	4.6	10	2	2	4	5	7	10	18
65+	1182	6.0	23	2	3	5	7	11	14	25
GRAND TOTAL	**5538**	**4.6**	**11**	**2**	**2**	**4**	**5**	**7**	**10**	**19**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	123	3.9	7	1	2	3	5	7	10	13
20-34	302	4.4	9	1	1	4	6	8	10	16
35-49	258	4.7	10	1	2	4	6	9	10	14
50-64	201	4.4	6	1	2	4	5	7	9	13
65+	96	6.6	34	2	2	5	8	10	15	35
B. *Operated*										
0-19 YRS	132	4.6	10	1	2	4	5	7	9	20
20-34	585	4.3	4	2	2	4	5	6	7	12
35-49	497	4.1	5	2	2	4	5	6	8	11
50-64	369	4.0	4	2	2	4	5	6	7	10
65+	125	4.2	8	1	2	4	5	6	7	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	5.1	27	1	1	3	6	10	14	33
20-34	549	5.3	14	1	2	4	7	9	12	19
35-49	667	5.9	17	2	2	5	8	11	13	23
50-64	910	7.2	33	2	3	6	9	13	17	25
65+	1534	9.4	63	2	3	7	12	18	23	46
B. *Operated*										
0-19 YRS	63	6.4	46	2	3	4	7	11	23	37
20-34	314	5.8	20	2	3	4	6	10	15	26
35-49	410	6.8	46	2	3	5	7	13	19	46
50-64	453	6.6	29	2	3	5	8	13	18	29
65+	436	9.9	74	2	3	7	12	21	29	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	980	4.6	11	1	2	4	6	8	10	15
B. *Operated*	1708	4.2	5	2	2	4	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	3813	7.5	42	2	2	6	9	14	18	33
B. *Operated*	1676	7.3	47	2	3	5	8	15	21	38
1. SINGLE DX	2688	4.3	7	1	2	4	5	7	9	14
2. MULTIPLE DX	5489	7.4	44	2	2	6	9	14	19	35
A. NOT OPERATED	4793	6.9	37	2	2	5	8	13	17	30
B. OPERATED	3384	5.7	28	2	2	4	6	10	15	31
TOTAL 0-19 YRS	471	4.8	20	1	2	4	5	9	11	28
20-34	1750	4.9	11	2	2	4	6	8	10	19
35-49	1832	5.5	20	2	2	4	6	10	12	24
50-64	1933	6.1	26	2	2	5	7	11	15	24
65+	2191	9.1	63	2	3	7	11	18	24	45
GRAND TOTAL	**8177**	**6.4**	**34**	**2**	**2**	**5**	**8**	**12**	**17**	**31**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	827	5.8	27	2	2	5	7	9	11	17
20-34	357	4.9	8	1	2	4	6	8	9	16
35-49	320	4.9	7	1	2	5	6	8	10	12
50-64	428	5.5	10	2	2	5	7	9	11	17
65+	235	6.2	19	2	2	5	8	10	13	22
B. *Operated*										
0-19 YRS	9	4.4	6	1	1	6	6	7	7	7
20-34	10	5.8	7	3	3	5	8	10	11	11
35-49	12	7.0	29	2	2	5	10	14	19	20
50-64	17	7.1	36	2	2	5	9	18	19	19
65+	14	7.6	89	1	1	4	8	19	32	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	650	4.9	21	1	1	4	7	9	11	25
20-34	698	5.5	16	1	2	5	7	10	12	20
35-49	1475	6.0	14	2	3	5	8	10	12	19
50-64	2658	6.6	17	2	3	6	8	11	14	20
65+	2582	7.5	33	2	3	6	9	13	16	32
B. *Operated*										
0-19 YRS	10	12.8	151	4	4	7	16	34	40	40
20-34	75	9.1	129	1	3	7	10	15	21	78
35-49	155	9.6	50	2	3	7	13	17	27	35
50-64	341	10.3	84	2	3	8	12	19	27	51
65+	341	12.9	109	3	4	10	17	25	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2167	5.5	17	2	2	5	7	9	11	18
B. *Operated*	62	6.6	37	1	2	5	8	15	19	34
2. MULTIPLE DX										
A. *Not Operated*	8063	6.6	22	2	2	6	8	11	14	23
B. *Operated*	922	11.1	93	2	3	8	14	22	29	52
1. SINGLE DX	2229	5.5	17	2	2	5	7	9	11	19
2. MULTIPLE DX	8985	7.0	32	2	3	6	9	12	16	30
A. NOT OPERATED	10230	6.3	21	2	2	5	8	11	14	22
B. OPERATED	984	10.8	91	2	3	8	13	21	29	52
TOTAL 0-19 YRS	1496	5.5	25	1	2	5	7	9	11	23
20-34	1140	5.6	22	1	2	5	7	10	12	20
35-49	1962	6.1	17	2	2	5	8	10	13	22
50-64	3444	6.8	24	2	3	6	8	12	15	24
65+	3172	8.0	43	2	3	6	10	14	19	39
GRAND TOTAL	**11214**	**6.7**	**29**	**2**	**2**	**6**	**8**	**12**	**15**	**28**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2802	4.2	10	1	1	3	5	8	9	14
20-34	1632	4.0	6	1	2	3	5	7	9	12
35-49	620	5.1	11	1	2	4	7	10	12	16
50-64	374	5.8	11	2	2	5	7	10	12	18
65+	252	6.1	14	2	2	6	8	11	14	20
B. *Operated*										
0-19 YRS	11	5.7	9	2	2	6	7	10	12	12
20-34	20	6.6	42	2	2	4	6	17	23	26
35-49	9	8.2	87	2	2	7	8	23	32	32
50-64	2	10.0	72	4	4	10	16	16	16	16
65+	5	11.6	38	5	5	13	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2798	4.7	15	1	2	4	6	9	11	19
20-34	3423	5.4	22	1	2	4	7	10	13	23
35-49	2195	7.1	31	2	2	6	9	13	16	27
50-64	2184	8.3	34	2	3	7	10	15	19	29
65+	3101	10.3	67	3	4	8	12	18	24	47
B. *Operated*										
0-19 YRS	92	9.1	87	3	3	7	10	15	26	81
20-34	333	12.0	125	3	4	9	14	25	35	74
35-49	305	14.7	170	3	4	11	19	34	56	99+
50-64	339	19.4	245	5	7	14	24	44	59	99+
65+	408	20.6	242	5	7	16	24	46	58	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5680	4.4	10	1	2	4	6	8	10	15
B. *Operated*	47	7.4	43	2	2	6	8	16	22	32
2. MULTIPLE DX										
A. *Not Operated*	13701	7.1	39	2	2	6	9	13	17	31
B. *Operated*	1477	16.5	207	3	5	12	20	37	53	99+
1. SINGLE DX	5727	4.5	10	1	2	4	6	8	10	15
2. MULTIPLE DX	15178	8.0	63	2	2	6	10	15	21	46
A. NOT OPERATED	19381	6.3	32	1	2	5	8	12	16	28
B. OPERATED	1524	16.2	204	3	4	12	20	36	53	99+
TOTAL 0-19 YRS	5703	4.5	14	1	2	4	6	8	10	16
20-34	5408	5.4	27	1	2	4	7	10	13	26
35-49	3129	7.5	47	2	2	6	9	14	18	39
50-64	2899	9.3	69	2	3	7	11	17	23	49
65+	3766	11.1	94	3	4	9	13	21	29	59
GRAND TOTAL	**20905**	**7.0**	**51**	**1**	**2**	**5**	**9**	**14**	**19**	**40**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1459	5.4	10	2	2	5	7	9	11	15
20-34	1484	5.1	11	1	2	4	6	9	11	17
35-49	1779	5.6	11	2	2	5	7	10	11	16
50-64	2328	6.1	14	2	3	5	8	10	12	18
65+	1862	6.6	21	2	3	6	8	11	13	23
B. *Operated*										
0-19 YRS	20	4.3	9	1	2	3	6	8	11	13
20-34	85	5.3	37	1	2	3	6	11	15	37
35-49	108	5.7	50	1	1	3	7	12	17	43
50-64	307	5.4	52	1	2	3	6	11	19	41
65+	326	4.7	38	1	1	2	4	11	16	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1431	5.4	23	1	2	4	7	10	12	22
20-34	4482	6.1	26	1	2	5	8	11	14	25
35-49	9070	7.0	26	2	3	6	9	12	15	26
50-64	18477	7.6	26	2	3	6	9	13	16	27
65+	25011	8.5	44	3	3	7	10	15	19	37
B. *Operated*										
0-19 YRS	79	8.2	51	2	2	6	10	19	24	34
20-34	1144	10.6	117	2	2	8	13	22	30	65
35-49	2706	13.5	158	2	3	10	17	29	40	69
50-64	6301	15.4	204	2	3	11	19	34	47	84
65+	8426	17.5	231	2	4	13	23	39	53	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8912	5.8	14	2	2	5	7	10	12	18
B. *Operated*	846	5.1	44	1	2	3	6	11	17	38
2. MULTIPLE DX										
A. *Not Operated*	58471	7.7	34	2	3	6	9	14	17	30
B. *Operated*	18656	15.7	208	2	3	12	20	35	48	91
1. SINGLE DX	9758	5.8	17	2	2	5	7	10	12	20
2. MULTIPLE DX	77127	9.7	88	2	3	7	11	19	27	56
A. NOT OPERATED	67383	7.5	32	2	3	6	9	13	17	29
B. OPERATED	19502	15.3	205	2	3	11	20	34	47	90
TOTAL 0-19 YRS	2989	5.5	17	1	2	5	7	10	12	21
20-34	7195	6.6	41	1	2	5	8	12	16	32
35-49	13663	8.1	58	2	3	6	9	15	21	43
50-64	27413	9.2	78	2	3	7	11	17	25	52
65+	35625	10.5	102	2	3	8	12	21	30	63
GRAND TOTAL	**86885**	**9.2**	**81**	**2**	**3**	**7**	**11**	**18**	**25**	**54**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	3.1	15	1	1	2	3	4	12	19
20-34	40	3.4	5	1	1	3	5	7	8	9
35-49	7	5.4	61	2	2	2	4	19	23	23
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	82	3.5	3	<1	1	3	5	6	6	8
20-34	378	3.5	5	<1	1	3	5	6	7	10
35-49	33	3.9	5	<1	<1	4	6	7	8	8
50-64	2	2.0		2	2	2	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.3	3	1	1	3	4	7	7	7
20-34	81	4.1	13	<1	1	3	6	9	11	18
35-49	14	4.0	14	1	1	3	5	7	14	16
50-64	6	3.8	3	2	2	3	6	6	6	6
65+	3	8.0	43	2	2	7	13	15	15	15
B. *Operated*										
0-19 YRS	119	4.0	6	1	1	4	5	6	9	13
20-34	926	4.3	6	<1	1	4	6	7	8	12
35-49	183	5.7	11	<1	1	5	7	9	10	18
50-64	15	4.3	5	<1	<1	5	6	7	7	7
65+	1	6.0		6	6	6	6	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.5	13	1	1	2	4	6	9	22
B. *Operated*	496	3.5	5	<1	1	3	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	129	4.0	11	<1	1	3	5	8	11	17
B. *Operated*	1244	4.5	7	<1	1	4	6	7	9	13
1. SINGLE DX	564	3.5	6	<1	1	3	5	6	7	10
2. MULTIPLE DX	1373	4.4	7	<1	1	4	6	7	9	14
A. NOT OPERATED	197	3.8	12	1	1	3	5	7	10	19
B. OPERATED	1740	4.2	7	<1	1	4	6	7	8	12
TOTAL 0-19 YRS	246	3.7	5	1	1	3	5	6	7	13
20-34	1425	4.1	6	<1	1	4	6	7	8	12
35-49	237	5.3	12	<1	1	5	7	9	10	20
50-64	24	3.9	4	<1	1	4	6	7	7	7
65+	5	6.2	31	1	1	6	9	15	15	15
GRAND TOTAL	**1937**	**4.2**	**7**	**<1**	**1**	**4**	**6**	**7**	**8**	**13**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	599	2.8	12	<1	1	2	3	6	8	21
20-34	392	3.8	15	<1	1	3	5	7	9	15
35-49	309	3.8	9	1	1	3	4	6	8	20
50-64	218	4.0	12	1	1	3	5	8	10	19
65+	255	4.5	17	1	1	3	5	9	12	23
B. *Operated*										
0-19 YRS	63	4.5	9	<1	1	4	6	9	10	14
20-34	68	5.6	15	1	2	4	8	10	14	20
35-49	76	5.1	10	2	2	4	6	9	12	16
50-64	87	6.2	24	1	2	5	8	12	14	29
65+	55	7.2	34	2	3	5	8	16	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1155	3.5	18	<1	1	2	4	7	10	19
20-34	1370	4.6	22	1	1	3	6	9	12	21
35-49	1672	5.4	32	1	1	4	6	10	13	30
50-64	2725	6.0	28	1	2	5	7	11	15	27
65+	6556	6.9	37	1	2	5	9	13	17	32
B. *Operated*										
0-19 YRS	100	9.2	154	1	1	5	9	28	36	93
20-34	240	8.8	72	1	2	7	10	16	23	40
35-49	336	10.1	120	2	3	7	11	20	36	70
50-64	561	10.4	98	2	3	8	13	22	30	68
65+	806	13.5	131	3	4	10	17	26	38	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1773	3.6	13	1	1	3	4	7	9	21
B. *Operated*	349	5.7	18	1	2	4	7	10	14	21
2. MULTIPLE DX										
A. *Not Operated*	13478	6.0	33	1	1	4	8	12	16	29
B. *Operated*	2043	11.3	117	2	3	8	14	23	33	67
1. SINGLE DX	2122	3.9	15	1	1	3	5	8	10	21
2. MULTIPLE DX	15521	6.7	47	1	2	5	8	13	18	37
A. NOT OPERATED	15251	5.7	31	1	1	4	7	11	15	28
B. OPERATED	2392	10.5	107	2	3	7	13	22	30	61
TOTAL 0-19 YRS	1917	3.6	25	<1	1	2	4	7	10	26
20-34	2070	5.0	28	1	1	4	6	9	13	26
35-49	2393	5.8	44	1	2	4	7	11	16	40
50-64	3591	6.6	41	1	2	5	8	13	18	33
65+	7672	7.5	51	1	2	6	9	15	20	39
GRAND TOTAL	**17643**	**6.4**	**44**	**1**	**1**	**5**	**8**	**13**	**18**	**34**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	5.4	17	1	1	4	8	12	13	17
20-34	7	5.1	12	2	2	4	6	11	12	12
35-49	5	3.6	8	<1	<1	3	6	7	7	7
50-64	13	5.9	18	1	2	5	9	11	15	16
65+	30	10.0	210	2	2	5	9	19	46	72
B. *Operated*										
0-19 YRS	4	8.8	32	3	3	8	13	16	16	16
20-34	8	5.5	11	1	1	5	8	10	10	10
35-49	14	7.3	77	1	2	4	12	16	30	34
50-64	2	4.0	2	3	3	4	5	5	5	5
65+	25	8.0	37	1	2	7	10	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	10.6	147	2	3	6	13	24	36	74
20-34	104	10.1	136	2	2	7	13	19	31	71
35-49	159	10.0	85	2	3	7	12	20	26	51
50-64	367	10.7	77	3	3	8	14	22	28	47
65+	1780	10.3	78	3	3	8	13	20	27	56
B. *Operated*										
0-19 YRS	53	16.4	290	3	4	10	19	46	65	99
20-34	58	10.9	71	4	4	8	15	21	28	44
35-49	147	11.9	99	3	4	8	16	26	30	47
50-64	158	15.4	155	3	4	12	22	31	36	68
65+	582	15.5	160	3	4	12	20	33	40	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	6.7	75	1	2	4	9	12	17	58
B. *Operated*	53	7.3	41	1	2	6	9	15	17	34
2. MULTIPLE DX										
A. *Not Operated*	2631	10.4	86	2	3	8	13	20	28	57
B. *Operated*	998	14.7	153	3	4	11	19	30	38	72
1. SINGLE DX	156	6.9	64	1	2	5	9	12	17	45
2. MULTIPLE DX	3629	11.6	108	3	3	8	14	24	32	64
A. NOT OPERATED	2734	10.2	86	2	3	8	13	20	28	57
B. OPERATED	1051	14.3	150	3	4	11	18	30	38	72
TOTAL 0-19 YRS	326	10.8	158	2	2	6	12	25	41	79
20-34	177	10.0	105	2	3	7	13	19	29	62
35-49	325	10.7	92	2	3	7	14	23	30	47
50-64	540	11.9	103	3	3	9	15	25	32	48
65+	2417	11.5	103	3	3	8	14	23	32	66
GRAND TOTAL	**3785**	**11.4**	**107**	**2**	**3**	**8**	**14**	**23**	**32**	**63**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	505	10.6	36	2	3	10	14	17	20	28
20-34	186	12.0	32	2	6	11	14	19	23	30
35-49	6	9.8	57	4	4	7	12	23	24	24
50-64										
65+										
B. *Operated*										
0-19 YRS	27	15.5	185	1	2	14	18	28	37	71
20-34	7	12.4	142	3	3	10	13	33	38	38
35-49	6	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1042	11.3	56	2	3	11	14	20	24	36
20-34	516	12.3	52	4	5	12	15	19	24	38
35-49	46	12.5	29	2	4	12	16	21	21	23
50-64										
65+										
B. *Operated*										
0-19 YRS	129	17.3	284	2	4	13	18	37	55	91
20-34	75	17.6	137	4	7	14	22	33	46	54
35-49	3	23.3	325	6	6	22	37	42	42	42
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	697	11.0	36	2	3	11	14	18	21	28
B. *Operated*	40	13.0	168	1	1	11	18	25	34	71
2. MULTIPLE DX										
A. *Not Operated*	1604	11.7	54	2	3	11	15	20	24	36
B. *Operated*	207	17.5	229	2	5	13	20	36	49	84
1. SINGLE DX	737	11.1	43	2	3	11	14	18	22	31
2. MULTIPLE DX	1811	12.3	78	2	4	11	15	21	27	47
A. NOT OPERATED	2301	11.5	49	2	3	11	14	19	23	35
B. OPERATED	247	16.7	221	2	3	13	19	35	47	78
TOTAL 0-19 YRS	1703	11.6	72	2	3	11	14	19	25	45
20-34	784	12.8	58	3	5	12	15	21	26	43
35-49	61	11.7	55	2	2	11	16	21	23	40
50-64										
65+										
GRAND TOTAL	**2548**	**12.0**	**68**	**2**	**3**	**11**	**15**	**20**	**25**	**44**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	5.0	44	1	2	3	5	9	25	89
20-34	26	4.4	14	1	1	3	6	11	13	13
35-49	25	7.3	137	1	1	4	7	12	25	61
50-64	9	4.9	22	<1	<1	3	8	13	13	13
65+	2	3.5	1	3	3	3	4	4	4	4
B. *Operated*										
0-19 YRS	42	7.2	6	3	4	7	9	10	11	14
20-34	602	6.9	4	4	5	7	8	10	10	13
35-49	497	7.1	5	4	5	7	8	10	11	14
50-64	65	7.8	6	4	5	8	9	12	13	15
65+	2	8.5	5	7	7	8	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	14.0	482	1	2	4	12	49	76	97
20-34	116	4.9	38	<1	1	3	5	10	13	59
35-49	211	5.1	35	<1	1	4	7	10	14	37
50-64	130	6.3	49	1	1	5	7	12	17	39
65+	44	5.7	21	1	2	5	7	10	17	22
B. *Operated*										
0-19 YRS	44	7.1	7	3	4	7	9	12	13	99+
20-34	1114	8.6	34	5	5	8	9	11	15	35
35-49	1726	8.9	35	5	5	8	10	12	16	33
50-64	430	9.8	45	5	5	8	10	15	20	38
65+	18	8.3	20	2	4	8	10	19	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	129	5.3	53	1	1	3	6	11	13	69
B. *Operated*	1208	7.1	5	4	5	7	8	10	11	13
2. MULTIPLE DX										
A. *Not Operated*	591	6.7	115	1	1	4	7	12	23	76
B. *Operated*	3332	8.9	36	5	5	8	9	12	16	35
1. SINGLE DX	1337	6.9	10	3	4	7	8	10	11	14
2. MULTIPLE DX	3923	8.6	48	2	4	7	9	12	17	43
A. NOT OPERATED	720	6.5	104	1	1	4	7	12	22	76
B. OPERATED	4540	8.4	28	5	5	8	9	11	14	31
TOTAL 0-19 YRS	243	9.1	206	2	2	5	8	19	44	99+
20-34	1858	7.8	26	3	5	7	9	11	13	31
35-49	2459	8.2	32	3	5	7	9	11	15	32
50-64	634	8.8	44	2	3	8	10	13	19	35
65+	66	6.4	21	1	2	6	8	12	20	87
GRAND TOTAL	**5260**	**8.1**	**39**	**3**	**4**	**7**	**9**	**11**	**15**	**36**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	2.5	7	<1	<1	2	3	5	7	13
20-34	290	3.3	19	<1	<1	1	4	7	11	26
35-49	179	4.8	40	<1	<1	3	5	10	20	33
50-64	156	2.7	6	<1	<1	2	4	5	7	13
65+	98	4.6	14	1	1	4	5	9	12	19
B. *Operated*										
0-19 YRS	146	5.1	57	<1	1	3	5	12	18	34
20-34	272	3.3	10	<1	1	2	5	8	9	15
35-49	314	3.6	19	<1	<1	2	4	7	10	23
50-64	176	3.7	12	<1	1	3	5	8	10	18
65+	78	4.7	24	<1	1	3	6	10	12	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	809	4.9	38	<1	1	3	6	10	14	35
20-34	601	6.5	63	<1	1	4	8	14	19	49
35-49	864	6.0	45	<1	<1	4	8	13	17	35
50-64	952	6.8	38	<1	1	5	9	14	18	32
65+	1381	8.4	55	2	2	7	10	16	21	36
B. *Operated*										
0-19 YRS	229	12.3	295	1	2	6	14	31	75	99+
20-34	532	12.6	200	1	2	8	15	30	48	77
35-49	691	11.3	176	1	2	7	12	26	39	79
50-64	604	9.7	111	1	2	7	12	21	32	53
65+	636	12.0	119	2	3	9	15	25	35	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1303	3.2	15	<1	<1	2	4	7	9	20
B. *Operated*	986	3.9	21	<1	1	3	5	8	11	23
2. MULTIPLE DX										
A. *Not Operated*	4607	6.7	49	<1	1	5	9	14	19	36
B. *Operated*	2692	11.5	163	1	2	8	14	26	38	78
1. SINGLE DX	2289	3.5	18	<1	<1	2	4	7	11	21
2. MULTIPLE DX	7299	8.5	97	1	1	6	10	18	26	58
A. NOT OPERATED	5910	6.0	44	<1	<1	4	8	13	18	32
B. OPERATED	3678	9.4	137	1	1	6	11	22	34	73
TOTAL 0-19 YRS	1764	5.1	72	<1	<1	3	5	10	17	58
20-34	1695	7.4	104	<1	<1	4	8	16	26	59
35-49	2048	7.3	93	<1	<1	4	8	16	24	56
50-64	1888	7.1	61	<1	1	5	9	15	21	42
65+	2193	9.1	75	2	2	7	11	18	25	49
GRAND TOTAL	**9588**	**7.3**	**82**	**<1**	**1**	**4**	**9**	**16**	**23**	**52**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	48	4.5	9	1	1	4	6	9	10	15
35-49	108	4.0	8	1	1	3	5	7	9	15
50-64	124	4.5	9	1	2	4	5	9	11	38
65+	139	4.3	8	1	2	4	5	8	10	13
B. *Operated*										
0-19 YRS										
20-34	9	5.6	7	3	3	5	6	10	12	12
35-49	21	3.9	5	1	1	3	5	8	9	9
50-64	33	5.2	21	1	1	3	7	12	15	20
65+	36	4.6	13	1	2	4	6	10	14	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	64	4.8	15	1	2	4	6	9	12	21
35-49	281	5.0	12	1	2	4	7	8	12	17
50-64	613	5.6	18	2	2	5	7	10	12	22
65+	1530	6.5	27	2	2	5	8	12	15	25
B. *Operated*										
0-19 YRS										
20-34	12	9.6	120	<1	1	7	10	23	39	42
35-49	64	5.5	21	<1	1	5	8	10	13	27
50-64	123	8.6	52	2	3	6	10	19	26	34
65+	257	10.4	85	2	2	7	14	22	29	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	420	4.3	8	1	2	4	5	8	10	16
B. *Operated*	99	4.8	14	1	2	4	6	10	13	18
2. MULTIPLE DX										
A. *Not Operated*	2490	6.1	23	2	2	5	7	11	14	23
B. *Operated*	456	9.2	71	2	2	7	11	20	28	42
1. SINGLE DX	519	4.4	9	1	2	4	6	8	10	16
2. MULTIPLE DX	2946	6.5	32	2	2	5	8	12	16	29
A. NOT OPERATED	2910	5.8	21	2	2	5	7	11	14	22
B. OPERATED	555	8.4	63	1	2	6	10	18	26	41
TOTAL 0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	133	5.1	23	1	2	4	6	9	14	25
35-49	474	4.8	12	1	2	4	6	8	10	18
50-64	893	5.9	23	2	2	5	7	10	15	27
65+	1962	6.8	35	2	2	5	8	13	16	31
GRAND TOTAL	**3465**	**6.2**	**29**	**2**	**2**	**5**	**8**	**12**	**15**	**29**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	437	2.7	5	1	1	2	3	5	6	13
20-34	157	2.8	3	1	1	2	4	5	6	9
35-49	128	3.8	8	1	1	3	5	8	10	13
50-64	186	4.2	51	1	1	3	5	7	8	17
65+	475	5.5	39	1	2	4	6	9	13	29
B. *Operated*										
0-19 YRS	8	8.0	80	1	1	4	12	23	25	25
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	7	4.4	9	2	2	4	7	9	9	9
50-64	10	11.8	122	1	2	9	20	28	36	36
65+	10	12.5	292	1	2	6	17	38	58	58
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6356	3.3	8	1	1	3	4	6	8	14
20-34	2977	3.7	11	1	1	3	4	7	9	17
35-49	3274	4.8	19	1	2	4	6	9	12	21
50-64	6527	6.0	27	1	2	5	7	11	15	26
65+	29997	7.7	46	2	3	6	9	14	19	37
B. *Operated*										
0-19 YRS	161	10.1	130	1	2	6	14	25	45	99+
20-34	210	7.9	61	1	1	5	9	19	24	36
35-49	325	9.2	109	1	2	6	11	18	32	81
50-64	696	12.9	149	2	3	9	16	25	37	69
65+	2617	15.7	172	3	5	12	20	32	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1383	4.0	24	1	1	3	5	7	9	20
B. *Operated*	38	9.1	131	1	1	4	11	21	32	58
2. MULTIPLE DX										
A. *Not Operated*	49131	6.5	38	1	2	5	8	12	17	32
B. *Operated*	4009	14.0	162	2	3	11	18	29	43	91
1. SINGLE DX	1421	4.1	28	1	1	3	5	7	10	21
2. MULTIPLE DX	53140	7.0	51	1	2	5	8	14	19	40
A. NOT OPERATED	50514	6.4	38	1	2	5	8	12	16	31
B. OPERATED	4047	14.0	162	2	3	11	18	29	42	91
TOTAL 0-19 YRS	6962	3.5	12	1	1	3	4	6	8	17
20-34	3347	3.9	15	1	1	3	5	7	10	20
35-49	3734	5.1	28	1	2	4	6	9	13	25
50-64	7419	6.6	44	1	2	5	8	13	17	34
65+	33099	8.3	61	2	3	6	10	16	21	45
GRAND TOTAL	**54561**	**7.0**	**51**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	3.3	6	1	1	3	4	7	8	13
20-34	86	3.5	6	1	1	3	4	6	9	12
35-49	141	3.6	11	1	1	3	4	7	9	18
50-64	104	4.5	8	1	1	4	6	8	10	14
65+	313	4.3	26	<1	1	4	5	8	11	15
B. *Operated*										
0-19 YRS	23	4.7	11	1	1	4	6	9	12	15
20-34	25	5.1	14	1	2	5	6	8	11	20
35-49	44	5.8	9	1	2	5	8	9	12	15
50-64	38	5.2	13	1	1	5	7	8	13	19
65+	60	6.8	22	2	2	6	9	12	15	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	322	4.0	7	1	1	3	5	8	8	14
20-34	381	4.4	15	1	1	4	6	7	10	20
35-49	750	4.9	15	1	2	4	6	9	11	22
50-64	1150	5.7	22	1	2	5	7	10	14	20
65+	5794	6.4	34	1	2	5	8	12	15	27
B. *Operated*										
0-19 YRS	56	6.1	16	2	2	5	8	11	12	23
20-34	148	6.3	25	1	2	5	8	13	16	26
35-49	394	7.3	30	2	3	6	9	13	16	26
50-64	542	8.7	49	2	3	7	10	15	20	39
65+	2149	10.3	67	3	4	8	12	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	791	3.9	15	1	1	3	5	7	9	14
B. *Operated*	190	5.8	15	1	2	5	7	10	14	20
2. MULTIPLE DX										
A. *Not Operated*	8397	6.0	29	1	2	5	7	11	14	25
B. *Operated*	3289	9.4	59	2	3	8	11	17	22	42
1. SINGLE DX	981	4.3	16	1	1	3	6	8	10	15
2. MULTIPLE DX	11686	7.0	40	1	2	6	9	13	17	32
A. NOT OPERATED	9188	5.8	28	1	2	5	7	11	14	24
B. OPERATED	3479	9.2	57	2	3	7	11	16	21	42
TOTAL 0-19 YRS	548	4.1	8	1	1	3	6	8	10	15
20-34	640	4.8	17	1	1	4	6	8	12	22
35-49	1329	5.5	20	1	2	4	7	10	13	22
50-64	1834	6.5	31	1	2	5	8	12	15	28
65+	8316	7.4	45	1	2	6	9	14	18	35
GRAND TOTAL	**12667**	**6.8**	**38**	**1**	**2**	**5**	**8**	**13**	**16**	**32**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1793	4.1	7	1	1	4	5	7	9	14
20-34	1883	5.6	17	1	2	5	7	10	12	19
35-49	376	6.0	16	2	2	5	7	10	13	20
50-64	39	5.1	12	1	1	4	6	11	14	15
65+	8	5.5	28	2	2	3	7	15	17	17
B. *Operated*										
0-19 YRS	9	7.4	20	1	1	8	9	14	16	16
20-34	37	9.7	28	2	2	10	14	16	18	21
35-49	6	9.3	45	3	3	8	10	21	22	22
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1803	5.7	29	1	2	4	7	11	14	27
20-34	2428	7.1	28	2	2	6	9	13	17	29
35-49	693	7.8	32	2	3	6	9	15	18	30
50-64	122	7.7	32	2	2	7	9	14	17	28
65+	28	6.8	13	2	2	7	9	11	14	17
B. *Operated*										
0-19 YRS	69	10.7	91	2	2	8	14	23	33	43
20-34	212	13.6	108	3	4	11	19	27	31	64
35-49	73	12.3	117	3	4	9	14	23	29	62
50-64	17	13.5	85	4	5	9	22	26	31	33
65+	3	27.7	762	4	4	21	49	58	58	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4099	5.0	13	1	2	4	6	9	11	17
B. *Operated*	53	9.1	29	2	2	9	13	16	18	22
2. MULTIPLE DX										
A. *Not Operated*	5074	6.7	29	1	2	5	8	12	16	28
B. *Operated*	374	12.9	111	2	3	10	17	25	32	62
1. SINGLE DX	4152	5.0	14	1	2	4	6	9	11	18
2. MULTIPLE DX	5448	7.1	37	1	2	6	9	13	18	31
A. NOT OPERATED	9173	5.9	23	1	2	5	7	11	14	24
B. OPERATED	427	12.4	102	2	3	10	16	24	31	62
TOTAL 0-19 YRS	3674	5.0	21	1	1	4	6	9	12	22
20-34	4560	6.8	30	2	2	5	8	12	16	30
35-49	1148	7.5	34	2	3	6	9	14	18	29
50-64	179	7.6	37	2	2	6	9	15	19	31
65+	39	8.1	88	2	2	6	9	16	19	58
GRAND TOTAL	**9600**	**6.2**	**28**	**1**	**2**	**5**	**8**	**12**	**15**	**28**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	762	2.4	8	<1	<1	1	3	5	8	16
20-34	179	3.2	9	<1	<1	2	4	7	10	14
35-49	153	3.8	11	<1	1	3	5	8	9	15
50-64	248	3.5	11	<1	1	2	5	8	10	15
65+	1027	3.1	16	<1	1	2	4	6	9	18
B. *Operated*										
0-19 YRS	174	5.5	49	1	1	5	6	8	10	44
20-34	65	6.8	28	2	2	6	8	14	19	28
35-49	88	8.6	95	1	2	6	9	17	25	58
50-64	121	7.1	30	1	2	6	9	13	19	29
65+	216	7.1	34	2	2	5	9	14	17	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1076	3.4	16	<1	<1	2	4	8	10	17
20-34	650	4.4	25	<1	1	3	5	9	14	27
35-49	1192	4.6	24	1	1	3	6	10	13	24
50-64	2702	5.0	27	1	1	3	7	11	14	24
65+	10745	5.8	42	1	1	4	7	12	15	31
B. *Operated*										
0-19 YRS	280	8.6	104	1	1	5	10	20	33	88
20-34	292	9.3	104	1	2	7	11	18	25	71
35-49	492	9.7	86	2	2	7	11	19	27	47
50-64	1067	10.0	82	2	2	8	13	20	25	51
65+	3588	10.9	91	2	3	8	14	21	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2369	3.0	12	<1	<1	2	4	7	9	16
B. *Operated*	664	6.8	45	1	2	5	8	13	18	36
2. MULTIPLE DX										
A. *Not Operated*	16365	5.4	36	1	1	4	7	11	15	29
B. *Operated*	5719	10.4	91	2	3	8	13	21	27	57
1. SINGLE DX	3033	3.8	22	<1	1	2	5	8	11	21
2. MULTIPLE DX	22084	6.7	55	1	1	5	8	14	19	38
A. NOT OPERATED	18734	5.1	34	1	1	3	7	11	14	27
B. OPERATED	6383	10.1	87	2	3	8	12	20	26	55
TOTAL 0-19 YRS	2292	3.8	30	<1	<1	2	5	8	12	27
20-34	1186	5.6	47	<1	1	4	7	12	16	32
35-49	1925	6.0	47	1	1	4	8	12	18	36
50-64	4138	6.3	45	1	1	4	8	14	18	33
65+	15576	6.8	57	1	1	5	9	14	19	38
GRAND TOTAL	**25117**	**6.3**	**52**	**1**	**1**	**4**	**8**	**13**	**18**	**36**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	86	4.1	15	1	1	3	5	10	11	22
20-34	48	3.5	3	1	1	3	4	6	7	10
35-49	18	3.6	10	<1	<1	3	5	6	11	15
50-64	2	5.0	8	3	3	5	7	7	7	7
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	5	17.2	124	4	4	18	25	32	32	32
20-34	9	8.6	115	2	2	5	8	26	36	36
35-49	1	21.0		21	21	21	21	21	21	21
50-64	1	4.0		4	4	4	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	245	4.5	27	1	1	3	5	9	11	31
20-34	86	4.9	13	1	1	4	7	9	11	20
35-49	37	6.9	72	1	1	4	7	14	27	43
50-64	30	10.1	121	1	2	6	11	25	40	45
65+	13	8.5	35	2	2	7	12	17	20	21
B. *Operated*										
0-19 YRS	23	20.9	495	2	3	15	23	55	75	90
20-34	19	10.8	99	2	3	9	15	17	33	46
35-49	7	9.3	70	1	2	7	12	24	26	26
50-64	9	23.9	433	1	2	18	43	49	52	52
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	156	3.9	11	1	1	3	5	7	11	15
B. *Operated*	17	11.1	119	1	2	5	19	30	35	36
2. MULTIPLE DX										
A. *Not Operated*	411	5.3	37	1	1	4	6	11	15	39
B. *Operated*	59	16.4	321	2	3	10	18	44	52	88
1. SINGLE DX	173	4.6	25	1	1	3	5	9	12	31
2. MULTIPLE DX	470	6.7	86	1	1	4	7	14	22	46
A. NOT OPERATED	567	4.9	30	1	1	3	6	10	13	34
B. OPERATED	76	15.2	279	2	3	9	18	40	50	84
TOTAL 0-19 YRS	359	5.7	72	1	1	3	6	11	18	40
20-34	162	5.4	30	1	2	4	6	10	14	34
35-49	63	6.4	58	<1	1	4	7	15	23	42
50-64	42	12.6	208	1	2	7	14	41	45	52
65+	17	7.2	32	1	2	5	12	15	19	21
GRAND TOTAL	**643**	**6.2**	**71**	**1**	**1**	**4**	**7**	**12**	**18**	**45**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	905	3.2	6	<1	1	2	4	6	8	13
20-34	149	4.7	23	1	1	3	6	10	14	31
35-49	175	3.8	16	1	1	2	5	8	12	20
50-64	141	4.4	22	1	1	3	6	9	11	18
65+	156	4.5	26	1	1	3	6	9	14	25
B. *Operated*										
0-19 YRS	445	4.9	13	1	1	4	6	8	11	19
20-34	277	6.6	16	2	2	6	8	12	14	19
35-49	152	6.3	24	2	2	6	7	11	15	27
50-64	158	7.6	33	2	2	6	9	15	20	30
65+	167	7.7	33	1	2	7	10	14	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1293	4.5	17	1	1	3	6	[illegible]	11	20
20-34	577	5.3	20	1	1	4	7	[illegible]	12	25
35-49	749	6.1	29	1	1	5	8	[illegible]	15	27
50-64	1568	6.4	29	1	2	5	8	12	15	27
65+	3278	6.9	43	1	1	5	9	14	18	34
B. *Operated*										
0-19 YRS	383	8.5	111	1	2	5	9	18	28	60
20-34	467	9.5	66	2	3	7	11	19	26	43
35-49	528	10.4	84	2	3	8	12	20	28	48
50-64	913	11.7	95	2	3	9	15	25	32	48
65+	1948	12.3	110	2	3	9	15	25	33	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1526	3.7	13	<1	1	3	5	7	10	17
B. *Operated*	1199	6.2	22	1	2	5	8	11	15	25
2. MULTIPLE DX										
A. *Not Operated*	7465	6.2	33	1	1	5	8	12	16	28
B. *Operated*	4239	11.3	100	2	3	8	14	23	31	51
1. SINGLE DX	2725	4.8	18	1	1	4	6	9	12	21
2. MULTIPLE DX	11704	8.0	63	1	2	6	10	16	23	42
A. NOT OPERATED	8991	5.8	31	1	1	4	7	11	15	27
B. OPERATED	5438	10.2	87	2	3	7	12	21	29	49
TOTAL 0-19 YRS	3026	4.7	27	1	1	3	6	9	12	26
20-34	1470	6.8	38	1	2	5	8	13	18	34
35-49	1604	7.3	50	1	2	6	9	14	20	37
50-64	2780	8.1	57	1	2	6	10	16	22	41
65+	5549	8.8	73	1	2	7	11	18	25	45
GRAND TOTAL	**14429**	**7.4**	**57**	**1**	**2**	**5**	**9**	**15**	**21**	**39**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2567	2.0	1	1	1	2	2	3	4	6
20-34	598	2.0	1	1	1	2	2	4	5	6
35-49	131	2.5	2	1	1	2	3	4	5	9
50-64	18	2.5	2	<1	1	2	4	4	5	5
65+	11	2.8	3	1	1	2	3	5	7	7
B. *Operated*										
0-19 YRS	1317	3.5	2	2	2	3	4	5	6	8
20-34	466	4.0	8	2	2	4	5	6	7	11
35-49	56	4.7	17	2	2	4	5	7	10	29
50-64	8	5.1	3	3	3	5	6	7	7	7
65+	5	6.6	37	2	2	4	9	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1556	2.6	3	1	1	2	3	5	6	9
20-34	354	2.6	2	1	1	2	3	5	6	8
35-49	92	3.2	3	1	1	3	4	6	7	10
50-64	39	3.8	8	1	1	3	5	7	11	13
65+	19	4.4	4	1	2	4	6	8	9	9
B. *Operated*										
0-19 YRS	634	4.4	8	2	2	4	5	7	8	17
20-34	338	4.8	7	2	3	4	5	8	10	16
35-49	50	5.9	9	2	3	5	7	9	13	17
50-64	20	7.6	11	2	3	7	9	12	14	15
65+	19	10.0	34	4	5	8	12	18	24	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3325	2.0	2	1	1	2	2	4	4	6
B. *Operated*	1852	3.7	4	2	2	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	2060	2.7	3	1	1	2	3	5	6	9
B. *Operated*	1061	4.7	9	2	2	4	5	8	10	17
1. SINGLE DX	5177	2.6	3	1	1	2	3	5	5	7
2. MULTIPLE DX	3121	3.4	6	1	1	3	4	6	7	13
A. NOT OPERATED	5385	2.3	2	1	1	2	3	4	5	8
B. OPERATED	2913	4.1	6	2	2	4	5	6	7	14
TOTAL 0-19 YRS	6074	2.7	3	1	1	2	3	5	6	9
20-34	1756	3.2	6	1	1	3	4	5	7	11
35-49	329	3.6	8	1	1	3	4	6	9	14
50-64	85	4.6	10	1	1	4	6	9	12	14
65+	54	6.3	25	2	2	5	8	12	17	28
GRAND TOTAL	**8298**	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**6**	**10**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	549	4.3	6	1	2	4	5	7	9	12
20-34	64	3.5	3	1	1	3	5	6	7	9
35-49	25	4.4	7	<1	1	4	6	8	9	11
50-64	7	3.6	7	1	1	3	5	7	8	8
65+	3	5.0	19	2	2	3	8	10	10	10
B. *Operated*										
0-19 YRS	340	3.0	7	<1	<1	2	4	7	8	13
20-34	233	2.9	6	<1	<1	2	3	6	8	13
35-49	110	3.1	11	<1	1	2	3	6	8	19
50-64	58	2.8	4	<1	<1	2	3	5	8	9
65+	40	2.8	4	<1	<1	2	3	6	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	489	4.3	7	1	2	4	6	7	8	13
20-34	89	4.4	9	1	2	4	5	8	9	19
35-49	40	4.8	9	1	2	4	6	9	12	13
50-64	31	5.5	9	1	2	5	7	9	12	14
65+	30	6.6	15	2	3	6	8	11	12	21
B. *Operated*										
0-19 YRS	200	4.4	13	<1	1	3	6	8	10	16
20-34	144	4.9	29	<1	1	4	6	9	12	18
35-49	125	4.9	16	1	1	3	6	9	14	21
50-64	92	5.7	21	1	2	4	8	12	17	22
65+	102	8.5	173	1	1	5	10	19	24	89
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	648	4.2	6	1	2	4	5	7	9	12
B. *Operated*	781	2.9	7	<1	<1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	679	4.5	8	1	2	4	6	8	9	14
B. *Operated*	663	5.4	45	1	1	4	7	10	14	24
1. SINGLE DX	1429	3.5	7	<1	1	3	5	7	8	13
2. MULTIPLE DX	1342	5.0	26	1	1	4	6	9	12	22
A. NOT OPERATED	1327	4.4	7	1	2	4	5	8	9	13
B. OPERATED	1444	4.1	26	<1	1	3	5	8	11	21
TOTAL 0-19 YRS	1578	4.0	8	1	1	3	5	7	9	13
20-34	530	3.7	13	<1	1	3	5	7	9	16
35-49	300	4.2	13	<1	1	3	5	9	12	19
50-64	188	4.7	15	<1	1	4	6	9	13	18
65+	175	6.8	110	<1	1	4	8	13	22	71
GRAND TOTAL	**2771**	**4.2**	**17**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	10.2	177	<1	1	4	17	28	43	52
20-34	108	12.1	189	1	1	8	16	30	41	72
35-49	43	11.0	178	2	2	8	13	20	34	77
50-64	58	14.3	414	1	2	7	15	25	67	96
65+	130	10.5	104	1	1	7	14	25	34	48
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	24.0		24	24	24	24	24	24	24
50-64	2	2.0		2	2	2	2	2	2	2
65+	4	9.0	33	1	1	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	10.8	252	1	1	5	14	24	69	97
20-34	290	13.4	216	1	2	8	18	30	48	86
35-49	182	11.3	151	1	1	7	15	27	30	65
50-64	346	11.2	158	1	2	7	14	27	39	99+
65+	1244	8.9	64	2	2	7	12	18	24	42
B. *Operated*										
0-19 YRS	3	8.7	86	1	1	6	16	19	19	19
20-34	9	25.6	726	3	5	15	56	92	99+	99+
35-49	19	16.3	240	2	3	14	20	40	52	60
50-64	49	14.3	187	2	3	8	18	37	44	57
65+	87	18.8	385	3	4	12	20	43	72	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	370	11.6	192	1	1	7	15	25	37	77
B. *Operated*	7	9.1	70	1	1	9	13	22	24	24
2. MULTIPLE DX										
A. *Not Operated*	2122	10.1	115	1	2	7	13	22	30	67
B. *Operated*	167	17.4	325	2	4	11	20	43	61	89
1. SINGLE DX	377	11.5	189	1	1	7	15	25	37	76
2. MULTIPLE DX	2289	10.7	134	1	2	7	14	23	33	72
A. NOT OPERATED	2492	10.4	127	1	2	7	13	23	31	68
B. OPERATED	174	17.0	317	2	3	11	20	43	59	89
TOTAL 0-19 YRS	94	10.5	219	1	1	4	15	23	50	87
20-34	407	13.4	222	1	2	9	18	31	48	90
35-49	245	11.7	163	1	2	7	15	26	31	67
50-64	455	11.9	194	1	2	7	15	28	44	98
65+	1465	9.6	92	2	2	7	12	20	27	47
GRAND TOTAL	**2666**	**10.8**	**142**	**1**	**2**	**7**	**14**	**24**	**34**	**74**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	2.6	34	1	1	1	2	4	6	38
20-34	441	4.4	44	1	1	3	5	8	12	31
35-49	221	6.5	90	1	1	3	7	13	25	60
50-64	233	8.6	100	1	1	5	12	20	25	64
65+	1264	10.1	111	1	2	7	13	21	32	87
B. *Operated*										
0-19 YRS	7	1.9	1	1	1	2	3	3	3	3
20-34	14	3.6	4	<1	1	3	5	7	7	7
35-49	6	8.3	42	<1	<1	7	12	18	19	19
50-64	12	6.7	55	1	1	4	7	19	25	26
65+	36	7.7	92	1	2	4	8	22	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	708	5.2	105	1	1	2	5	9	23	85
20-34	1410	7.1	60	1	2	5	8	15	21	49
35-49	946	8.7	91	1	2	6	10	19	27	56
50-64	1236	11.0	131	2	3	7	13	26	37	83
65+	10023	11.2	137	2	3	8	14	25	39	99+
B. *Operated*										
0-19 YRS	45	6.5	121	1	1	3	8	12	51	99+
20-34	99	11.2	188	1	1	7	12	32	59	99+
35-49	75	14.5	240	2	2	9	17	35	55	94
50-64	154	16.8	348	2	2	12	19	42	88	99+
65+	929	18.1	253	3	4	14	25	47	78	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2739	7.2	91	1	1	4	9	17	25	64
B. *Operated*	75	6.3	60	1	1	4	7	13	25	43
2. MULTIPLE DX										
A. *Not Operated*	14323	10.3	128	2	2	7	13	23	35	99+
B. *Operated*	1302	16.8	261	2	3	12	22	45	75	99+
1. SINGLE DX	2814	7.2	90	1	1	4	9	17	25	62
2. MULTIPLE DX	15625	10.9	142	2	2	7	13	25	39	99+
A. NOT OPERATED	17062	9.8	123	1	2	7	12	22	34	99+
B. OPERATED	1377	16.2	256	2	3	12	22	44	73	99+
TOTAL 0-19 YRS	1340	4.1	76	1	1	2	4	7	13	61
20-34	1964	6.7	65	1	1	4	7	14	22	53
35-49	1248	8.7	102	1	2	6	10	19	28	60
50-64	1635	11.2	151	2	2	7	14	25	38	97
65+	12252	11.6	147	2	3	8	14	26	42	99+
GRAND TOTAL	**18439**	**10.3**	**136**	**1**	**2**	**7**	**13**	**23**	**37**	**99+**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	10.0	50	5	5	10	15	15	15	15
65+	52	10.9	72	1	2	9	16	22	24	37
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	36.0		36	36	36	36	36	36	36
65+	4	4.8	3	3	3	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	19.3	103	7	7	20	27	29	29	29
50-64	58	15.3	242	2	3	11	18	54	60	99+
65+	827	12.0	179	2	3	8	14	25	36	93
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	54.0		54	54	54	54	54	54	54
50-64	13	16.6	308	3	4	6	28	50	52	53
65+	78	20.6	376	4	4	15	31	71	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	10.9	70	1	2	9	16	22	24	37
B. *Operated*	5	11.0	198	3	3	5	14	36	36	36
2. MULTIPLE DX										
A. *Not Operated*	889	12.3	183	2	3	8	14	26	41	97
B. *Operated*	92	20.4	374	3	4	14	30	65	99	99+
1. SINGLE DX	59	10.9	78	1	2	8	16	22	28	37
2. MULTIPLE DX	981	13.0	206	2	3	9	15	30	50	99+
A. NOT OPERATED	943	12.2	177	2	3	8	14	26	37	94
B. OPERATED	97	19.9	367	3	4	14	30	60	98	99+
TOTAL 0-19 YRS										
20-34										
35-49	5	26.2	319	7	7	26	35	54	54	54
50-64	74	15.7	247	2	3	11	19	52	59	99+
65+	961	12.6	194	2	3	9	15	28	43	99+
GRAND TOTAL	**1040**	**12.9**	**199**	**2**	**3**	**9**	**15**	**30**	**47**	**99+**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	21	<1	<1	1	2	5	15	20
20-34	512	3.9	4	1	1	4	5	5	6	12
35-49	630	4.2	6	1	1	4	5	6	7	15
50-64	330	4.9	13	1	2	5	5	8	10	22
65+	85	6.6	84	1	2	4	6	15	18	59
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.0	8	4	4	6	8	8	8	8
50-64	2	15.0	72	9	9	15	21	21	21	21
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	7.0	99	<1	1	4	6	14	27	54
20-34	1949	6.3	43	1	2	4	7	12	23	31
35-49	3329	6.3	37	1	2	5	7	12	19	31
50-64	2607	7.4	52	2	2	5	8	15	21	40
65+	1167	9.6	81	2	3	7	12	20	26	50
B. *Operated*										
0-19 YRS	7	26.3	551	2	2	16	50	54	55	55
20-34	57	12.6	107	2	2	9	21	29	31	40
35-49	147	13.8	151	2	3	9	19	29	37	54
50-64	142	17.7	221	2	3	14	26	41	50	73
65+	94	17.6	128	4	6	17	23	33	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1574	4.4	12	1	1	4	5	6	8	19
B. *Operated*	5	8.8	55	2	2	8	12	21	21	21
2. MULTIPLE DX										
A. *Not Operated*	9130	7.0	50	1	2	5	8	15	21	35
B. *Operated*	447	15.9	173	3	3	12	22	33	45	71
1. SINGLE DX	1579	4.4	12	1	1	4	5	6	8	19
2. MULTIPLE DX	9577	7.4	59	1	2	5	8	16	23	40
A. NOT OPERATED	10704	6.6	45	1	2	5	7	13	21	34
B. OPERATED	452	15.8	172	2	3	12	22	33	45	71
TOTAL 0-19 YRS	102	7.6	140	<1	1	3	6	18	44	56
20-34	2519	5.9	39	1	2	4	6	11	21	30
35-49	4108	6.2	39	1	2	5	7	12	19	31
50-64	3081	7.6	61	2	2	5	8	16	23	44
65+	1346	9.9	90	2	3	7	13	21	28	53
GRAND TOTAL	**11156**	**7.0**	**53**	**1**	**2**	**5**	**8**	**15**	**22**	**38**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	8.3	180	1	1	4	8	23	37	98
20-34	159	5.4	48	<1	1	3	7	14	17	29
35-49	61	6.9	113	<1	1	4	7	14	26	57
50-64	38	7.6	70	1	1	5	10	18	30	35
65+	57	5.4	21	1	1	4	6	11	16	24
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	14.0	242	3	3	14	25	25	25	25
65+	1	10.0		10	10	55	99+	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	190	12.6	232	1	2	7	15	37	50	69
20-34	837	7.7	57	1	2	5	9	17	25	35
35-49	362	7.2	47	1	2	5	9	16	21	34
50-64	328	8.1	58	1	2	6	10	17	25	38
65+	796	7.8	52	2	2	6	9	15	21	34
B. *Operated*										
0-19 YRS	14	32.3	631	4	4	24	60	67	74	76
20-34	33	14.3	143	2	3	9	26	33	34	38
35-49	8	14.5	189	2	3	8	31	74	99+	99+
50-64	27	12.3	103	2	3	9	13	31	34	40
65+	51	11.5	103	2	3	10	15	19	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	6.4	83	1	1	4	7	14	24	54
B. *Operated*	3	12.7	126	3	3	17	62	99+	99+	99+
2. MULTIPLE DX										
A. *Not Operated*	2513	8.1	69	1	2	6	10	17	25	44
B. *Operated*	133	14.7	204	2	3	10	21	34	48	80
1. SINGLE DX	397	6.5	83	1	1	4	7	15	25	57
2. MULTIPLE DX	2646	8.4	77	1	2	6	10	18	26	48
A. NOT OPERATED	2907	7.9	71	1	2	5	9	17	24	44
B. OPERATED	136	14.7	201	2	3	10	22	34	51	99+
TOTAL 0-19 YRS	283	12.4	258	1	1	6	14	37	52	86
20-34	1029	7.6	60	1	2	5	9	17	25	35
35-49	431	7.3	59	1	1	5	9	16	23	46
50-64	395	8.4	64	1	2	6	11	18	27	39
65+	905	7.9	54	2	2	6	10	16	21	36
GRAND TOTAL	**3043**	**8.2**	**79**	**1**	**2**	**6**	**10**	**17**	**26**	**50**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	265	17.1	221	1	2	15	22	37	55	99+
20-34	4086	13.9	159	1	2	11	19	30	39	63
35-49	2229	13.6	136	1	2	11	18	28	36	58
50-64	751	15.6	161	2	3	13	21	30	38	64
65+	237	14.9	104	1	3	13	20	31	34	44
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	12	6.3	19	1	2	5	10	13	14	14
35-49	10	18.3	170	<1	2	15	34	35	36	36
50-64	1	26.0		26	26	26	26	26	26	26
65+	1	45.0		45	45	45	45	45	45	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	188	21.9	360	2	4	17	31	56	73	99+
20-34	2544	15.9	197	2	3	12	21	34	44	74
35-49	1668	14.6	137	2	3	12	20	30	38	60
50-64	897	17.0	161	3	4	14	22	34	43	62
65+	462	17.5	200	3	4	14	24	34	46	75
B. *Operated*										
0-19 YRS	9	23.6	434	3	3	14	39	56	58	58
20-34	85	25.1	318	5	7	19	36	51	62	96
35-49	68	25.4	291	7	11	22	30	47	51	98
50-64	52	25.0	300	5	7	20	32	57	67	99+
65+	37	27.5	344	9	10	22	42	62	99	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7568	14.1	153	1	2	11	19	30	38	63
B. *Operated*	25	13.6	156	1	2	11	17	35	38	45
2. MULTIPLE DX										
A. *Not Operated*	5759	16.0	181	2	3	13	22	33	43	74
B. *Operated*	251	25.5	310	5	8	21	34	51	62	99+
1. SINGLE DX	7593	14.1	153	1	2	11	19	30	38	63
2. MULTIPLE DX	6010	16.4	190	2	3	13	22	34	44	76
A. NOT OPERATED	13327	14.9	166	2	3	12	20	31	40	69
B. OPERATED	276	24.4	307	4	7	21	33	49	61	99+
TOTAL 0-19 YRS	463	19.2	285	2	3	15	27	44	62	99+
20-34	6727	14.8	177	1	2	11	20	32	42	69
35-49	3975	14.2	141	2	3	11	20	29	37	59
50-64	1701	16.6	168	2	4	14	22	33	42	69
65+	737	17.2	183	2	4	14	23	34	43	79
GRAND TOTAL	**13603**	**15.1**	**171**	**2**	**3**	**12**	**20**	**32**	**41**	**69**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	21.7	385	3	5	14	29	48	68	97
20-34	292	12.8	119	2	3	10	16	27	34	58
35-49	95	11.2	85	1	2	8	15	25	30	40
50-64	41	11.1	145	1	2	6	15	31	41	48
65+	9	18.3	116	9	9	12	24	36	38	38
B. *Operated*										
0-19 YRS										
20-34	1	13.0		13	13	13	13	13	13	13
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	21.9	345	3	5	18	30	73	99+	99+
20-34	236	15.6	181	2	3	12	20	34	44	63
35-49	82	16.0	147	2	4	12	21	35	39	57
50-64	28	11.0	40	3	3	10	16	21	22	23
65+	25	11.6	76	3	4	8	18	22	32	34
B. *Operated*										
0-19 YRS										
20-34	8	17.0	70	5	5	17	22	28	30	30
35-49	1	23.0		23	23	23	23	23	23	23
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	14.7	196	2	3	10	19	31	44	75
B. *Operated*	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	446	16.2	195	2	3	13	21	36	50	99
B. *Operated*	9	17.7	65	5	5	18	23	27	30	30
1. SINGLE DX	580	14.7	196	2	3	10	19	31	44	75
2. MULTIPLE DX	455	16.2	192	2	3	13	21	36	49	98
A. NOT OPERATED	1025	15.3	196	2	3	12	20	34	45	78
B. OPERATED	10	17.2	60	5	5	17	23	27	30	30
TOTAL 0-19 YRS	217	21.8	370	3	5	15	30	52	76	99+
20-34	537	14.1	147	2	3	11	18	28	38	62
35-49	178	13.5	118	1	3	10	20	29	36	49
50-64	69	11.1	101	2	3	8	16	22	35	48
65+	34	13.4	93	3	4	10	19	31	34	38
GRAND TOTAL	**1035**	**15.4**	**195**	**2**	**3**	**12**	**20**	**34**	**45**	**78**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	659	20.2	332	2	3	15	28	48	65	99+
20-34	6103	14.6	177	1	2	11	20	31	41	67
35-49	3161	13.9	134	1	2	11	19	28	36	63
50-64	1431	15.7	153	2	3	13	21	31	38	61
65+	315	16.9	210	2	3	14	21	36	44	74
B. *Operated*										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	14	16.6	229	2	4	11	20	41	49	51
35-49	7	20.4	478	4	4	12	41	53	53	53
50-64	6	22.5	270	3	4	21	24	49	52	52
65+	3	18.0	91	8	8	19	25	27	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	524	22.6	371	2	4	19	33	53	76	99+
20-34	4447	16.4	203	2	3	13	22	36	47	78
35-49	3198	15.9	178	2	3	12	21	32	43	69
50-64	2037	16.5	162	3	4	14	22	33	43	68
65+	879	17.5	205	3	5	14	23	35	49	95
B. *Operated*										
0-19 YRS	20	31.2	423	11	12	26	41	55	78	92
20-34	183	24.3	313	5	7	20	33	51	71	99+
35-49	171	21.6	155	6	9	19	29	39	51	94
50-64	122	27.7	326	6	10	23	37	56	66	93
65+	75	29.7	429	8	9	24	39	62	83	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11669	14.9	174	1	2	12	20	31	41	68
B. *Operated*	31	18.6	253	3	4	13	24	51	52	53
2. MULTIPLE DX										
A. *Not Operated*	11085	16.7	198	2	3	13	22	35	47	81
B. *Operated*	571	25.1	295	6	9	20	34	50	66	99+
1. SINGLE DX	11700	14.9	174	1	2	12	20	31	41	68
2. MULTIPLE DX	11656	17.1	206	2	4	13	23	36	48	83
A. NOT OPERATED	22754	15.8	187	2	3	12	21	33	44	72
B. OPERATED	602	24.8	294	5	8	20	33	50	66	99+
TOTAL 0-19 YRS	1204	21.5	353	2	3	17	31	52	68	99+
20-34	10747	15.5	192	1	3	12	21	34	44	72
35-49	6537	15.1	159	2	3	12	20	31	40	67
50-64	3596	16.6	168	2	4	14	22	33	43	67
65+	1272	18.1	227	3	4	14	23	37	51	92
GRAND TOTAL	**23356**	**16.0**	**191**	**2**	**3**	**13**	**21**	**34**	**45**	**74**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	89	21.7	483	<1	1	14	41	55	95	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	26.5	605	2	3	25	60	99+	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	26.7	497	10	10	52	99+	99+	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	89	21.7	483	<1	1	14	41	55	95	99+
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	88	26.5	605	2	3	25	60	99+	99+	99+
B. *Operated*	3	26.7	497	10	10	52	99+	99+	99+	99+
1. SINGLE DX	89	21.7	483	<1	1	14	41	55	95	99+
2. MULTIPLE DX	91	26.5	596	2	3	26	62	99+	99+	99+
A. NOT OPERATED	177	24.1	546	1	2	18	49	99	99+	99+
B. OPERATED	3	26.7	497	10	10	52	99+	99+	99+	99+
TOTAL 0-19 YRS	180	24.2	543	1	2	19	50	99+	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**180**	**24.2**	**543**	**1**	**2**	**19**	**50**	**99+**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	820	20.6	402	1	2	14	30	56	79	99+
20-34	3624	13.2	145	1	2	10	18	29	36	60
35-49	3687	13.9	143	1	2	11	19	29	37	58
50-64	2774	16.8	165	2	3	14	23	33	42	64
65+	2270	19.0	189	2	4	16	26	36	46	70
B. *Operated*										
0-19 YRS	4	12.0	24	6	6	12	15	18	18	18
20-34	12	21.0	142	7	10	16	30	38	44	45
35-49	22	20.7	225	3	4	14	32	37	48	64
50-64	14	25.6	249	3	11	18	41	48	50	50
65+	14	25.2	336	4	7	19	30	51	70	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1531	24.0	484	2	3	18	40	68	95	99+
20-34	6468	14.9	182	2	3	11	20	32	42	71
35-49	6853	15.6	171	2	3	12	21	32	42	72
50-64	5924	17.7	183	3	4	14	24	35	44	70
65+	6897	19.7	237	3	4	16	27	40	52	83
B. *Operated*										
0-19 YRS	44	30.3	449	3	7	33	57	99+	99+	99+
20-34	373	24.9	381	3	6	20	34	58	74	99+
35-49	481	23.9	266	5	8	20	32	46	60	97
50-64	432	26.4	299	6	8	23	35	50	65	99+
65+	571	29.8	379	6	9	27	40	60	77	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13175	15.6	178	1	3	12	21	32	42	70
B. *Operated*	66	22.2	227	4	7	17	31	42	49	73
2. MULTIPLE DX										
A. *Not Operated*	27673	17.3	216	2	3	13	24	37	48	85
B. *Operated*	1901	26.6	339	5	8	23	37	56	72	99+
1. SINGLE DX	13241	15.6	179	1	3	12	21	33	42	70
2. MULTIPLE DX	29574	17.9	229	2	4	14	25	38	50	89
A. NOT OPERATED	40848	16.8	205	2	3	13	23	35	46	81
B. OPERATED	1967	26.4	336	5	8	22	37	55	72	99+
TOTAL 0-19 YRS	2399	23.0	458	2	3	17	37	64	90	99+
20-34	10477	14.6	180	1	3	11	20	32	41	72
35-49	11043	15.4	170	2	3	12	21	32	42	70
50-64	9144	17.8	187	3	4	15	24	36	44	70
65+	9752	20.1	240	3	5	16	27	41	53	83
GRAND TOTAL	**42815**	**17.2**	**215**	**2**	**3**	**13**	**24**	**37**	**48**	**84**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	460	20.8	338	2	4	15	29	46	64	99+
20-34	3401	14.1	145	1	2	11	19	29	36	63
35-49	2863	13.8	121	1	3	11	19	28	35	56
50-64	1666	15.4	138	2	4	13	21	29	36	61
65+	656	18.2	172	2	4	16	25	33	44	71
B. *Operated*										
0-19 YRS	2	26.0	1152	2	2	26	50	50	50	50
20-34	5	23.8	44	17	17	24	28	33	33	33
35-49	14	16.0	141	1	1	12	28	34	36	36
50-64	11	28.9	681	3	4	15	43	70	81	82
65+	8	24.6	226	9	10	16	40	45	46	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	617	23.3	425	2	4	18	33	57	74	99+
20-34	3371	16.1	187	2	3	13	21	33	44	70
35-49	3186	15.5	158	2	3	12	21	32	41	63
50-64	2601	17.5	175	3	5	14	24	34	44	69
65+	1687	18.7	174	4	5	16	24	36	47	69
B. *Operated*										
0-19 YRS	23	34.1	568	5	8	32	50	86	92	99+
20-34	152	22.3	249	4	7	18	30	46	57	83
35-49	172	25.2	268	5	8	21	33	45	63	91
50-64	202	25.9	260	7	9	23	34	49	62	99
65+	160	29.5	371	7	10	26	38	60	77	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9046	14.9	151	2	3	12	20	30	38	65
B. *Operated*	40	22.8	325	2	4	16	34	45	56	82
2. MULTIPLE DX										
A. *Not Operated*	11462	17.0	190	2	4	14	23	35	45	73
B. *Operated*	709	26.0	301	6	8	22	35	50	66	99
1. SINGLE DX	9086	14.9	152	2	3	12	20	30	38	65
2. MULTIPLE DX	12171	17.5	201	2	4	14	23	36	46	76
A. NOT OPERATED	20508	16.1	174	2	3	13	22	32	42	70
B. OPERATED	749	25.9	302	6	8	22	35	50	65	99
TOTAL 0-19 YRS	1102	22.5	395	2	4	16	32	52	71	99+
20-34	6929	15.2	170	2	3	12	20	31	41	67
35-49	6235	15.0	147	2	3	12	20	30	39	62
50-64	4480	17.1	171	3	4	14	23	33	42	69
65+	2511	19.3	193	3	5	16	25	37	48	75
GRAND TOTAL	**21257**	**16.4**	**182**	**2**	**3**	**13**	**22**	**33**	**43**	**72**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	337	13.3	241	1	1	8	17	34	51	83
20-34	1230	9.8	100	1	1	7	13	21	29	49
35-49	764	10.3	89	1	1	8	14	22	28	45
50-64	501	11.3	109	1	2	9	15	25	31	52
65+	490	10.9	116	1	1	8	15	24	33	56
B. *Operated*										
0-19 YRS	4	3.3	2	<1	<1	4	4	4	4	4
20-34	6	6.8	59	2	2	4	6	20	22	22
35-49	3	10.0	31	5	5	9	14	16	16	16
50-64	8	7.8	28	2	2	7	12	15	16	16
65+	9	8.8	157	1	1	4	9	29	41	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	406	15.2	245	1	2	10	22	40	51	99+
20-34	1537	11.6	115	1	2	9	16	25	32	52
35-49	1130	11.7	120	1	2	8	16	25	33	55
50-64	1302	12.1	126	1	2	9	16	27	34	59
65+	3312	10.8	109	2	3	8	14	23	31	56
B. *Operated*										
0-19 YRS	8	11.8	138	1	1	10	15	31	37	37
20-34	55	16.7	192	3	4	13	24	36	53	98
35-49	43	20.9	266	2	3	17	29	44	60	68
50-64	116	16.7	222	3	3	13	23	39	54	99+
65+	297	17.4	241	3	5	12	22	39	56	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3322	10.7	116	1	1	8	14	23	31	56
B. *Operated*	30	7.5	66	1	2	5	9	16	22	41
2. MULTIPLE DX										
A. *Not Operated*	7687	11.6	123	1	2	8	15	25	34	58
B. *Operated*	519	17.4	232	3	4	13	23	38	56	99+
1. SINGLE DX	3352	10.6	116	1	1	8	14	23	31	56
2. MULTIPLE DX	8206	11.9	131	2	2	8	16	26	35	61
A. NOT OPERATED	11009	11.3	121	1	2	8	15	25	33	57
B. OPERATED	549	16.8	228	3	4	12	22	38	55	99
TOTAL 0-19 YRS	755	14.3	242	1	1	9	19	37	51	92
20-34	2828	10.9	111	1	2	8	15	23	31	53
35-49	1940	11.3	113	1	2	8	15	25	31	55
50-64	1927	12.2	128	1	2	9	16	27	35	59
65+	4108	11.3	122	2	2	8	14	24	34	61
GRAND TOTAL	**11558**	**11.6**	**127**	**1**	**2**	**8**	**15**	**25**	**34**	**59**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	5.0	74	<1	1	3	4	10	16	54
20-34	800	5.4	44	1	1	3	6	13	18	30
35-49	699	5.4	37	1	1	3	7	12	17	29
50-64	392	6.1	45	1	1	4	8	14	19	30
65+	209	6.3	84	<1	1	3	7	13	19	61
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	3.1	3	<1	1	3	5	6	6	6
35-49	8	5.9	16	2	2	5	8	12	13	13
50-64	8	5.6	16	1	1	5	9	11	11	11
65+	2	13.0	200	3	3	13	23	23	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	8.2	151	1	1	3	9	23	41	80
20-34	1771	7.8	77	1	1	4	9	19	27	41
35-49	2083	7.1	70	1	1	4	8	17	24	42
50-64	1792	7.1	59	1	1	4	8	16	23	39
65+	1600	6.3	54	1	1	4	7	14	20	34
B. *Operated*										
0-19 YRS	7	25.1	702	5	5	16	63	90	99+	99+
20-34	120	7.2	90	1	1	3	10	17	28	43
35-49	118	8.1	77	1	1	5	12	21	23	40
50-64	98	10.7	93	2	3	7	14	26	30	44
65+	75	10.6	128	1	3	7	11	24	37	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2281	5.6	48	1	1	3	7	13	18	33
B. *Operated*	30	5.1	22	1	1	4	6	11	13	23
2. MULTIPLE DX										
A. *Not Operated*	7588	7.1	70	1	1	4	8	17	24	42
B. *Operated*	418	9.2	109	1	1	5	12	22	30	55
1. SINGLE DX	2311	5.6	48	1	1	3	7	13	18	33
2. MULTIPLE DX	8006	7.2	72	1	1	4	8	17	25	43
A. NOT OPERATED	9869	6.8	65	1	1	4	8	16	23	40
B. OPERATED	448	8.9	104	1	1	5	11	22	30	55
TOTAL 0-19 YRS	531	7.3	137	1	1	3	7	20	34	71
20-34	2702	7.0	69	1	1	4	8	17	25	39
35-49	2908	6.7	63	1	1	4	8	16	22	40
50-64	2290	7.1	58	1	1	4	8	16	23	39
65+	1886	6.5	61	1	1	4	7	14	21	37
GRAND TOTAL	**10317**	**6.9**	**67**	**1**	**1**	**4**	**8**	**16**	**23**	**41**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	762	20.7	429	1	2	13	33	56	71	99+
20-34	2161	9.9	97	1	2	7	14	22	29	47
35-49	1790	10.1	89	1	2	7	14	22	29	44
50-64	872	10.7	101	1	2	8	15	23	29	51
65+	407	11.5	118	1	2	7	15	25	34	52
B. *Operated*										
0-19 YRS										
20-34	5	12.8	90	2	2	10	21	25	25	25
35-49	9	14.8	59	8	9	11	17	27	33	33
50-64	8	11.5	114	2	2	10	16	28	33	33
65+	7	34.0	687	11	11	20	61	71	71	71
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1394	24.2	536	2	3	17	41	68	90	99+
20-34	4266	11.7	122	1	2	8	16	26	33	55
35-49	3942	11.5	106	2	2	8	16	26	32	46
50-64	2545	11.2	98	2	3	8	15	25	31	47
65+	2395	10.6	92	2	3	8	14	23	30	44
B. *Operated*										
0-19 YRS	39	26.4	372	3	7	25	43	55	88	99+
20-34	216	18.4	240	2	4	14	25	39	49	81
35-49	254	19.4	187	4	5	17	25	38	46	68
50-64	195	18.1	223	3	4	14	23	36	43	82
65+	203	17.5	219	4	5	13	22	35	47	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5992	11.6	151	1	2	7	15	26	37	66
B *Operated*	29	18.2	290	2	2	13	20	35	70	71
2. MULTIPLE DX										
A. *Not Operated*	14542	12.6	163	2	2	8	17	28	38	74
B. *Operated*	907	18.7	225	3	5	14	25	39	49	79
1. SINGLE DX	6021	11.6	152	1	2	7	15	26	37	67
2. MULTIPLE DX	15449	13.0	168	2	2	9	17	29	39	76
A. NOT OPERATED	20534	12.3	160	1	2	8	16	28	37	72
B. OPERATED	936	18.7	226	3	5	14	25	39	50	79
TOTAL 0-19 YRS	2195	23.0	499	2	3	16	38	63	86	99+
20-34	6648	11.4	120	1	2	8	16	25	32	54
35-49	5995	11.5	108	1	2	8	16	25	32	48
50-64	3620	11.4	108	2	3	8	15	25	32	51
65+	3012	11.3	109	2	3	8	14	24	32	50
GRAND TOTAL	**21470**	**12.6**	**164**	**1**	**2**	**8**	**17**	**28**	**38**	**72**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	712	12.0	254	1	1	5	16	38	54	99+
20-34	1424	8.6	111	<1	1	5	11	21	29	58
35-49	675	8.4	94	1	1	5	12	20	28	53
50-64	245	8.4	114	<1	1	5	11	20	26	52
65+	128	7.4	52	1	1	5	10	18	22	33
B. *Operated*										
0-19 YRS	9	9.4	145	1	1	4	28	66	99+	99+
20-34	102	7.8	38	1	2	9	9	14	16	36
35-49	98	5.8	22	1	2	4	9	11	13	25
50-64	81	4.5	8	1	1	4	6	9	10	13
65+	27	5.6	49	1	1	4	6	9	16	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1078	14.6	363	1	1	7	20	47	68	99+
20-34	3228	10.1	136	1	1	6	13	25	35	71
35-49	1860	10.4	136	1	2	6	14	23	32	64
50-64	983	9.7	116	1	2	6	13	24	31	56
65+	818	8.7	77	1	2	6	11	19	24	49
B. *Operated*										
0-19 YRS	48	20.1	651	<1	1	10	23	60	78	99
20-34	194	14.8	237	1	2	9	20	33	48	84
35-49	183	11.2	119	1	2	8	14	26	32	57
50-64	175	9.2	137	1	2	5	10	17	31	69
65+	116	13.2	221	2	3	8	15	28	49	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3184	9.3	139	1	1	5	12	23	35	66
B. *Operated*	317	6.2	31	1	2	5	9	11	14	35
2. MULTIPLE DX										
A. *Not Operated*	7967	10.6	161	1	1	6	14	26	37	79
B. *Operated*	716	12.6	214	1	2	8	14	29	47	78
1. SINGLE DX	3501	9.0	130	1	1	5	11	22	34	65
2. MULTIPLE DX	8683	10.8	165	1	1	6	14	27	38	78
A. NOT OPERATED	11151	10.2	155	1	1	6	13	25	37	75
B. OPERATED	1033	10.7	167	1	2	7	12	26	36	72
TOTAL 0-19 YRS	1847	13.7	329	1	1	6	19	43	64	99+
20-34	4948	9.8	132	1	1	6	13	24	33	64
[illegible]	2816	9.8	122	1	1	6	13	22	31	59
[illegible]	1484	9.2	113	1	2	5	11	22	30	54
65+	1089	8.9	91	1	2	6	11	20	27	52
GRAND TOTAL	**12184**	**10.3**	**156**	**1**	**1**	**6**	**13**	**25**	**37**	**75**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	564	13.1	196	<1	<1	6	24	34	38	49
20-34	4790	11.3	108	1	1	5	21	28	30	36
35-49	4913	10.5	98	1	2	5	19	28	29	35
50-64	2152	10.1	99	1	2	5	17	28	29	35
65+	454	9.7	89	1	2	5	14	25	29	40
B. *Operated*										
0-19 YRS	5	36.6	401	1	1	45	46	49	49	49
20-34	27	18.8	125	1	2	21	28	31	34	36
35-49	30	16.6	97	3	4	21	23	28	31	38
50-64	12	19.6	113	3	4	21	26	34	35	35
65+	6	9.3	95	1	1	5	14	26	27	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2106	23.3	277	1	2	25	34	44	49	73
20-34	14088	13.6	123	1	2	8	25	29	30	38
35-49	15823	11.6	102	2	2	6	21	28	30	36
50-64	10132	11.6	103	2	2	7	20	28	30	37
65+	4241	11.7	99	2	3	8	20	27	30	39
B. *Operated*										
0-19 YRS	62	27.2	313	1	2	29	44	49	57	95
20-34	467	19.0	129	2	4	21	28	31	34	46
35-49	553	17.3	146	2	4	16	27	30	34	62
50-64	506	17.5	150	3	4	15	26	32	36	59
65+	274	19.2	163	3	5	19	27	33	41	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12873	10.8	106	1	2	5	20	28	30	36
B. *Operated*	80	18.5	148	1	3	21	27	33	40	48
2. MULTIPLE DX										
A. *Not Operated*	46390	12.8	122	1	2	7	22	29	31	42
B. *Operated*	1862	18.4	154	2	4	18	28	32	38	60
1. SINGLE DX	12953	10.9	107	1	2	5	21	28	30	37
2. MULTIPLE DX	48252	13.0	125	2	2	7	22	29	31	42
A. NOT OPERATED	59263	12.3	119	1	2	7	21	28	30	42
B. OPERATED	1942	18.4	153	2	4	18	28	32	38	59
TOTAL 0-19 YRS	2737	21.3	279	1	1	21	33	43	48	68
20-34	19372	13.2	121	1	2	7	24	29	30	38
35-49	21319	11.5	103	1	2	6	21	28	30	36
50-64	12802	11.6	106	2	2	7	21	28	30	37
65+	4975	11.9	105	2	3	8	20	28	30	42
GRAND TOTAL	**61205**	**12.5**	**122**	**1**	**2**	**7**	**22**	**29**	**31**	**42**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	12.7	174	1	2	7	19	29	40	56
20-34	567	10.4	68	1	2	8	14	22	28	34
35-49	155	11.3	77	1	3	9	14	24	30	42
50-64	24	16.0	152	4	4	10	25	32	42	42
65+	1	21.0		21	21	21	21	21	21	21
B. *Operated*										
0-19 YRS										
20-34	2	9.5	85	3	3	9	16	16	16	16
35-49	3	14.7	137	6	6	10	23	28	28	28
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	18.1	140	2	3	18	28	33	34	42
20-34	1361	13.4	90	2	3	11	20	28	30	40
35-49	514	13.7	87	3	4	11	19	28	32	41
50-64	76	14.2	101	2	4	11	21	28	30	41
65+	45	12.8	80	3	3	11	21	27	29	32
B. *Operated*										
0-19 YRS	2	7.5	25	4	4	7	11	11	11	11
20-34	77	16.8	78	5	7	14	20	29	33	42
35-49	31	19.0	178	2	4	15	27	38	42	60
50-64	6	24.8	222	9	9	23	33	47	49	49
65+	11	14.4	174	3	4	13	17	31	48	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	769	10.8	76	1	2	8	15	23	29	42
B. *Operated*	5	12.6	98	3	3	10	19	28	28	28
2. MULTIPLE DX										
A. *Not Operated*	2056	13.6	91	2	3	11	20	28	31	40
B. *Operated*	127	17.3	118	4	5	14	21	32	40	52
1. SINGLE DX	774	10.8	77	1	2	8	15	23	29	42
2. MULTIPLE DX	2183	13.9	93	2	3	12	20	28	31	41
A. NOT OPERATED	2825	12.9	89	2	3	11	19	28	30	41
B. OPERATED	132	17.2	117	3	5	14	21	31	40	52
TOTAL 0-19 YRS	84	16.4	151	2	3	15	28	33	34	51
20-34	2007	12.7	86	2	3	10	18	27	30	40
35-49	703	13.4	91	2	4	11	18	28	32	42
50-64	106	15.2	122	2	4	11	24	30	35	45
65+	57	13.2	96	3	3	11	21	26	30	49
GRAND TOTAL	**2957**	**13.1**	**91**	**2**	**3**	**11**	**19**	**28**	**30**	**42**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	244	21.4	345	1	2	15	35	45	56	89
20-34	765	13.2	115	1	2	9	22	28	30	42
35-49	203	13.7	119	1	2	11	22	28	34	42
50-64	43	14.0	105	1	3	12	21	31	35	36
65+	14	14.2	92	2	4	13	23	28	31	32
B. *Operated*										
0-19 YRS										
20-34	5	11.0	109	1	1	8	21	23	23	23
35-49	1	27.0		27	27	27	27	27	27	27
50-64	3	13.3	208	5	5	5	24	30	30	30
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	948	25.6	299	2	4	27	37	48	57	93
20-34	2089	17.1	128	2	3	18	28	30	33	43
35-49	619	16.2	131	2	3	14	26	30	35	45
50-64	235	16.6	138	2	4	13	26	34	41	46
65+	128	16.8	123	2	4	15	25	30	38	45
B. *Operated*										
0-19 YRS	22	44.2	457	8	13	46	63	71	75	77
20-34	80	22.4	82	6	9	23	29	30	35	46
35-49	38	19.1	107	6	8	19	27	30	42	45
50-64	13	21.3	177	3	5	20	30	42	42	42
65+	4	19.3	120	4	4	21	26	30	30	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1269	14.9	169	1	2	10	24	31	40	56
B. *Operated*	9	13.6	133	1	1	8	24	29	30	30
2. MULTIPLE DX										
A. *Not Operated*	4019	18.9	183	2	3	19	28	35	42	62
B. *Operated*	157	24.5	210	5	8	22	29	44	53	74
1. SINGLE DX	1278	14.9	169	1	2	10	24	31	40	56
2. MULTIPLE DX	4176	19.1	185	2	3	20	28	35	42	63
A. NOT OPERATED	5288	18.0	182	2	3	17	28	34	42	59
B. OPERATED	166	23.9	212	5	7	22	29	44	52	73
TOTAL 0-19 YRS	1214	25.1	320	2	3	26	37	48	57	92
20-34	2939	16.2	127	2	3	16	27	30	33	42
35-49	861	15.7	129	2	3	14	25	30	35	44
50-64	294	16.4	136	2	4	13	25	34	40	45
65+	146	16.6	119	2	4	15	24	30	36	43
GRAND TOTAL	**5454**	**18.1**	**184**	**2**	**3**	**17**	**28**	**34**	**42**	**61**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	923	1.5	8	<1	<1	1	1	2	3	16
20-34	575	3.3	40	<1	<1	1	2	6	21	30
35-49	237	3.7	32	<1	<1	2	4	8	19	30
50-64	150	3.6	27	<1	1	2	4	7	11	30
65+	52	2.5	19	<1	<1	1	2	4	8	27
B. *Operated*										
0-19 YRS										
20-34	3	2.0	1	<1	<1	2	3	3	3	3
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	836	5.6	144	<1	<1	1	3	18	31	66
20-34	1237	5.2	51	<1	<1	2	5	16	22	30
35-49	859	5.4	44	<1	1	3	6	14	21	30
50-64	542	5.3	38	1	1	3	6	12	20	31
65+	300	5.5	57	1	1	3	6	11	20	47
B. *Operated*										
0-19 YRS	21	5.4	138	<1	<1	1	3	17	38	49
20-34	53	5.2	45	<1	<1	2	6	15	21	29
35-49	42	6.3	62	<1	<1	4	9	16	21	42
50-64	26	6.8	40	<1	<1	5	9	14	17	30
65+	23	11.0	87	1	2	10	17	24	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1937	2.5	23	<1	<1	1	2	4	8	30
B. *Operated*	5	2.8	4	<1	<1	2	4	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	3774	5.4	68	<1	<1	2	5	15	22	41
B. *Operated*	165	6.6	68	<1	<1	3	9	17	23	41
1. SINGLE DX	1942	2.5	23	<1	<1	1	2	4	8	30
2. MULTIPLE DX	3939	5.4	69	<1	<1	2	5	15	22	41
A. NOT OPERATED	5711	4.4	55	<1	<1	2	4	11	20	34
B. OPERATED	170	6.5	67	<1	<1	3	9	17	22	40
TOTAL 0-19 YRS	1780	3.5	77	<1	<1	1	2	5	19	55
20-34	1868	4.6	48	<1	<1	2	4	15	21	30
35-49	1139	5.1	43	<1	<1	3	5	13	21	30
50-64	718	5.0	36	1	1	3	6	11	20	31
65+	376	5.4	56	1	1	3	6	12	21	35
GRAND TOTAL	**5881**	**4.5**	**55**	**<1**	**<1**	**2**	**4**	**11**	**21**	**34**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	181	11.3	224	<1	1	4	19	33	40	59
20-34	551	8.6	102	<1	1	4	9	28	29	44
35-49	116	10.7	113	<1	1	5	20	28	29	38
50-64	27	12.2	115	1	1	8	23	28	30	34
65+	15	9.3	71	<1	2	5	13	25	27	28
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	8.0	76	2	2	4	14	18	18	18
50-64	2	18.0	392	4	4	18	32	32	32	32
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	654	21.8	411	1	1	17	35	52	61	98
20-34	1565	11.9	129	1	1	7	21	29	32	43
35-49	394	12.5	126	1	2	8	21	28	31	44
50-64	125	11.4	120	1	2	7	18	28	34	43
65+	114	10.9	107	2	2	6	16	26	31	49
B. *Operated*										
0-19 YRS	19	33.9	769	4	6	29	63	82	97	99+
20-34	48	18.1	142	5	5	15	27	30	41	54
35-49	19	16.5	81	2	5	17	25	29	30	30
50-64	10	17.1	401	4	4	10	22	47	71	71
65+	14	20.6	335	5	7	14	22	61	62	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	890	9.5	129	<1	1	4	14	28	30	46
B. *Operated*	6	10.2	153	1	1	4	18	31	32	32
2. MULTIPLE DX										
A. *Not Operated*	2852	14.2	209	1	1	8	23	33	43	64
B. *Operated*	110	20.8	313	5	5	16	28	47	65	96
1. SINGLE DX	896	9.5	129	<1	1	4	14	28	30	46
2. MULTIPLE DX	2962	14.5	214	1	2	8	23	33	43	69
A. NOT OPERATED	3742	13.1	194	1	1	7	21	30	41	60
B. OPERATED	116	20.2	308	4	5	15	28	42	64	96
TOTAL 0-19 YRS	854	19.9	401	1	1	13	33	50	60	96
20-34	2165	11.2	125	1	1	6	20	28	31	43
35-49	532	12.2	122	1	2	7	21	28	30	43
50-64	164	12.0	136	1	2	7	19	28	34	50
65+	143	11.7	132	2	2	8	16	27	32	61
GRAND TOTAL	**3858**	**13.3**	**199**	**1**	**1**	**7**	**21**	**31**	**41**	**62**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	3.1	6	1	1	2	4	6	8	13
20-34	204	3.5	8	1	1	3	5	7	9	12
35-49	157	3.2	8	1	1	3	4	5	7	11
50-64	99	4.1	12	1	1	3	5	7	12	18
65+	54	3.8	7	1	1	3	5	7	9	14
B. *Operated*										
0-19 YRS	12	4.6	11	1	2	4	5	10	13	13
20-34	15	4.3	8	<1	1	4	6	7	10	11
35-49	5	2.6	1	2	2	2	3	4	4	4
50-64	12	4.2	8	<1	1	3	7	8	9	9
65+	5	6.2	32	2	2	4	8	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	325	5.0	72	1	1	3	5	9	12	62
20-34	574	4.5	21	1	1	3	5	8	11	27
35-49	666	4.6	27	1	1	3	6	8	11	20
50-64	551	4.5	17	1	1	3	5	8	11	20
65+	664	5.2	24	1	2	4	6	10	13	25
B. *Operated*										
0-19 YRS	18	5.7	19	<1	1	5	7	12	15	17
20-34	65	7.6	63	1	2	6	9	14	21	49
35-49	62	6.8	30	1	2	6	9	13	16	30
50-64	54	7.7	58	2	2	6	8	13	23	46
65+	67	11.1	169	2	2	7	12	24	30	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	705	3.4	8	1	1	3	4	6	9	14
B. *Operated*	49	4.3	10	1	1	3	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	2780	4.8	28	1	1	3	6	9	12	26
B. *Operated*	266	8.2	80	1	2	6	9	15	24	54
1. SINGLE DX	754	3.5	8	1	1	3	4	7	9	14
2. MULTIPLE DX	3046	5.1	34	1	1	4	6	9	13	28
A. NOT OPERATED	3485	4.5	25	1	1	3	5	8	11	24
B. OPERATED	315	7.6	71	1	2	6	9	14	23	53
TOTAL 0-19 YRS	546	4.4	47	1	1	3	5	8	11	50
20-34	858	4.5	22	1	1	3	5	9	11	25
35-49	890	4.5	25	1	1	3	5	8	11	20
50-64	716	4.7	20	1	1	3	5	9	11	22
65+	790	5.6	38	1	2	4	7	10	15	27
GRAND TOTAL	**3800**	**4.8**	**29**	**1**	**1**	**3**	**6**	**9**	**12**	**26**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2015	12.0	204	1	1	7	16	32	44	99+
20-34	2531	6.0	47	<1	1	4	7	14	19	34
35-49	1359	6.0	47	1	1	4	7	14	18	36
50-64	412	7.4	71	<1	1	4	9	17	24	45
65+	186	7.7	58	1	1	5	10	18	24	33
B. *Operated*										
0-19 YRS	8	19.6	252	1	2	23	37	79	99+	99+
20-34	7	7.7	95	1	1	6	7	25	29	29
35-49	3	6.7	54	1	1	4	12	15	15	15
50-64	5	6.2	16	2	2	7	8	12	12	12
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2946	14.4	270	1	1	8	20	40	53	99+
20-34	5208	7.8	77	1	1	5	10	18	25	44
35-49	3290	8.1	71	1	1	5	10	19	26	41
50-64	1387	8.3	76	1	2	5	11	18	26	44
65+	1063	8.6	75	1	2	6	11	18	25	40
B. *Operated*										
0-19 YRS	79	18.8	410	1	2	11	29	51	78	99+
20-34	204	11.0	147	1	1	8	15	22	31	68
35-49	112	15.8	157	2	4	13	21	32	37	67
50-64	50	13.7	116	2	3	11	18	28	31	54
65+	84	14.5	174	3	4	10	20	28	43	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6503	8.0	105	1	1	4	10	19	29	60
B. *Operated*	25	10.8	144	1	1	7	15	33	58	99+
2. MULTIPLE DX										
A. *Not Operated*	13894	9.4	123	1	1	6	12	22	31	61
B. *Operated*	529	14.0	196	1	2	10	19	30	42	89
1. SINGLE DX	6528	8.0	105	1	1	4	10	19	29	60
2. MULTIPLE DX	14423	9.6	127	1	1	6	12	23	32	61
A. NOT OPERATED	20397	9.0	118	1	1	5	11	21	30	61
B. OPERATED	554	13.8	193	1	2	10	19	30	43	96
TOTAL 0-19 YRS	5048	13.5	247	1	1	8	19	37	51	99+
20-34	7950	7.4	71	1	1	5	9	17	23	42
35-49	4764	7.7	68	1	1	5	10	18	24	40
50-64	1854	8.2	77	1	1	5	11	18	26	45
65+	1335	8.8	81	1	2	6	11	19	26	45
GRAND TOTAL	**20951**	**9.1**	**120**	**1**	**1**	**5**	**11**	**22**	**31**	**61**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2588	19.3	454	1	2	11	31	54	71	99+
20-34	1662	9.1	152	1	1	5	10	23	36	69
35-49	1106	7.9	82	1	1	5	9	19	26	44
50-64	488	10.1	127	1	2	6	13	23	31	54
65+	278	10.3	104	1	2	7	14	23	32	48
B. *Operated*										
0-19 YRS	23	8.5	113	<1	1	4	11	24	32	43
20-34	28	8.4	143	1	1	3	15	32	54	99+
35-49	33	6.1	58	1	1	3	7	12	22	39
50-64	16	10.0	322	1	2	4	6	33	59	70
65+	4	4.8	8	2	2	4	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4376	23.6	554	1	2	17	42	76	99+	99+
20-34	3859	10.2	155	1	2	6	12	26	36	70
35-49	2944	9.2	110	1	2	6	11	20	30	59
50-64	1950	9.3	104	1	2	6	11	22	30	50
65+	2224	9.5	90	2	3	6	11	20	28	48
B. *Operated*										
0-19 YRS	137	28.7	717	1	3	25	59	99+	99+	99+
20-34	243	14.3	179	2	3	11	20	34	56	99+
35-49	253	14.0	183	2	3	9	18	36	44	77
50-64	186	13.9	149	2	4	10	19	30	38	92
65+	230	14.2	171	3	4	10	18	32	48	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6122	13.4	289	1	1	6	17	40	54	93
B. *Operated*	104	7.8	129	1	1	4	8	22	38	83
2. MULTIPLE DX										
A. *Not Operated*	15353	13.6	284	1	2	7	17	40	61	99+
B. *Operated*	1049	16.0	266	2	3	11	22	43	67	99+
1. SINGLE DX	6226	13.3	287	1	1	6	17	39	53	93
2. MULTIPLE DX	16402	13.8	283	1	2	7	18	40	61	99+
A. NOT OPERATED	21475	13.5	285	1	2	7	17	40	59	99+
B. OPERATED	1153	15.3	259	2	3	10	21	40	65	99+
TOTAL 0-19 YRS	7124	22.1	525	1	2	14	39	68	93	99+
20-34	5792	10.0	156	1	2	5	12	26	37	72
35-49	4336	9.1	109	1	2	6	11	21	30	57
50-64	2640	9.8	114	1	2	6	12	23	30	54
65+	2736	10.0	99	2	3	7	12	22	30	51
GRAND TOTAL	**22628**	**13.6**	**284**	**1**	**2**	**7**	**17**	**40**	**59**	**99+**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	8.3	58	2	2	8	10	14	15	44
20-34	35	6.6	41	1	1	4	10	15	17	31
35-49	8	8.6	46	1	1	6	14	19	20	20
50-64	6	7.0	12	2	2	7	10	11	11	11
65+	1	12.0		12	12	12	12	12	12	12
B. *Operated*										
0-19 YRS	9	5.4	8	2	2	4	8	10	10	10
20-34	4	3.5	2	2	2	3	4	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	170	12.0	252	1	1	7	13	31	49	98
20-34	177	11.3	146	1	2	8	15	24	37	99+
35-49	100	9.6	86	1	1	7	14	24	29	79
50-64	36	12.1	144	1	1	8	17	27	52	99+
65+	20	9.4	66	1	2	7	13	23	27	30
B. *Operated*										
0-19 YRS	33	6.6	52	1	2	4	7	17	22	34
20-34	18	10.1	387	1	1	2	8	24	62	84
35-49	10	7.2	72	1	1	2	9	22	24	24
50-64	5	7.2	23	3	3	6	10	15	15	15
65+	3	5.7	2	4	4	6	7	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	84	7.6	46	1	2	6	11	14	17	40
B. *Operated*	13	4.8	7	2	2	4	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*	503	11.2	166	1	2	7	14	26	41	99+
B. *Operated*	69	7.6	134	1	2	4	7	18	24	74
1. SINGLE DX	97	7.2	41	1	2	5	10	14	16	38
2. MULTIPLE DX	572	10.7	164	1	2	7	14	25	39	99+
A. NOT OPERATED	587	10.7	151	1	2	7	14	24	38	99+
B. OPERATED	82	7.2	115	1	2	4	7	15	23	68
TOTAL 0-19 YRS	246	10.5	194	1	2	6	12	26	44	92
20-34	234	10.3	148	1	2	7	13	22	31	99+
35-49	118	9.3	82	1	1	7	14	23	28	71
50-64	47	11.0	117	1	2	8	15	24	43	99+
65+	24	9.0	57	1	2	7	12	23	26	30
GRAND TOTAL	**669**	**10.2**	**147**	**1**	**2**	**7**	**13**	**24**	**36**	**98**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1329	10.3	21	2	3	11	12	15	16	24
20-34	207	6.5	27	1	2	5	9	13	14	22
35-49	129	8.3	51	1	2	6	11	17	22	33
50-64	59	7.8	43	2	2	5	10	17	23	29
65+	32	9.0	105	<1	1	6	12	16	30	52
B. *Operated*										
0-19 YRS	148	11.4	49	1	2	11	13	16	24	39
20-34	93	8.1	81	1	2	4	11	24	28	36
35-49	108	7.8	91	1	1	4	10	17	26	50
50-64	99	8.1	82	1	2	5	10	20	27	48
65+	22	9.8	70	1	2	7	13	27	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1689	11.5	32	2	4	11	14	16	21	33
20-34	262	9.4	52	2	2	8	13	18	25	37
35-49	265	10.8	84	1	3	9	14	20	27	50
50-64	297	11.8	94	2	3	10	15	22	31	53
65+	276	15.9	189	3	4	14	19	31	40	99
B. *Operated*										
0-19 YRS	378	20.4	260	6	9	15	24	41	56	96
20-34	159	18.9	290	1	2	14	25	45	52	80
35-49	270	16.3	257	2	2	11	25	41	50	84
50-64	292	19.8	290	1	3	15	29	44	59	94
65+	169	24.9	355	3	7	21	35	54	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1756	9.6	28	2	3	10	12	15	17	25
B. *Operated*	470	9.2	75	1	2	7	12	19	26	44
2. MULTIPLE DX										
A. *Not Operated*	2789	11.7	63	2	3	11	14	19	24	45
B. *Operated*	1268	19.8	288	2	4	15	27	43	57	97
1. SINGLE DX	2226	9.5	38	1	2	10	12	15	19	30
2. MULTIPLE DX	4057	14.3	147	2	3	11	16	28	40	74
A. NOT OPERATED	4545	10.9	50	2	3	11	13	17	22	39
B. OPERATED	1738	16.9	253	2	2	12	23	39	52	88
TOTAL 0-19 YRS	3544	12.0	61	2	4	11	14	18	23	46
20-34	721	10.5	122	1	2	7	13	23	34	54
35-49	772	11.9	151	1	2	8	15	28	40	62
50-64	747	14.2	188	2	2	10	19	33	43	69
65+	499	18.2	260	2	4	14	23	38	56	99+
GRAND TOTAL	**6283**	**12.6**	**114**	**2**	**3**	**11**	**15**	**23**	**33**	**60**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	10.5	1	10	10	10	11	11	11	11
20-34	3	12.0	271	2	2	3	24	31	31	31
35-49	23	6.5	32	<1	1	5	8	15	21	23
50-64	140	8.1	42	2	3	6	10	16	20	37
65+	364	8.5	34	2	3	7	11	16	21	32
B. *Operated*										
0-19 YRS										
20-34										
35-49	8	8.3	20	1	1	9	11	13	14	14
50-64	9	10.6	57	2	3	12	14	22	26	26
65+	12	10.8	42	3	3	9	16	19	22	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	9.1	44	4	4	6	11	21	24	24
20-34	9	6.8	21	1	1	7	12	12	12	12
35-49	56	9.4	61	2	3	7	11	22	28	32
50-64	478	10.2	79	2	3	8	13	20	26	52
65+	3616	10.8	93	3	3	8	13	21	30	76
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	5	30.6	1552	4	4	23	42	99	99	99+
35-49	9	4.3	8	1	1	4	5	9	10	10
50-64	81	15.4	212	2	3	11	18	40	51	57
65+	421	17.5	214	4	5	14	23	42	57	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	532	8.3	37	2	3	7	10	16	21	34
B. *Operated*	29	10.0	39	2	2	9	13	18	23	26
2. MULTIPLE DX										
A. *Not Operated*	4167	10.7	91	3	3	8	13	21	30	69
B. *Operated*	517	17.0	224	3	4	13	22	42	55	99+
1. SINGLE DX	561	8.4	37	2	3	7	11	16	21	34
2. MULTIPLE DX	4684	11.4	110	3	3	8	14	23	33	83
A. NOT OPERATED	4699	10.4	85	3	3	8	13	20	29	65
B. OPERATED	546	16.7	217	3	4	13	22	40	55	99+
TOTAL 0-19 YRS	11	9.4	31	4	5	9	11	17	23	24
20-34	17	14.7	548	1	2	7	15	29	75	99
35-49	96	8.1	48	1	2	6	10	19	24	32
50-64	708	10.3	90	2	3	8	13	20	29	55
65+	4413	11.2	104	3	3	8	13	23	32	87
GRAND TOTAL	**5245**	**11.0**	**103**	**3**	**3**	**8**	**13**	**22**	**32**	**76**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	8.1	40	1	2	6	11	16	21	28
20-34	613	8.0	42	1	2	7	10	15	19	32
35-49	784	8.8	39	1	2	8	12	16	20	30
50-64	283	9.2	50	1	2	8	12	17	22	42
65+	38	9.8	58	2	2	8	13	22	33	99+
B. *Operated*										
0-19 YRS	5	4.4	18	1	1	2	8	10	10	10
20-34	102	5.6	24	1	1	4	8	11	16	24
35-49	151	6.0	34	1	1	4	9	14	16	34
50-64	37	6.7	28	1	1	5	10	14	17	19
65+	6	5.8	49	2	2	3	4	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	7.2	26	1	1	8	10	12	15	25
20-34	669	10.3	84	2	3	8	13	20	27	46
35-49	1109	11.4	92	2	3	9	14	22	29	61
50-64	639	11.5	79	3	3	10	15	21	27	53
65+	181	10.6	81	2	3	8	14	22	27	87
B. *Operated*										
0-19 YRS	7	11.9	133	1	1	7	21	29	30	30
20-34	155	12.0	137	2	2	9	15	24	54	99+
35-49	366	15.5	223	2	3	11	20	34	52	99+
50-64	229	15.0	181	2	3	12	19	29	42	99+
65+	51	13.7	115	2	3	12	16	23	34	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1753	8.6	42	1	2	8	11	16	20	32
B. *Operated*	301	5.9	29	1	1	4	9	13	16	24
2. MULTIPLE DX										
A. *Not Operated*	2627	11.0	85	2	3	9	14	21	28	54
B. *Operated*	808	14.6	188	2	3	11	18	30	49	99+
1. SINGLE DX	2054	8.2	41	1	2	7	11	16	20	32
2. MULTIPLE DX	3435	11.9	112	2	3	9	15	23	32	71
A. NOT OPERATED	4380	10.0	70	2	2	9	13	19	25	46
B. OPERATED	1109	12.2	160	1	2	9	16	27	38	99+
TOTAL 0-19 YRS	76	7.8	42	1	1	7	10	16	22	29
20-34	1539	9.2	71	1	2	7	12	18	23	53
35-49	2410	10.8	97	1	2	9	14	21	29	62
50-64	1188	11.5	95	2	3	10	15	22	28	63
65+	276	11.0	85	2	3	9	14	22	29	89
GRAND TOTAL	**5489**	**10.5**	**89**	**1**	**2**	**9**	**13**	**20**	**27**	**58**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2573	3.2	11	1	1	2	4	6	9	17
20-34	1582	3.4	11	1	1	2	4	6	9	18
35-49	799	3.4	8	1	1	3	4	7	9	15
50-64	471	3.7	11	1	1	3	4	7	9	16
65+	338	4.2	19	1	1	3	5	7	12	20
B. *Operated*										
0-19 YRS	48	7.1	60	1	2	5	8	13	21	46
20-34	49	9.4	112	1	1	7	11	23	29	52
35-49	32	4.3	14	<1	1	3	6	11	14	14
50-64	27	5.1	30	1	2	3	4	13	17	26
65+	13	6.9	59	2	2	4	8	15	28	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3750	4.8	37	1	1	3	5	10	14	32
20-34	2923	5.0	31	1	1	3	6	10	14	28
35-49	2408	5.3	33	1	1	4	6	10	14	27
50-64	2664	6.1	39	1	2	4	7	12	16	31
65+	4086	7.2	48	1	2	5	9	14	19	39
B. *Operated*										
0-19 YRS	208	12.2	227	1	2	7	14	36	53	99+
20-34	261	10.0	135	1	2	7	13	23	29	89
35-49	262	11.4	192	2	2	7	14	25	37	98
50-64	302	13.7	194	2	3	9	17	33	50	92
65+	403	13.7	163	2	3	10	18	29	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5763	3.4	11	1	1	2	4	6	9	17
B. *Operated*	169	6.9	64	1	1	4	9	14	24	46
2. MULTIPLE DX										
A. *Not Operated*	15831	5.7	39	1	1	4	7	11	16	32
B. *Operated*	1436	12.4	180	2	2	8	16	29	45	99+
1. SINGLE DX	5932	3.5	13	1	1	3	4	7	10	18
2. MULTIPLE DX	17267	6.3	54	1	1	4	7	13	19	41
A. NOT OPERATED	21594	5.1	33	1	1	3	6	10	15	29
B. OPERATED	1605	11.8	171	2	2	8	15	28	43	99+
TOTAL 0-19 YRS	6579	4.4	35	1	1	3	5	9	14	33
20-34	4815	4.8	33	1	1	3	5	10	14	28
35-49	3501	5.3	43	1	1	3	6	11	15	32
50-64	3464	6.4	55	1	2	4	7	13	18	38
65+	4840	7.5	60	1	2	5	9	15	21	44
GRAND TOTAL	**23199**	**5.6**	**45**	**1**	**1**	**4**	**6**	**11**	**17**	**36**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	900	3.9	38	<1	1	2	4	8	11	89
20-34	933	4.6	28	1	1	3	6	9	12	29
35-49	651	4.6	19	1	1	3	6	10	13	19
50-64	540	5.8	33	1	1	4	7	12	16	27
65+	813	6.6	42	1	2	5	8	13	18	36
B. *Operated*										
0-19 YRS	872	4.8	15	1	1	4	6	10	12	19
20-34	625	5.9	36	1	1	4	8	12	15	27
35-49	625	5.8	34	1	1	4	8	12	17	28
50-64	528	6.1	37	1	1	4	8	13	16	25
65+	450	7.1	43	1	1	5	9	17	23	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2294	7.0	146	1	1	4	7	19	72	99+
20-34	1657	7.3	88	1	2	4	8	16	25	54
35-49	1823	8.1	99	1	2	5	9	17	26	65
50-64	2834	10.4	144	1	2	7	12	22	37	77
65+	9494	11.3	133	2	3	8	14	25	37	86
B. *Operated*										
0-19 YRS	1714	8.7	117	1	2	5	10	22	35	99+
20-34	1178	10.6	171	1	2	7	13	25	43	99+
35-49	1293	10.8	159	1	2	7	14	24	35	99
50-64	1914	12.3	167	2	2	8	15	29	44	99+
65+	3572	15.2	211	2	3	11	20	34	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3837	5.0	33	1	1	3	6	10	14	33
B. *Operated*	3100	5.8	31	1	1	4	8	12	16	27
2. MULTIPLE DX										
A. *Not Operated*	18102	9.9	132	1	2	6	12	22	37	99+
B. *Operated*	9671	12.3	180	2	2	8	16	29	45	99+
1. SINGLE DX	6937	5.4	33	1	1	4	7	11	15	29
2. MULTIPLE DX	27773	10.8	150	1	2	7	13	25	40	99+
A. NOT OPERATED	21939	9.1	118	1	2	6	11	20	33	96
B. OPERATED	12771	10.7	152	1	2	7	13	25	37	95
TOTAL 0-19 YRS	5780	6.7	104	1	1	4	7	15	32	99+
20-34	4393	7.4	95	1	1	4	8	16	25	65
35-49	4392	8.0	100	1	2	5	10	17	25	68
50-64	5816	10.2	136	1	2	7	12	22	36	79
65+	14329	11.9	149	2	3	8	15	27	39	90
GRAND TOTAL	**34710**	**9.7**	**131**	**1**	**2**	**6**	**12**	**22**	**35**	**96**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	868	2.3	3	1	1	2	3	4	5	8
20-34	1983	3.2	5	1	1	3	4	6	7	11
35-49	1358	3.4	9	1	1	3	4	6	8	13
50-64	443	3.4	6	1	1	3	4	6	8	12
65+	85	3.3	5	1	1	3	5	6	9	11
B. *Operated*										
0-19 YRS	33	3.0	3	1	1	2	4	5	7	8
20-34	188	3.8	7	1	1	3	5	7	9	14
35-49	137	3.9	14	1	2	3	5	7	8	23
50-64	75	3.9	9	1	1	3	5	9	11	14
65+	6	4.8	11	2	2	4	5	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	681	3.3	9	1	1	3	4	6	8	16
20-34	2647	4.5	16	1	1	3	5	8	11	21
35-49	2508	4.8	17	1	2	4	6	9	12	21
50-64	1320	4.7	13	1	2	4	6	8	11	18
65+	487	4.7	12	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	43	5.4	62	1	1	4	6	9	12	52
20-34	217	6.7	29	2	2	5	9	13	16	29
35-49	264	6.7	29	2	2	5	8	12	17	31
50-64	222	6.1	25	2	2	5	7	11	15	24
65+	86	6.5	17	2	2	5	8	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4737	3.1	6	1	1	2	4	6	7	12
B. *Operated*	439	3.8	9	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	7643	4.5	15	1	1	4	6	8	11	19
B. *Operated*	832	6.4	28	2	2	5	8	12	15	31
1. SINGLE DX	5176	3.2	6	1	1	3	4	6	8	12
2. MULTIPLE DX	8475	4.7	17	1	1	4	6	9	12	21
A. NOT OPERATED	12380	4.0	12	1	1	3	5	8	10	17
B. OPERATED	1271	5.5	23	1	2	4	7	11	14	27
TOTAL 0-19 YRS	1625	2.8	7	1	1	2	3	5	7	12
20-34	5035	4.0	13	1	1	3	5	8	10	17
35-49	4267	4.5	16	1	1	3	5	8	11	20
50-64	2060	4.6	14	1	1	4	6	8	11	18
65+	664	4.7	12	1	2	4	6	9	11	16
GRAND TOTAL	**13651**	**4.1**	**13**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	2	<1	<1	2	3	5	5	5
20-34	38	2.7	3	<1	<1	2	4	5	7	8
35-49	50	3.2	5	<1	<1	3	4	6	8	10
50-64	22	3.2	13	<1	1	2	5	5	10	18
65+	12	2.2	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	84	1.8	2	<1	<1	1	2	3	3	9
20-34	1697	1.7	1	<1	<1	1	2	3	3	5
35-49	2814	1.9	2	<1	<1	2	2	3	4	7
50-64	2671	1.9	1	<1	<1	2	2	3	4	6
65+	1480	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	63	3.2	8	<1	<1	2	4	8	9	13
35-49	116	4.1	15	<1	1	3	5	8	10	22
50-64	174	4.4	14	<1	1	3	5	10	11	17
65+	120	4.8	18	<1	1	4	6	10	14	22
B. *Operated*										
0-19 YRS	57	2.2	2	<1	1	2	3	4	5	8
20-34	698	2.5	4	<1	1	2	3	4	6	10
35-49	1618	3.0	12	<1	1	2	3	5	8	16
50-64	2291	3.0	9	<1	1	2	3	6	8	16
65+	2111	3.1	13	<1	1	2	3	5	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	128	3.0	5	<1	<1	2	4	5	7	12
B. *Operated*	8746	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	476	4.2	15	<1	1	3	5	9	11	19
B. *Operated*	6775	3.0	10	<1	1	2	3	5	8	16
1. SINGLE DX	8874	1.9	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	7251	3.1	11	<1	1	2	3	6	8	16
A. NOT OPERATED	604	4.0	13	<1	1	3	5	8	11	18
B. OPERATED	15521	2.4	6	<1	<1	2	3	4	6	11
TOTAL 0-19 YRS	150	1.9	2	<1	<1	2	2	3	5	8
20-34	2496	2.0	2	<1	<1	2	2	3	4	8
35-49	4598	2.4	6	<1	<1	2	3	4	6	11
50-64	5158	2.5	6	<1	<1	2	3	4	6	13
65+	3723	2.7	9	<1	1	2	3	5	7	14
GRAND TOTAL	16125	2.4	6	<1	<1	2	3	4	6	12

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	5.9	53	1	1	3	8	12	19	42
20-34	667	5.8	50	1	1	4	7	12	16	37
35-49	748	4.9	25	1	1	4	6	9	13	25
50-64	637	5.4	35	1	1	4	7	11	14	32
65+	434	5.5	25	1	1	4	7	11	16	28
B. *Operated*										
0-19 YRS	346	3.2	10	1	1	2	4	6	8	17
20-34	1999	3.5	10	<1	1	3	4	7	9	17
35-49	2546	3.4	10	<1	1	3	4	7	9	15
50-64	2161	3.5	16	<1	1	2	4	7	9	17
65+	925	3.6	12	1	1	2	4	8	10	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	7.5	104	1	1	4	8	18	28	65
20-34	856	6.9	77	1	1	4	7	14	23	50
35-49	1465	6.4	42	1	2	5	8	12	16	35
50-64	2222	7.2	64	1	2	5	9	13	19	49
65+	3242	7.9	61	2	2	6	10	15	22	45
B. *Operated*										
0-19 YRS	309	7.0	160	1	1	3	6	14	37	91
20-34	1571	5.5	55	1	1	4	6	10	15	41
35-49	2217	5.8	55	1	2	4	7	11	17	41
50-64	2443	6.7	80	1	2	4	8	14	21	63
65+	2089	9.5	146	1	2	5	11	22	33	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2757	5.4	36	1	1	4	7	11	15	32
B. *Operated*	7977	3.5	12	<1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	8063	7.3	62	1	2	5	9	14	20	46
B. *Operated*	8629	6.9	90	1	2	4	8	15	22	71
1. SINGLE DX	10734	4.0	19	1	1	3	5	8	11	21
2. MULTIPLE DX	16692	7.1	77	1	2	5	8	14	21	57
A. NOT OPERATED	10820	6.8	56	1	2	5	8	13	19	42
B. OPERATED	16606	5.3	56	1	1	3	6	11	16	44
TOTAL 0-19 YRS	1204	5.8	83	1	1	3	6	11	22	55
20-34	5093	5.0	42	1	1	3	6	10	14	35
35-49	6976	5.0	34	1	1	3	6	10	13	29
50-64	7463	5.8	55	1	1	4	7	11	17	43
65+	6690	7.7	82	1	2	5	9	16	23	59
GRAND TOTAL	27426	5.9	56	1	1	4	7	12	17	43

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.8	9	<1	<1	2	4	8	8	8
20-34	4	7.5	96	<1	<1	3	13	22	22	22
35-49	3	2.0	3	<1	<1	<1	3	4	4	4
50-64	7	3.3	4	<1	<1	4	5	6	6	6
65+	6	2.2	1	<1	<1	2	3	3	3	3
B. *Operated*										
0-19 YRS	199	3.9	5	1	2	4	5	7	8	12
20-34	463	4.0	8	1	1	3	5	7	8	15
35-49	541	3.8	5	1	2	3	5	7	8	12
50-64	1540	3.7	4	1	2	3	5	6	7	10
65+	1383	3.9	4	1	2	4	5	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.1	3	<1	<1	1	3	5	6	6
20-34	21	2.6	8	<1	<1	1	3	7	10	11
35-49	22	3.9	13	<1	1	3	4	11	12	13
50-64	46	3.0	4	<1	<1	2	4	6	7	8
65+	66	3.3	12	<1	<1	2	5	7	10	19
B. *Operated*										
0-19 YRS	172	4.3	5	1	2	4	6	7	8	11
20-34	458	4.7	9	1	2	4	6	8	10	17
35-49	534	4.6	7	2	2	4	6	8	10	14
50-64	1828	4.5	8	1	2	4	5	7	9	14
65+	2682	4.7	10	2	2	4	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	3.4	18	<1	<1	2	4	6	11	22
B. *Operated*	4126	3.8	5	1	2	3	5	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	164	3.1	9	<1	<1	2	4	6	9	13
B. *Operated*	5674	4.6	9	2	2	4	6	8	9	15
1. SINGLE DX	4151	3.8	5	1	2	3	5	6	8	12
2. MULTIPLE DX	5838	4.6	9	1	2	4	6	8	9	15
A. NOT OPERATED	189	3.2	10	<1	<1	2	4	6	9	17
B. OPERATED	9800	4.3	7	1	2	4	5	7	9	14
TOTAL 0-19 YRS	385	4.0	5	1	2	4	5	7	8	11
20-34	946	4.4	9	1	2	4	5	7	9	16
35-49	1100	4.2	6	1	2	4	5	7	9	13
50-64	3421	4.1	6	1	2	4	5	7	8	12
65+	4137	4.4	9	1	2	4	5	7	9	14
GRAND TOTAL	**9989**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.0		<1	<1	1	1	1	1	1
20-34	3	2.7	1	2	2	2	4	4	4	4
35-49	22	1.8	1	<1	1	2	2	3	4	4
50-64	41	1.7	2	<1	1	1	2	3	4	8
65+	92	1.9	3	<1	1	1	2	4	4	12
B. *Operated*										
0-19 YRS	24	2.7	3	<1	1	2	4	5	7	8
20-34	46	2.3	2	1	1	2	3	4	5	8
35-49	122	2.8	6	1	1	2	3	5	7	13
50-64	375	2.5	3	1	1	2	3	4	6	10
65+	692	2.5	3	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.9	2	<1	<1	1	3	4	4	4
20-34	7	2.7	3	1	1	2	4	6	6	6
35-49	18	5.7	32	1	1	4	6	14	19	23
50-64	41	3.5	11	1	1	2	4	7	12	16
65+	187	3.7	20	1	1	2	4	8	11	29
B. *Operated*										
0-19 YRS	17	3.2	18	1	1	2	3	7	14	18
20-34	47	4.0	22	1	1	3	5	7	9	29
35-49	72	3.1	4	1	1	3	4	6	6	80
50-64	344	3.7	17	1	1	3	4	7	8	25
65+	1211	3.7	11	1	1	3	4	7	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	168	1.8	2	<1	1	1	2	3	4	8
B. *Operated*	1259	2.5	3	1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	262	3.7	18	1	1	2	4	8	12	27
B. *Operated*	1691	3.7	12	1	1	3	4	7	9	18
1. SINGLE DX	1427	2.5	3	1	1	2	3	4	5	10
2. MULTIPLE DX	1953	3.7	13	1	1	3	4	7	10	19
A. NOT OPERATED	430	3.0	13	1	1	2	3	6	9	18
B. OPERATED	2950	3.2	9	1	1	2	4	6	8	15
TOTAL 0-19 YRS	60	2.4	7	<1	1	2	3	5	7	17
20-34	103	3.1	12	1	1	2	4	5	7	24
35-49	234	3.0	7	1	1	2	4	5	7	21
50-64	801	3.0	9	1	1	2	4	5	7	14
65+	2182	3.3	9	1	1	2	4	6	9	16
GRAND TOTAL	**3380**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	1	<1	<1	1	2	3	3	3
20-34	5	3.6	14	<1	<1	2	5	10	10	10
35-49	9	2.8	8	<1	<1	1	4	8	9	9
50-64	19	2.6	5	<1	1	2	3	6	7	8
65+	36	2.2	2	1	1	2	3	3	5	7
B. *Operated*										
0-19 YRS	21	2.4	2	<1	1	2	3	4	6	7
20-34	46	3.5	7	1	1	3	4	7	10	13
35-49	89	2.5	2	1	1	2	3	4	5	9
50-64	184	2.8	4	1	1	2	3	4	6	11
65+	405	2.6	4	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.3	4	<1	<1	1	5	5	5	5
20-34	13	4.7	17	<1	1	2	8	11	13	13
35-49	22	3.8	8	1	1	3	5	7	10	13
50-64	58	3.0	4	1	1	2	4	6	7	10
65+	131	4.5	48	1	1	3	5	8	12	38
B. *Operated*										
0-19 YRS	39	2.9	8	1	1	2	3	6	13	99+
20-34	80	3.8	13	1	1	3	4	7	10	22
35-49	90	3.8	9	1	1	3	5	7	7	19
50-64	299	3.9	18	1	1	3	4	8	10	21
65+	742	3.8	21	1	1	3	4	7	9	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	2.4	4	<1	1	2	3	5	7	10
B. *Operated*	745	2.7	4	1	1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	234	4.0	30	1	1	3	5	7	10	23
B. *Operated*	1250	3.8	19	1	1	3	4	7	9	22
1. SINGLE DX	819	2.7	4	1	1	2	3	4	6	11
2. MULTIPLE DX	1484	3.8	20	1	1	3	4	7	10	22
A. NOT OPERATED	308	3.6	24	1	1	3	4	7	9	19
B. OPERATED	1995	3.4	13	1	1	2	4	6	8	18
TOTAL 0-19 YRS	75	2.6	6	<1	1	2	3	5	7	78
20-34	144	3.7	12	1	1	3	4	8	11	18
35-49	210	3.2	6	1	1	3	4	6	7	12
50-64	560	3.4	12	1	1	2	4	7	9	17
65+	1314	3.5	18	1	1	2	4	6	9	20
GRAND TOTAL	**2303**	**3.4**	**15**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	8	2.1	4	<1	<1	1	3	5	6	6
50-64	25	1.6	2	<1	<1	1	2	2	5	7
65+	103	1.7	1	<1	<1	1	2	2	4	8
B. *Operated*										
0-19 YRS										
20-34										
35-49	1557	1.9	1	<1	1	2	2	3	3	4
50-64	10389	1.9	1	<1	1	2	2	3	3	4
65+	45558	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	49	1.6	2	<1	<1	1	2	2	6	7
50-64	279	2.4	17	<1	<1	1	2	4	8	16
65+	1589	2.2	7	<1	<1	1	2	4	7	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	1067	2.4	5	1	1	2	2	4	4	11
50-64	9980	2.3	3	1	1	2	2	3	4	9
65+	56532	2.4	4	1	1	2	2	3	4	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	1.7	2	<1	<1	1	2	2	4	7
B. *Operated*	57504	2.0	1	<1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1917	2.2	8	<1	<1	1	2	4	7	14
B. *Operated*	67579	2.4	4	1	1	2	2	3	4	10
1. SINGLE DX	57640	2.0	1	<1	1	2	2	3	3	4
2. MULTIPLE DX	69496	2.4	4	1	1	2	2	3	4	10
A. NOT OPERATED	2053	2.2	8	<1	<1	1	2	4	7	13
B. OPERATED	125083	2.2	3	1	1	2	2	3	4	8
TOTAL 0-19 YRS										
20-34										
35-49	2681	2.1	2	<1	1	2	2	3	4	7
50-64	20673	2.1	2	1	1	2	2	3	4	7
65+	103782	2.2	3	1	1	2	2	3	4	8
GRAND TOTAL	**127136**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	1	<1	<1	2	3	3	3	3
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	2.0		2	2	2	2	2	2	2
65+	4	1.5		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	186	2.2	7	<1	1	2	2	3	4	10
20-34	134	1.9	1	<1	1	2	2	3	3	6
35-49	246	1.9	1	<1	1	2	2	3	3	5
50-64	452	1.9		1	1	2	2	3	3	4
65+	852	2.0	1	<1	1	2	2	3	3	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.5	5	<1	<1	2	4	7	7	7
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	7	1.1		<1	<1	1	1	2	2	2
50-64	13	5.0	88	<1	<1	2	3	15	31	35
65+	25	2.5	9	<1	1	1	2	8	10	12
B. *Operated*										
0-19 YRS	151	2.5	2	1	1	2	3	4	5	8
20-34	135	2.9	16	1	1	2	3	4	5	33
35-49	248	2.3	2	1	1	2	2	4	5	7
50-64	581	2.3	2	1	1	2	2	3	4	9
65+	1047	2.3	3	1	1	2	2	3	4	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	1.9	1	<1	<1	2	2	3	3	3
B. *Operated*	1870	2.0	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	62	2.9	24	<1	<1	1	2	7	10	32
B. *Operated*	2162	2.4	4	1	1	2	3	4	5	8
1. SINGLE DX	1880	2.0	1	<1	1	2	2	3	3	6
2. MULTIPLE DX	2224	2.4	4	1	1	2	3	4	5	9
A. NOT OPERATED	72	2.7	20	<1	<1	1	2	6	10	30
B. OPERATED	4032	2.2	3	1	1	2	2	3	4	7
TOTAL 0-19 YRS	355	2.3	5	<1	1	2	3	4	5	9
20-34	272	2.4	8	<1	1	2	3	4	5	9
35-49	502	2.1	1	<1	1	2	2	3	4	7
50-64	1047	2.1	3	1	1	2	2	3	4	7
65+	1928	2.2	3	1	1	2	2	3	4	8
GRAND TOTAL	**4104**	**2.2**	**3**	**1**	**1**	**2**	**2**	**3**	**4**	**8**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	1.8	2	<1	<1	1	2	4	5	8
20-34	15	2.5	1	1	1	2	3	4	4	4
35-49	29	2.9	5	1	1	2	3	7	8	10
50-64	34	3.6	4	1	1	3	5	6	7	10
65+	28	3.4	5	1	1	3	4	7	8	10
B. *Operated*										
0-19 YRS	4425	1.4		<1	<1	1	2	2	2	2
20-34	645	1.7	1	<1	<1	2	2	2	3	4
35-49	381	1.7	1	<1	<1	2	2	2	3	6
50-64	187	1.9	1	<1	1	2	2	3	3	8
65+	113	2.1	2	<1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	1.7	4	<1	<1	1	1	4	5	15
20-34	43	3.4	6	<1	<1	3	5	7	7	11
35-49	48	4.2	7	<1	1	4	6	7	10	11
50-64	111	5.5	79	1	1	4	6	9	11	53
65+	190	5.2	13	1	2	4	7	11	13	16
B. *Operated*										
0-19 YRS	1257	1.5	1	<1	<1	1	2	2	2	4
20-34	300	1.9	2	1	1	2	2	3	3	8
35-49	219	2.4	15	1	1	2	2	3	4	17
50-64	210	3.2	20	1	1	2	3	7	9	19
65+	230	4.1	38	1	1	2	4	10	13	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	2.6	4	<1	<1	2	4	5	7	10
B. *Operated*	5751	1.5	1	<1	<1	1	2	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	578	3.9	24	<1	<1	3	5	8	11	16
B. *Operated*	2216	2.1	9	<1	<1	2	2	3	5	12
1. SINGLE DX	5927	1.5	1	<1	<1	1	2	2	2	4
2. MULTIPLE DX	2794	2.5	12	<1	<1	2	2	5	7	14
A. NOT OPERATED	754	3.6	20	<1	<1	3	5	7	10	16
B. OPERATED	7967	1.6	3	<1	<1	1	2	2	3	7
TOTAL 0-19 YRS	5938	1.4	1	<1	<1	1	2	2	2	4
20-34	1003	1.8	1	<1	1	2	2	2	3	8
35-49	677	2.2	6	<1	1	2	2	3	5	10
50-64	542	3.2	26	<1	1	2	3	6	8	18
65+	561	4.0	22	1	1	2	5	9	12	19
GRAND TOTAL	**8721**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**2**	**4**	**10**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	714	2.0	3	<1	<1	1	3	4	6	9
20-34	98	3.5	8	1	1	3	4	7	9	17
35-49	74	3.9	23	<1	1	3	5	8	11	32
50-64	66	4.6	15	<1	1	4	6	9	12	20
65+	120	5.1	55	<1	1	3	6	10	15	36
B. *Operated*										
0-19 YRS	639	1.7	2	<1	<1	1	2	3	4	7
20-34	654	2.2	2	<1	1	2	3	4	5	7
35-49	947	1.9	1	<1	<1	2	2	3	4	6
50-64	1051	2.0	2	<1	<1	2	2	3	4	7
65+	1912	2.2	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	638	3.5	8	<1	1	3	4	6	8	14
20-34	137	4.8	15	<1	1	4	6	9	14	31
35-49	144	4.3	14	<1	<1	3	6	9	12	21
50-64	205	4.9	18	<1	1	4	6	10	15	19
65+	528	6.0	40	1	1	4	7	11	17	31
B. *Operated*										
0-19 YRS	338	2.6	24	<1	<1	2	3	4	5	13
20-34	380	3.1	16	<1	1	2	3	5	9	22
35-49	830	2.8	12	<1	1	2	3	5	8	18
50-64	1585	2.9	9	1	1	2	3	5	7	18
65+	3781	3.2	12	1	1	2	4	5	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1072	2.8	13	<1	<1	2	4	6	8	15
B. *Operated*	5203	2.0	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	1652	4.6	21	<1	1	4	6	9	13	22
B. *Operated*	6914	3.0	13	1	1	2	3	5	8	17
1. SINGLE DX	6275	2.2	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX	8566	3.4	15	<1	1	2	4	6	9	19
A. NOT OPERATED	2724	3.9	19	<1	<1	3	5	8	11	21
B. OPERATED	12117	2.6	8	<1	1	2	3	4	6	13
TOTAL 0-19 YRS	2329	2.4	8	<1	<1	2	3	5	6	11
20-34	1269	2.9	9	<1	1	2	3	5	7	16
35-49	1995	2.5	8	<1	<1	2	3	4	6	14
50-64	2907	2.7	8	<1	1	2	3	5	7	16
65+	6341	3.2	13	<1	1	2	4	6	8	17
GRAND TOTAL	**14841**	**2.8**	**10**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1272	3.6	4	1	1	3	4	6	8	11
20-34	269	3.8	8	1	1	3	5	7	8	13
35-49	153	3.9	9	1	1	3	5	7	9	16
50-64	142	3.5	6	1	1	3	4	7	9	12
65+	160	4.2	14	1	1	4	5	8	10	18
B. *Operated*										
0-19 YRS	218	2.8	7	<1	<1	2	3	6	8	15
20-34	306	2.5	5	<1	<1	2	3	4	6	11
35-49	376	2.3	5	<1	<1	2	2	4	6	12
50-64	913	2.3	3	<1	1	2	2	4	6	11
65+	2498	2.1	3	<1	1	2	2	3	4	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1489	4.2	8	1	2	4	5	8	10	14
20-34	359	4.2	8	1	1	4	6	8	10	14
35-49	310	5.2	18	1	1	4	7	10	12	24
50-64	438	4.9	24	1	1	4	6	9	11	21
65+	801	5.2	18	1	1	4	7	10	13	22
B. *Operated*										
0-19 YRS	352	5.2	28	1	1	4	7	11	13	27
20-34	424	4.2	18	1	1	3	5	8	10	23
35-49	525	4.4	22	1	1	3	5	9	12	21
50-64	1604	3.9	17	1	1	2	4	8	10	24
65+	4380	3.5	16	1	1	2	4	7	10	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1996	3.7	6	1	1	3	5	7	8	12
B. *Operated*	4311	2.3	3	<1	1	2	2	3	5	10
2. MULTIPLE DX										
A. *Not Operated*	3397	4.6	14	1	1	4	6	9	11	19
B. *Operated*	7285	3.8	17	1	1	2	4	8	10	20
1. SINGLE DX	6307	2.7	5	<1	1	2	3	5	7	11
2. MULTIPLE DX	10682	4.0	16	1	1	3	5	8	11	20
A. NOT OPERATED	5393	4.3	11	1	1	3	5	8	10	16
B. OPERATED	11596	3.2	13	1	1	2	3	6	9	17
TOTAL 0-19 YRS	3331	4.0	9	1	1	3	5	7	9	14
20-34	1358	3.7	11	<1	1	3	5	7	9	15
35-49	1364	3.9	16	<1	1	3	5	8	11	20
50-64	3097	3.5	14	1	1	2	4	7	9	18
65+	7839	3.3	13	1	1	2	3	7	9	17
GRAND TOTAL	**16989**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**9**	**17**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.9	1	<1	1	2	3	4	5	5
20-34	52	3.1	5	1	1	2	4	7	8	10
35-49	41	3.4	5	<1	1	3	4	7	8	9
50-64	37	3.3	4	1	1	3	4	6	7	11
65+	25	7.4	304	1	1	4	5	9	33	90
B. *Operated*										
0-19 YRS	36	1.6		<1	<1	2	2	2	2	3
20-34	98	1.9	11	<1	<1	<1	2	2	5	21
35-49	70	2.2	9	<1	<1	1	2	4	6	21
50-64	60	2.6	4	<1	<1	2	3	5	6	12
65+	38	1.9	1	<1	<1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	2.5	5	<1	<1	2	3	5	8	11
20-34	105	3.2	6	<1	1	3	4	6	8	12
35-49	126	4.9	16	1	1	4	6	10	14	21
50-64	176	4.2	10	1	1	3	5	8	11	16
65+	250	6.0	57	1	2	4	7	11	15	39
B. *Operated*										
0-19 YRS	42	2.1	1	<1	1	2	2	3	4	7
20-34	115	3.1	7	<1	<1	2	3	6	10	14
35-49	108	3.3	7	<1	1	3	4	7	9	15
50-64	181	3.9	10	1	1	3	4	8	11	16
65+	211	4.6	30	1	1	3	6	9	11	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	211	3.4	41	1	1	2	4	6	8	12
B. *Operated*	302	2.1	7	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	764	4.5	27	1	1	3	5	9	12	22
B. *Operated*	657	3.8	16	1	1	3	4	8	10	17
1. SINGLE DX	513	2.6	21	<1	<1	2	3	5	7	12
2. MULTIPLE DX	1421	4.2	22	1	1	3	5	8	11	19
A. NOT OPERATED	975	4.3	30	1	1	3	5	8	11	21
B. OPERATED	959	3.2	13	<1	<1	2	4	7	10	16
TOTAL 0-19 YRS	241	2.2	3	<1	<1	2	2	4	5	8
20-34	370	2.8	8	<1	<1	2	3	6	8	13
35-49	345	3.7	12	<1	<1	3	4	8	10	17
50-64	454	3.8	9	1	1	3	5	8	11	15
65+	524	5.2	55	1	1	3	6	10	13	34
GRAND TOTAL	**1934**	**3.8**	**22**	**<1**	**1**	**3**	**4**	**8**	**10**	**18**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2287	2.8	3	1	1	2	3	5	6	8
20-34	57	3.9	6	1	1	3	5	8	9	12
35-49	24	2.8	5	<1	1	2	3	6	8	9
50-64	26	3.7	12	<1	1	2	5	8	12	15
65+	10	3.4	4	<1	<1	3	5	6	7	7
B. *Operated*										
0-19 YRS	9418	1.2	1	<1	<1	<1	1	1	2	4
20-34	823	1.8	1	<1	1	2	2	3	3	6
35-49	788	2.0	5	<1	1	2	2	3	3	9
50-64	708	1.9	1	1	1	2	2	3	3	4
65+	315	1.8	1	<1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8628	3.2	5	1	1	3	4	6	7	11
20-34	249	4.3	17	1	1	3	5	7	10	18
35-49	193	4.7	12	1	1	4	6	9	11	18
50-64	201	5.3	18	1	1	4	7	11	14	22
65+	175	6.0	21	1	2	5	8	11	14	26
B. *Operated*										
0-19 YRS	8626	1.6	2	<1	<1	1	2	2	3	8
20-34	1119	2.3	3	1	1	2	3	3	5	9
35-49	1002	2.3	4	1	1	2	3	3	4	11
50-64	1141	2.6	12	1	1	2	3	4	5	12
65+	545	3.0	20	1	1	2	3	5	8	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2404	2.8	3	1	1	2	4	5	6	9
B. *Operated*	12052	1.3	2	<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	9446	3.4	7	1	1	3	4	6	8	13
B. *Operated*	12433	1.9	4	<1	<1	1	2	3	4	9
1. SINGLE DX	14456	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	21879	2.5	6	<1	<1	2	3	5	6	11
A. NOT OPERATED	11850	3.3	6	1	1	3	4	6	7	12
B. OPERATED	24485	1.6	3	<1	<1	1	2	3	3	8
TOTAL 0-19 YRS	28959	2.0	4	<1	<1	1	2	4	5	9
20-34	2248	2.4	4	<1	1	2	3	4	6	10
35-49	2007	2.4	6	1	1	2	3	4	6	13
50-64	2076	2.6	10	1	1	2	3	4	6	13
65+	1045	3.1	16	1	1	2	3	6	9	18
GRAND TOTAL	**36335**	**2.1**	**5**	**<1**	**<1**	**1**	**3**	**4**	**5**	**10**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	401	3.2	4	1	1	3	4	6	7	11
20-34	163	3.8	5	1	2	3	5	6	7	12
35-49	103	4.1	4	1	2	4	5	7	8	10
50-64	65	4.7	5	1	2	5	6	8	9	12
65+	38	5.6	24	2	2	5	6	9	15	29
B. *Operated*										
0-19 YRS	927	1.6	2	<1	<1	<1	1	3	4	8
20-34	195	2.7	11	<1	1	2	3	5	8	14
35-49	133	2.4	4	<1	1	2	3	4	5	14
50-64	132	2.4	7	<1	<1	2	3	4	5	20
65+	70	3.4	16	<1	1	2	3	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1033	3.9	12	1	1	3	5	7	9	14
20-34	310	4.6	10	1	2	4	6	8	10	17
35-49	255	5.4	15	1	2	4	6	10	12	21
50-64	236	6.8	24	2	3	5	9	12	15	27
65+	274	9.0	78	2	3	6	10	16	28	56
B. *Operated*										
0-19 YRS	1295	2.7	15	<1	<1	1	3	6	10	18
20-34	363	3.5	19	1	1	2	3	7	11	22
35-49	305	4.3	44	1	1	3	4	8	12	38
50-64	355	5.0	46	1	1	3	5	12	17	42
65+	297	8.7	114	1	1	4	12	22	33	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	770	3.7	6	1	1	3	5	7	8	12
B. *Operated*	1457	2.0	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	2108	5.2	25	1	2	4	6	10	12	26
B. *Operated*	2615	4.0	38	<1	1	2	4	9	14	34
1. SINGLE DX	2227	2.6	6	<1	<1	2	3	5	7	11
2. MULTIPLE DX	4723	4.5	33	<1	1	3	5	10	13	29
A. NOT OPERATED	2878	4.8	20	1	2	4	6	9	11	22
B. OPERATED	4072	3.3	27	<1	<1	2	3	7	11	28
TOTAL 0-19 YRS	3656	2.8	11	<1	<1	2	3	6	8	14
20-34	1031	3.7	13	1	1	3	5	7	10	18
35-49	796	4.3	24	1	1	3	5	8	11	24
50-64	788	5.1	32	1	1	3	6	11	15	31
65+	679	8.1	87	1	2	5	10	18	27	59
GRAND TOTAL	**6950**	**3.9**	**25**	**<1**	**<1**	**2**	**4**	**8**	**11**	**26**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	3.0	4	<1	1	2	4	5	7	11
20-34	425	3.2	4	1	1	3	4	5	7	12
35-49	792	3.1	6	1	1	3	4	6	7	12
50-64	1086	3.1	5	1	1	2	4	6	7	11
65+	1030	3.2	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	33	2.2	2	<1	<1	2	3	4	5	6
20-34	184	3.4	6	1	1	3	4	7	9	11
35-49	299	3.3	7	1	1	3	4	6	9	14
50-64	268	3.5	5	1	1	3	4	7	8	10
65+	140	3.7	8	1	1	3	4	8	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	134	3.5	4	1	1	3	5	6	7	9
20-34	690	3.9	8	1	1	3	5	7	8	13
35-49	1391	4.0	6	1	2	3	5	7	9	13
50-64	3336	4.3	9	1	2	4	6	8	10	16
65+	6220	4.7	11	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	25	3.4	7	<1	1	2	4	8	9	10
20-34	115	4.9	13	1	1	4	8	10	12	15
35-49	204	5.5	20	1	1	4	8	11	13	21
50-64	408	5.7	22	1	2	5	8	10	13	27
65+	529	7.2	28	2	2	6	9	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3418	3.2	5	1	1	3	4	6	7	11
B. *Operated*	924	3.4	6	1	1	3	4	7	9	13
2. MULTIPLE DX										
A. *Not Operated*	11771	4.5	10	1	2	4	6	8	10	16
B. *Operated*	1281	6.2	24	1	2	5	8	12	15	26
1. SINGLE DX	4342	3.2	5	1	1	3	4	6	8	11
2. MULTIPLE DX	13052	4.6	12	1	2	4	6	9	11	17
A. NOT OPERATED	15189	4.2	9	1	1	3	5	8	10	15
B. OPERATED	2205	5.0	18	1	1	4	7	10	13	21
TOTAL 0-19 YRS	277	3.2	4	1	1	3	4	6	7	10
20-34	1414	3.7	7	1	1	3	5	7	9	13
35-49	2686	3.8	8	1	1	3	5	7	9	14
50-64	5098	4.1	10	1	1	3	5	8	10	16
65+	7919	4.7	12	1	2	4	6	9	11	17
GRAND TOTAL	**17394**	**4.3**	**10**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	14	2.0	1	<1	1	2	2	3	4	4
35-49	16	1.7		<1	1	2	2	2	3	3
50-64	28	2.1	2	1	1	2	2	3	4	8
65+	15	1.9		<1	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	71	2.1	1	1	1	2	3	3	3	5
20-34	695	2.1	1	1	1	2	3	3	4	5
35-49	1087	2.0	1	1	1	2	3	3	3	5
50-64	936	2.1	1	1	1	2	3	3	4	5
65+	360	2.0	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	6.2	101	<1	<1	1	9	24	24	24
20-34	8	1.3		<1	<1	1	2	2	2	2
35-49	14	2.7	11	<1	<1	1	4	5	11	13
50-64	24	2.2	4	<1	1	2	2	4	8	9
65+	22	4.7	27	1	1	2	5	11	18	22
B. *Operated*										
0-19 YRS	28	2.1	1	1	1	2	3	3	3	4
20-34	222	2.0	1	1	1	2	3	3	4	6
35-49	297	2.3	2	1	1	2	3	3	4	8
50-64	429	2.3	2	1	1	2	3	3	4	7
65+	225	2.5	1	1	1	2	3	4	4	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.0	1	<1	1	2	2	2	3	7
B. *Operated*	3149	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	73	3.2	19	<1	<1	2	3	8	13	24
B. *Operated*	1201	2.3	1	1	1	2	3	3	4	7
1. SINGLE DX	3224	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	1274	2.3	3	1	1	2	3	4	4	8
A. NOT OPERATED	148	2.6	10	<1	1	2	2	4	8	22
B. OPERATED	4350	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	106	2.3	5	1	1	2	3	3	4	13
20-34	939	2.1	1	1	1	2	3	3	4	5
35-49	1414	2.1	1	1	1	2	3	3	4	6
50-64	1417	2.2	1	1	1	2	3	3	4	6
65+	622	2.3	2	1	1	2	3	3	4	7
GRAND TOTAL	**4498**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.1	4	<1	<1	1	3	4	6	11
20-34	75	3.1	4	<1	<1	3	4	5	7	9
35-49	99	3.4	4	1	1	3	4	6	8	11
50-64	106	4.2	5	1	2	4	5	7	8	12
65+	55	3.9	5	1	1	4	5	8	8	9
B. *Operated*										
0-19 YRS	2171	1.6	1	<1	<1	2	2	2	3	4
20-34	1345	1.9	1	1	1	2	2	3	4	6
35-49	1077	1.9	1	1	1	2	2	3	4	7
50-64	849	2.0	1	1	1	2	2	3	4	6
65+	384	2.0	2	<1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	3.0	10	<1	<1	1	4	7	9	16
20-34	98	3.2	11	<1	<1	2	4	7	10	17
35-49	143	3.8	16	<1	1	3	5	6	10	24
50-64	209	4.1	8	1	1	4	5	8	9	14
65+	250	4.8	13	1	2	4	6	8	11	15
B. *Operated*										
0-19 YRS	2062	1.8	1	<1	1	2	2	3	3	7
20-34	1297	2.2	4	1	1	2	2	3	4	11
35-49	1149	2.1	2	1	1	2	2	3	4	9
50-64	1159	2.5	8	1	1	2	3	4	5	13
65+	663	2.9	8	1	1	2	3	5	7	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	3.4	5	<1	1	3	4	7	8	10
B. *Operated*	5826	1.8	1	<1	1	2	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	837	4.0	12	<1	1	3	5	8	10	15
B. *Operated*	6330	2.2	4	<1	1	2	2	3	4	10
1. SINGLE DX	6240	1.9	2	<1	1	2	2	3	4	7
2. MULTIPLE DX	7167	2.4	5	<1	1	2	3	4	6	11
A. NOT OPERATED	1251	3.8	9	<1	1	3	5	7	9	14
B. OPERATED	12156	2.0	3	<1	1	2	2	3	4	8
TOTAL 0-19 YRS	4449	1.8	1	<1	<1	2	2	3	3	7
20-34	2815	2.1	3	1	1	2	2	3	4	10
35-49	2468	2.2	3	1	1	2	3	3	5	9
50-64	2323	2.5	6	1	1	2	3	4	6	11
65+	1352	3.0	8	1	1	2	3	6	8	14
GRAND TOTAL	**13407**	**2.2**	**4**	**<1**	**1**	**2**	**2**	**4**	**5**	**10**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	191	6.6	23	2	2	5	8	13	15	26
20-34	45	6.8	19	2	3	5	9	12	12	27
35-49	20	6.0	11	2	2	5	9	11	12	13
50-64	11	8.0	22	2	3	8	10	14	19	19
65+	6	6.8	9	4	4	6	10	11	11	11
B. *Operated*										
0-19 YRS	2	4.5	25	<1	<1	4	8	8	8	8
20-34	5	5.6	16	1	1	6	9	10	10	10
35-49	3	10.7		10	10	11	11	11	11	11
50-64	10	5.5	39	1	1	3	9	15	21	21
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	122	7.6	39	2	3	5	10	15	18	38
20-34	74	5.6	13	2	2	5	6	10	12	20
35-49	63	6.8	49	2	2	5	8	13	16	47
50-64	107	8.9	107	2	2	6	10	18	30	59
65+	135	9.2	51	2	3	7	12	18	22	37
B. *Operated*										
0-19 YRS	8	27.4	283	1	3	31	40	45	47	47
20-34	21	10.3	58	1	2	9	16	20	26	30
35-49	36	10.1	162	2	2	7	11	20	23	75
50-64	57	10.9	60	1	1	11	16	22	23	35
65+	58	12.1	104	1	2	10	18	31	33	95
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	273	6.6	21	2	2	5	8	12	15	26
B. *Operated*	21	6.0	26	<1	1	5	9	11	16	21
2. MULTIPLE DX										
A. *Not Operated*	501	7.9	56	2	2	6	10	15	19	38
B. *Operated*	180	11.8	113	1	2	10	16	24	33	66
1. SINGLE DX	294	6.6	22	2	2	5	8	12	15	26
2. MULTIPLE DX	681	8.9	74	2	2	6	11	18	24	46
A. NOT OPERATED	774	7.5	44	2	2	6	9	14	18	35
B. OPERATED	201	11.2	107	1	2	9	16	24	32	60
TOTAL 0-19 YRS	323	7.5	45	2	2	5	9	14	20	39
20-34	145	6.7	24	2	2	5	9	12	16	27
35-49	122	7.7	77	2	2	6	10	15	18	58
50-64	185	9.2	85	1	2	7	12	20	24	42
65+	200	10.0	67	2	2	8	12	20	30	47
GRAND TOTAL	**975**	**8.2**	**59**	**2**	**2**	**6**	**10**	**17**	**22**	**40**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	6.8	70	1	2	4	7	16	32	33
20-34	50	4.2	25	1	1	3	5	6	8	33
35-49	49	5.7	49	1	2	3	6	12	25	38
50-64	45	5.4	28	1	1	4	6	11	15	30
65+	34	4.3	7	1	2	4	6	9	9	10
B. *Operated*										
0-19 YRS	29	5.1	21	1	1	2	9	11	14	17
20-34	80	6.5	66	1	1	3	9	13	14	51
35-49	221	5.8	28	1	2	2	10	13	15	22
50-64	295	6.5	41	1	2	2	11	15	17	29
65+	107	7.5	119	1	1	2	12	18	20	57
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	4.5	12	1	1	3	6	10	11	16
20-34	211	5.4	39	1	1	4	6	9	12	37
35-49	471	5.3	20	1	1	4	7	10	13	25
50-64	871	6.6	28	1	2	5	8	13	17	29
65+	1333	8.8	52	2	3	7	11	17	22	41
B. *Operated*										
0-19 YRS	58	8.9	195	1	2	3	10	20	27	88
20-34	200	9.9	75	1	2	9	14	19	26	44
35-49	721	9.6	71	1	2	9	13	19	25	37
50-64	1561	10.9	97	2	2	10	15	23	27	48
65+	1372	12.8	142	2	2	11	17	28	36	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	204	5.1	34	1	1	3	6	9	15	33
B. *Operated*	732	6.4	51	1	2	2	10	14	17	26
2. MULTIPLE DX										
A. *Not Operated*	2929	7.3	40	1	2	6	9	14	19	33
B. *Operated*	3912	11.2	110	2	2	10	15	24	30	52
1. SINGLE DX	936	6.1	47	1	1	3	10	14	17	30
2. MULTIPLE DX	6841	9.5	84	1	2	7	13	20	26	47
A. NOT OPERATED	3133	7.1	40	1	2	5	9	14	19	33
B. OPERATED	4644	10.5	104	1	2	9	15	22	29	50
TOTAL 0-19 YRS	156	6.6	94	1	2	3	8	15	20	47
20-34	541	7.1	60	1	1	4	9	15	21	44
35-49	1462	7.5	52	1	2	5	11	16	21	32
50-64	2772	9.0	73	1	2	7	13	19	24	44
65+	2846	10.6	102	2	2	8	14	22	30	52
GRAND TOTAL	**7777**	**9.1**	**81**	**1**	**2**	**7**	**12**	**20**	**26**	**45**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	116	3.4	5	1	1	3	4	7	8	11
20-34	431	3.5	5	1	1	3	4	6	8	10
35-49	1275	4.0	7	1	2	3	5	7	9	14
50-64	1354	4.0	7	1	2	3	5	7	9	14
65+	931	4.4	11	1	2	4	6	8	11	17
B. *Operated*										
0-19 YRS	50	3.1	6	1	1	2	4	6	7	16
20-34	115	3.4	12	1	1	2	4	7	8	19
35-49	151	3.7	8	1	1	2	5	8	10	14
50-64	158	3.7	11	1	1	2	4	8	9	13
65+	76	4.3	10	1	1	3	5	9	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.5	11	1	1	4	6	9	12	17
20-34	1602	4.5	14	1	2	4	5	8	10	20
35-49	5748	5.1	14	2	2	4	6	9	11	18
50-64	8938	5.5	19	2	2	5	7	10	13	21
65+	10830	6.3	31	2	2	5	8	12	15	29
B. *Operated*										
0-19 YRS	61	6.8	116	1	1	4	7	12	29	69
20-34	252	6.4	56	1	2	5	8	12	15	20
35-49	853	8.0	51	2	2	6	10	15	20	42
50-64	1443	8.2	45	2	2	6	10	16	21	32
65+	1365	10.5	82	2	3	8	14	20	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4107	4.0	8	1	2	3	5	7	9	14
B. *Operated*	550	3.6	10	1	1	2	4	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	27375	5.7	22	2	2	5	7	10	13	24
B. *Operated*	3974	8.8	62	2	2	7	11	17	22	39
1. SINGLE DX	4657	4.0	8	1	1	3	5	7	9	14
2. MULTIPLE DX	31349	6.1	29	2	2	5	7	11	15	27
A. NOT OPERATED	31482	5.5	21	1	2	4	7	10	13	22
B. OPERATED	4524	8.2	59	2	2	6	10	16	21	38
TOTAL 0-19 YRS	484	4.4	23	1	1	3	5	8	11	18
20-34	2400	4.5	17	1	2	4	5	8	10	19
35-49	8027	5.2	18	1	2	4	6	10	12	21
50-64	11893	5.7	22	1	2	4	7	10	14	23
65+	13202	6.6	37	2	2	5	8	13	17	31
GRAND TOTAL	**36006**	**5.8**	**26**	**1**	**2**	**5**	**7**	**11**	**14**	**26**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	3	5	5	5	7	8	8	8
20-34	30	4.4	12	1	2	3	6	8	8	19
35-49	172	4.6	6	1	2	4	6	8	10	12
50-64	264	5.0	13	1	2	4	6	9	11	20
65+	490	6.3	21	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS										
20-34	6	10.3	93	1	1	6	22	23	23	23
35-49	30	3.2	3	2	2	2	4	6	6	8
50-64	54	3.8	12	1	1	2	4	9	10	17
65+	39	3.8	10	1	1	2	5	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.6	17	3	3	6	8	12	17	19
20-34	139	5.6	20	2	2	5	7	10	12	20
35-49	1024	6.4	19	2	2	5	8	11	14	23
50-64	3490	7.5	37	2	3	6	9	13	18	29
65+	10466	8.7	51	2	3	7	11	16	21	39
B. *Operated*										
0-19 YRS	2	12.0	2	11	11	12	13	13	13	13
20-34	30	6.5	27	2	2	5	8	13	17	25
35-49	239	8.4	53	2	2	8	11	15	19	35
50-64	665	8.9	63	2	2	7	12	19	25	40
65+	1237	13.1	125	2	3	10	17	27	36	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	959	5.6	17	2	2	5	7	10	13	22
B. *Operated*	129	4.0	15	1	1	2	5	9	10	22
2. MULTIPLE DX										
A. *Not Operated*	15137	8.2	46	2	3	7	10	15	20	35
B. *Operated*	2173	11.2	102	2	2	9	14	23	31	57
1. SINGLE DX	1088	5.4	17	1	2	5	7	10	13	22
2. MULTIPLE DX	17310	8.6	54	2	3	7	10	16	21	39
A. NOT OPERATED	16096	8.1	45	2	3	6	10	15	19	34
B. OPERATED	2302	10.8	99	2	2	8	14	23	30	56
TOTAL 0-19 YRS	23	7.0	16	3	3	6	8	13	15	19
20-34	205	5.7	22	2	2	5	7	10	13	24
35-49	1465	6.5	24	2	2	5	8	12	14	24
50-64	4473	7.5	40	2	2	6	9	14	19	31
65+	12232	9.1	60	2	3	7	11	17	22	42
GRAND TOTAL	**18398**	**8.4**	**52**	**2**	**3**	**7**	**10**	**16**	**21**	**39**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.7	4	1	1	3	5	7	7	8
20-34	32	4.5	11	1	1	3	6	9	11	13
35-49	77	5.1	14	1	1	4	7	9	12	19
50-64	79	5.5	17	1	2	4	7	11	15	20
65+	77	7.8	47	1	2	6	10	17	23	35
B. *Operated*										
0-19 YRS	23	5.8	27	1	2	4	8	15	17	20
20-34	91	7.3	66	1	1	4	10	18	22	39
35-49	114	6.4	41	1	1	4	9	14	20	30
50-64	146	5.5	24	1	2	4	7	11	17	25
65+	73	6.4	50	1	1	5	8	12	15	47
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	4.9	16	1	1	4	6	11	13	20
20-34	161	6.0	34	1	2	4	7	11	17	34
35-49	314	7.1	31	2	2	5	9	13	19	28
50-64	673	8.5	50	2	2	6	11	17	23	35
65+	1419	9.9	74	2	3	7	12	20	25	48
B. *Operated*										
0-19 YRS	95	10.4	122	1	2	7	13	24	37	55
20-34	342	9.8	90	1	2	7	13	22	27	44
35-49	543	10.2	103	2	2	7	14	23	29	51
50-64	993	11.5	118	2	2	9	15	24	33	59
65+	1093	14.0	163	2	3	10	18	30	40	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	5.7	24	1	2	4	7	12	15	25
B. *Operated*	447	6.3	41	1	1	4	8	14	19	32
2. MULTIPLE DX										
A. *Not Operated*	2653	8.8	61	2	2	7	11	18	23	40
B. *Operated*	3066	12.0	131	2	2	9	16	26	35	64
1. SINGLE DX	739	6.1	34	1	1	4	8	13	17	27
2. MULTIPLE DX	5719	10.5	101	2	2	8	13	22	29	54
A. NOT OPERATED	2945	8.5	58	2	2	6	11	17	22	37
B. OPERATED	3513	11.2	123	2	2	8	15	24	33	61
TOTAL 0-19 YRS	231	7.1	67	1	2	4	8	15	20	46
20-34	626	8.2	72	1	2	5	10	18	25	38
35-49	1048	8.5	71	1	2	6	11	18	25	40
50-64	1891	9.8	87	2	2	7	12	21	27	49
65+	2662	11.5	114	2	3	8	15	24	32	61
GRAND TOTAL	**6458**	**10.0**	**95**	**2**	**2**	**7**	**13**	**21**	**28**	**51**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	8.4	13	2	3	9	11	12	14	15
20-34	179	8.9	15	2	4	9	11	14	15	21
35-49	2396	9.3	12	3	5	9	11	13	15	18
50-64	4920	9.8	15	4	5	10	12	14	16	21
65+	4070	10.1	16	4	6	10	12	15	17	23
B. *Operated*										
0-19 YRS	4	5.8	24	1	1	6	10	10	10	10
20-34	65	8.2	17	2	2	9	11	13	14	19
35-49	604	8.6	21	2	2	9	11	14	16	21
50-64	895	10.0	26	2	2	10	13	16	19	26
65+	327	11.4	59	2	3	11	14	19	23	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	69	9.3	26	2	3	9	13	16	21	85
20-34	454	9.3	20	2	3	9	12	14	17	23
35-49	6758	10.0	18	3	5	10	12	15	17	23
50-64	24009	10.9	25	4	6	10	13	16	19	28
65+	47720	12.1	41	5	6	11	14	19	23	36
B. *Operated*										
0-19 YRS	17	9.4	26	1	2	9	14	17	17	17
20-34	255	9.6	34	2	2	9	13	17	20	26
35-49	3331	10.7	52	2	2	10	13	18	22	37
50-64	8834	13.0	77	2	3	11	16	22	28	49
65+	8600	16.6	111	5	7	14	20	29	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11581	9.8	15	4	5	10	12	14	16	21
B. *Operated*	1895	9.7	31	2	2	9	12	16	19	26
2. MULTIPLE DX										
A. *Not Operated*	79010	11.6	34	4	6	11	14	18	21	33
B. *Operated*	21237	14.1	92	2	5	12	17	25	32	54
1. SINGLE DX	13476	9.8	17	3	5	10	12	14	16	22
2. MULTIPLE DX	100247	12.1	48	4	6	11	14	19	24	39
A. NOT OPERATED	90591	11.3	32	4	6	10	13	17	21	32
B. OPERATED	23132	13.7	88	2	4	12	17	24	31	53
TOTAL 0-19 YRS	106	9.1	24	1	2	9	12	15	18	57
20-34	953	9.2	23	2	2	9	12	15	18	23
35-49	13089	10.0	26	2	4	10	12	15	18	26
50-64	38658	11.2	37	3	5	10	13	17	21	34
65+	60917	12.6	52	5	6	11	15	20	25	42
GRAND TOTAL	**113723**	**11.8**	**44**	**4**	**6**	**11**	**14**	**19**	**23**	**38**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.8	4	1	1	2	5	6	7	7
20-34	184	3.3	4	1	1	3	4	6	7	11
35-49	1543	3.2	4	1	1	3	4	6	7	10
50-64	2393	3.5	5	1	1	3	5	6	7	12
65+	2104	3.7	6	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	49	3.7	10	1	2	2	5	7	9	17
35-49	452	3.2	7	1	1	2	4	7	9	15
50-64	746	3.2	10	1	1	2	3	7	10	15
65+	293	3.3	11	1	1	2	3	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	4.3	8	1	2	4	5	9	11	14
20-34	613	4.1	7	1	2	3	5	7	9	13
35-49	6946	4.3	9	1	2	4	5	8	9	14
50-64	19774	4.6	11	1	2	4	6	8	10	16
65+	32799	5.2	15	2	2	4	6	9	12	19
B. *Operated*										
0-19 YRS	14	4.9	15	1	1	4	6	10	13	14
20-34	168	4.5	16	1	2	3	6	9	11	23
35-49	3525	4.7	18	1	1	3	7	10	13	19
50-64	10974	5.3	31	1	1	3	8	12	15	25
65+	7378	7.0	51	1	2	5	10	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6237	3.5	5	1	1	3	4	6	7	11
B. *Operated*	1543	3.2	9	1	1	2	3	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	60197	4.9	13	1	2	4	6	9	11	18
B. *Operated*	22059	5.7	36	1	2	3	8	12	16	28
1. SINGLE DX	7780	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	82256	5.1	19	1	2	4	6	10	13	21
A. NOT OPERATED	66434	4.8	12	1	2	4	6	8	11	17
B. OPERATED	23602	5.6	35	1	2	3	8	12	16	27
TOTAL 0-19 YRS	95	4.1	8	1	1	3	5	9	11	14
20-34	1014	4.0	8	1	2	3	5	8	9	14
35-49	12466	4.2	11	1	1	3	5	8	10	16
50-64	33887	4.7	17	1	2	4	6	9	12	19
65+	42574	5.4	21	1	2	4	7	10	13	22
GRAND TOTAL	**90036**	**5.0**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	4	2	2	3	5	6	6	6
20-34	85	3.8	7	1	1	3	5	7	9	14
35-49	1115	4.0	7	1	1	3	5	7	9	13
50-64	2498	4.4	8	1	2	4	6	8	10	14
65+	2669	4.7	8	2	2	4	6	8	10	14
B. *Operated*										
0-19 YRS										
20-34	15	4.0	5	1	1	4	5	6	8	9
35-49	222	5.0	13	1	1	4	7	10	12	18
50-64	541	5.3	18	1	2	4	7	11	14	18
65+	314	6.2	28	1	1	5	9	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	5.5	15	2	3	4	7	11	14	20
20-34	347	5.0	13	1	2	4	6	9	12	20
35-49	5841	5.0	12	1	2	4	6	9	11	17
50-64	21016	5.5	14	2	2	5	7	10	12	18
65+	41678	6.3	20	2	3	5	8	11	14	23
B. *Operated*										
0-19 YRS	12	6.0	15	1	1	6	10	11	11	11
20-34	106	6.5	20	1	2	5	9	12	14	23
35-49	2833	7.3	40	2	2	6	10	14	17	28
50-64	9947	8.5	45	2	2	8	12	16	20	33
65+	9157	10.8	76	2	2	9	14	21	26	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6371	4.4	8	1	2	4	6	8	10	14
B. *Operated*	1092	5.5	20	1	1	4	8	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	68941	6.0	18	2	2	5	7	10	13	21
B. *Operated*	22055	9.3	59	2	2	8	12	18	22	37
1. SINGLE DX	7463	4.6	10	1	2	4	6	8	10	16
2. MULTIPLE DX	90996	6.8	30	2	2	5	8	13	16	28
A. NOT OPERATED	75312	5.8	17	2	2	5	7	10	13	21
B. OPERATED	23147	9.1	58	2	2	8	12	18	22	37
TOTAL 0-19 YRS	75	5.5	14	2	2	4	8	10	13	19
20-34	553	5.1	14	1	2	4	6	10	12	20
35-49	10011	5.6	21	1	2	4	7	11	13	21
50-64	[illegible]02	6.3	25	2	2	5	8	12	15	24
65+	53818	7.0	32	2	2	6	9	13	17	29
GRAND TOTAL	**98459**	**6.6**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	35	4.7	10	1	2	4	5	9	11	15
35-49	298	4.0	10	1	1	3	5	7	9	15
50-64	612	4.1	9	1	1	3	5	8	10	15
65+	558	5.2	26	1	2	4	6	10	13	27
B. *Operated*										
0-19 YRS	23	3.4	10	<1	1	2	5	9	10	11
20-34	113	4.0	12	1	1	2	5	10	11	15
35-49	2276	4.1	16	1	1	2	5	10	12	17
50-64	5992	4.4	20	1	1	2	6	11	13	19
65+	2237	5.0	27	1	1	2	8	12	16	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	5.4	22	1	2	4	6	12	18	20
20-34	169	4.5	10	1	1	4	6	9	10	16
35-49	2365	4.8	16	1	2	4	6	9	11	18
50-64	8275	5.4	16	1	2	4	7	10	13	19
65+	15619	6.8	31	2	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	47	5.0	23	1	2	2	8	12	15	21
20-34	329	5.2	29	1	2	2	7	12	14	29
35-49	7860	5.6	28	1	2	3	9	12	15	23
50-64	24376	6.8	43	1	2	4	10	14	18	30
65+	15229	8.9	79	1	2	7	12	19	24	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1504	4.5	16	1	1	4	5	8	11	19
B. *Operated*	10641	4.4	20	1	1	2	6	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	26460	6.1	25	2	2	5	8	11	14	24
B. *Operated*	47841	7.2	53	1	2	5	11	15	20	34
1. SINGLE DX	12145	4.4	20	1	1	2	6	11	13	20
2. MULTIPLE DX	74301	6.9	44	1	2	5	9	14	18	32
A. NOT OPERATED	27964	6.1	25	1	2	5	7	11	14	24
B. OPERATED	58482	6.7	49	1	2	4	10	15	19	32
TOTAL 0-19 YRS	103	4.7	20	1	1	3	7	11	14	20
20-34	646	4.8	20	1	1	3	6	10	13	23
35-49	12799	5.1	23	1	1	3	8	11	14	22
50-64	39255	6.1	34	1	2	4	9	13	16	26
65+	33643	7.6	54	1	2	6	10	16	20	37
GRAND TOTAL	**86446**	**6.5**	**41**	**1**	**2**	**4**	**9**	**14**	**18**	**30**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	9.2	13	2	5	10	11	13	15	18
20-34	318	8.2	13	2	4	8	10	12	15	19
35-49	416	8.7	14	2	4	8	11	13	16	20
50-64	428	9.6	14	4	5	9	12	14	16	20
65+	416	9.9	26	4	6	9	12	15	17	25
B. *Operated*										
0-19 YRS	4	11.0	29	5	5	10	14	18	18	18
20-34	57	9.9	31	3	4	9	11	17	22	30
35-49	111	10.7	30	4	5	10	12	17	21	32
50-64	88	10.4	24	5	6	9	13	16	18	30
65+	67	11.4	39	2	4	11	14	18	22	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	8.9	24	3	4	8	11	15	17	27
20-34	570	10.0	30	3	4	9	12	16	19	29
35-49	1175	10.5	28	4	5	10	13	17	19	27
50-64	2374	11.1	28	4	6	10	13	17	21	30
65+	5259	12.6	49	5	6	11	15	20	25	39
B. *Operated*										
0-19 YRS	19	10.8	23	2	3	12	14	17	18	18
20-34	212	13.1	59	5	6	11	15	21	29	40
35-49	361	13.9	84	6	7	12	15	22	31	48
50-64	835	15.0	87	6	7	12	18	26	33	49
65+	1353	16.7	117	6	8	14	20	28	39	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1601	9.2	17	3	5	9	11	14	16	22
B. *Operated*	327	10.6	30	3	5	10	13	17	21	31
2. MULTIPLE DX										
A. *Not Operated*	9425	11.8	41	5	6	10	14	19	23	36
B. *Operated*	2780	15.5	100	6	7	13	18	26	35	56
1. SINGLE DX	1928	9.4	20	3	5	9	11	14	17	23
2. MULTIPLE DX	12205	12.6	57	5	6	11	15	21	26	43
A. NOT OPERATED	11026	11.4	38	4	6	10	14	18	22	35
B. OPERATED	3107	15.0	95	5	7	12	18	26	34	54
TOTAL 0-19 YRS	93	9.4	21	2	4	10	12	15	18	24
20-34	1157	10.1	33	3	4	9	12	16	20	33
35-49	2063	10.7	38	4	5	10	13	17	20	36
50-64	3725	11.8	43	5	6	10	14	19	24	37
65+	7095	13.2	63	5	7	11	15	21	27	46
GRAND TOTAL	**14133**	**12.2**	**53**	**4**	**6**	**11**	**14**	**20**	**25**	**41**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	22.5	156	3	5	29	32	35	35	35
20-34	34	17.7	213	<1	1	15	27	44	47	48
35-49	17	20.2	120	6	7	18	30	35	35	35
50-64	14	23.4	204	6	8	22	30	42	54	58
65+	10	15.1	79	5	5	13	19	30	31	31
B. *Operated*										
0-19 YRS	3	12.3	385	<1	<1	1	26	35	35	35
20-34	4	30.3	259	14	14	27	41	52	52	52
35-49	5	6.6	38	2	2	5	9	17	17	17
50-64	4	14.8	174	3	3	12	25	32	32	32
65+	4	11.3	151	<1	<1	7	19	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	24.8	281	2	3	25	37	44	47	79
20-34	289	22.3	178	3	4	23	31	41	44	55
35-49	200	23.4	207	4	6	25	33	42	47	59
50-64	235	24.1	214	2	4	23	33	44	49	54
65+	447	27.1	196	6	9	28	35	45	51	66
B. *Operated*										
0-19 YRS	25	30.2	346	5	8	30	42	55	70	75
20-34	183	32.4	298	6	10	31	44	53	67	87
35-49	129	31.8	241	11	14	30	40	48	61	84
50-64	160	33.5	317	5	12	33	44	54	68	92
65+	250	35.7	216	14	18	34	44	56	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	19.4	171	2	5	16	30	35	44	54
B. *Operated*	20	14.8	212	<1	1	8	26	33	43	52
2. MULTIPLE DX										
A. *Not Operated*	1243	24.7	205	3	6	26	33	43	48	62
B. *Operated*	747	33.6	268	9	13	32	44	53	66	89
1. SINGLE DX	105	18.5	180	1	3	15	29	35	44	55
2. MULTIPLE DX	1990	28.0	247	4	7	28	38	47	55	80
A. NOT OPERATED	1328	24.3	204	3	6	25	33	43	48	62
B. OPERATED	767	33.1	275	7	13	32	44	53	66	89
TOTAL 0-19 YRS	110	25.5	290	2	3	26	35	44	49	78
20-34	510	25.7	250	3	5	27	35	45	51	79
35-49	351	26.1	235	5	7	28	34	44	51	78
50-64	413	27.6	275	3	7	28	40	48	54	80
65+	711	29.9	222	7	11	29	39	48	58	81
GRAND TOTAL	**2095**	**27.5**	**248**	**4**	**7**	**28**	**38**	**46**	**54**	**79**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	2.7	12	<1	1	2	3	5	7	13
20-34	181	2.1	2	<1	<1	2	3	4	5	8
35-49	341	2.2	2	<1	1	2	3	4	5	8
50-64	399	2.4	3	<1	1	2	3	4	5	9
65+	281	3.0	6	1	1	2	4	6	8	12
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	5.0	32	1	1	5	9	9	9	9
35-49	6	3.2	1	2	2	3	4	5	5	5
50-64	12	3.2	6	1	1	3	4	6	9	10
65+	7	4.3	4	2	2	4	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	3.2	7	1	1	2	4	6	7	15
20-34	325	3.2	6	<1	1	3	4	6	7	14
35-49	735	3.6	11	1	1	3	4	7	8	12
50-64	1681	4.1	10	1	1	3	5	8	10	15
65+	3223	5.4	21	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	6	4.0	7	2	2	3	5	9	9	9
20-34	19	5.6	12	1	2	5	8	11	13	13
35-49	52	5.0	19	1	1	4	6	9	13	24
50-64	132	6.6	22	1	2	6	9	13	16	21
65+	271	11.5	134	2	3	9	14	21	26	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1339	2.5	4	<1	1	2	3	5	6	10
B. *Operated*	28	3.5	5	1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	6111	4.6	16	1	1	4	6	9	11	20
B. *Operated*	480	9.2	92	2	2	7	12	17	23	48
1. SINGLE DX	1367	2.5	4	<1	1	2	3	5	6	10
2. MULTIPLE DX	6591	5.0	23	1	1	4	6	10	13	23
A. NOT OPERATED	7450	4.2	15	1	1	3	5	8	11	18
B. OPERATED	508	8.8	89	2	2	7	11	16	22	47
TOTAL 0-19 YRS	291	3.0	9	<1	1	2	4	6	7	14
20-34	527	2.9	5	<1	1	2	4	5	7	13
35-49	1134	3.2	9	1	1	3	4	6	8	12
50-64	2224	4.0	11	1	1	3	5	8	10	16
65+	3782	5.6	31	1	2	4	7	11	14	26
GRAND TOTAL	**7958**	**4.5**	**21**	**1**	**1**	**3**	**6**	**9**	**12**	**21**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.4	6	<1	<1	1	3	6	8	11
20-34	376	1.9	2	<1	<1	2	2	4	5	7
35-49	721	2.3	3	<1	1	2	3	5	6	9
50-64	1277	2.7	6	<1	1	2	3	5	6	11
65+	1455	3.2	7	<1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	10	2.7	4	<1	<1	2	4	6	7	7
35-49	23	3.7	8	1	1	2	6	9	10	10
50-64	64	3.9	12	1	1	2	5	9	11	17
65+	42	6.6	52	1	1	5	8	13	26	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	111	3.9	16	<1	1	2	5	10	12	20
20-34	608	2.9	5	1	1	2	4	6	7	10
35-49	1691	3.7	9	1	1	3	5	8	9	14
50-64	7265	4.7	15	1	1	4	6	9	12	18
65+	21866	6.2	32	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	11	7.8	151	<1	<1	2	11	25	41	42
20-34	25	3.8	7	<1	1	3	6	7	9	11
35-49	135	8.1	65	1	2	6	10	17	22	47
50-64	734	8.5	60	1	2	7	11	16	22	35
65+	2264	11.9	108	2	3	9	15	23	31	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3852	2.8	6	<1	1	2	3	5	7	11
B. *Operated*	141	4.6	24	1	1	3	6	10	12	31
2. MULTIPLE DX										
A. *Not Operated*	31541	5.6	27	1	2	4	7	11	14	25
B. *Operated*	3169	10.9	97	2	3	9	14	21	28	61
1. SINGLE DX	3993	2.8	6	<1	1	2	4	6	7	12
2. MULTIPLE DX	34710	6.1	36	1	2	5	8	12	16	29
A. NOT OPERATED	35393	5.3	25	1	1	4	7	10	14	24
B. OPERATED	3310	10.6	95	2	2	8	13	21	27	60
TOTAL 0-19 YRS	147	4.0	25	<1	1	2	5	10	12	25
20-34	1019	2.6	4	<1	1	2	3	5	7	9
35-49	2570	3.6	12	1	1	2	5	7	9	16
50-64	9340	4.7	19	1	1	4	6	9	12	21
65+	25627	6.5	41	1	2	5	8	13	17	33
GRAND TOTAL	**38703**	**5.8**	**34**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	290	3.0	8	<1	1	2	3	6	8	16
20-34	571	3.0	5	1	1	2	4	6	7	11
35-49	929	3.3	6	1	1	3	4	6	8	12
50-64	1359	3.6	7	1	1	3	5	7	9	14
65+	1425	4.2	10	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	71	4.0	12	1	1	2	5	10	13	15
20-34	62	4.5	9	1	1	4	6	8	10	15
35-49	155	3.9	12	1	1	3	5	8	10	15
50-64	396	5.2	16	1	2	4	7	10	11	16
65+	1155	6.0	18	2	2	5	7	11	13	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	548	3.9	13	1	1	3	5	8	9	19
20-34	1731	3.8	9	1	1	3	5	7	9	16
35-49	4257	4.5	12	1	1	4	6	8	11	18
50-64	11100	5.4	19	1	2	4	7	10	13	22
65+	28904	6.5	28	2	2	5	8	12	16	27
B. *Operated*										
0-19 YRS	159	8.6	138	1	2	5	9	18	30	72
20-34	231	9.3	144	1	2	6	10	22	30	97
35-49	772	7.4	57	1	2	5	9	15	22	81
50-64	3374	8.7	62	2	2	7	11	17	22	41
65+	15086	10.0	63	3	3	8	12	18	24	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4574	3.6	8	1	1	3	5	7	9	14
B. *Operated*	1839	5.6	17	1	2	5	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	46540	5.9	24	1	2	5	7	11	14	24
B. *Operated*	19622	9.6	65	2	3	8	12	18	24	46
1. SINGLE DX	6413	4.2	11	1	1	3	5	8	10	16
2. MULTIPLE DX	66162	7.0	39	1	2	5	9	14	18	32
A. NOT OPERATED	51114	5.7	23	1	2	4	7	11	14	24
B. OPERATED	21461	9.3	62	2	3	7	12	18	23	43
TOTAL 0-19 YRS	1068	4.3	33	1	1	3	5	9	12	30
20-34	2595	4.1	23	1	1	3	5	8	10	23
35-49	6113	4.6	18	1	1	4	6	9	12	22
50-64	16229	5.9	29	1	2	5	7	11	15	27
65+	46570	7.5	41	2	2	6	9	14	19	33
GRAND TOTAL	**72575**	**6.8**	**37**	**1**	**2**	**5**	**8**	**13**	**17**	**31**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	7.3	35	1	1	5	9	18	18	28
20-34	27	5.6	15	1	2	5	8	10	15	16
35-49	132	5.4	13	1	2	5	6	10	11	20
50-64	742	6.0	27	1	2	5	8	11	15	23
65+	3445	6.2	23	2	2	5	8	11	14	24
B. *Operated*										
0-19 YRS	3	2.7	1	2	2	2	4	4	4	4
20-34	1	10.0		10	10	10	10	10	10	10
35-49	9	4.7	15	1	1	4	6	11	11	11
50-64	26	8.3	36	1	2	7	14	17	18	20
65+	65	10.3	81	1	2	8	13	27	36	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	604	6.1	33	1	2	4	7	13	17	29
20-34	461	7.2	31	2	2	6	9	15	18	29
35-49	3231	7.2	29	2	3	6	9	13	17	28
50-64	21746	8.0	36	2	3	6	10	14	19	31
65+	111843	8.8	50	2	3	7	11	16	21	37
B. *Operated*										
0-19 YRS	107	11.7	190	2	2	8	13	32	44	99+
20-34	179	7.9	56	1	1	6	11	17	24	33
35-49	578	10.7	99	1	2	8	13	23	30	51
50-64	3065	13.7	143	2	3	10	17	27	36	68
65+	11141	16.1	156	4	5	13	20	31	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4390	6.2	23	2	2	5	8	11	15	24
B. *Operated*	104	9.1	64	1	2	8	12	18	30	66
2. MULTIPLE DX										
A. *Not Operated*	137885	8.6	47	2	3	7	10	16	21	36
B. *Operated*	15070	15.2	153	3	4	12	19	30	40	75
1. SINGLE DX	4494	6.2	24	2	2	5	8	12	15	25
2. MULTIPLE DX	152955	9.3	62	2	3	7	11	17	23	43
A. NOT OPERATED	142275	8.5	47	2	3	7	10	16	20	36
B. OPERATED	15174	15.2	152	3	4	12	19	30	40	75
TOTAL 0-19 YRS	758	6.9	59	1	2	5	8	15	20	43
20-34	668	7.4	37	1	2	6	9	16	19	31
35-49	3950	7.7	40	2	2	6	9	14	19	33
50-64	25579	8.6	52	2	3	7	10	16	21	38
65+	126494	9.4	63	2	3	7	11	18	23	44
GRAND TOTAL	**157449**	**9.2**	**61**	**2**	**3**	**7**	**11**	**17**	**23**	**42**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	246	4.0	11	1	1	3	5	7	10	18
20-34	870	3.8	9	1	1	3	5	7	9	15
35-49	969	4.1	11	1	1	3	5	7	9	20
50-64	713	4.4	10	1	2	4	6	8	10	16
65+	413	5.7	18	1	2	5	7	11	14	21
B. *Operated*										
0-19 YRS	213	3.4	10	1	1	2	5	8	9	14
20-34	257	4.3	14	1	1	2	6	10	11	15
35-49	581	4.0	20	1	1	2	4	10	13	21
50-64	924	4.5	22	1	1	2	6	11	14	20
65+	490	5.4	36	1	1	2	9	14	17	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	534	5.1	21	1	1	4	6	10	13	23
20-34	1916	5.3	29	1	2	4	6	10	14	28
35-49	3501	5.9	29	1	2	5	7	11	15	27
50-64	6268	7.1	37	2	2	6	9	13	18	32
65+	10242	8.4	49	2	3	7	10	16	21	35
B. *Operated*										
0-19 YRS	348	7.0	80	1	1	3	8	17	24	43
20-34	653	8.4	76	1	2	6	11	18	24	46
35-49	1862	7.8	71	1	2	5	10	17	23	46
50-64	4583	8.8	88	1	2	6	12	19	26	49
65+	5098	11.4	120	1	2	9	15	24	32	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3211	4.3	12	1	1	3	5	8	11	17
B. *Operated*	2465	4.4	23	1	1	2	6	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	22461	7.3	41	2	2	6	9	14	19	33
B. *Operated*	12544	9.7	100	1	2	7	13	21	28	52
1. SINGLE DX	5676	4.4	16	1	1	3	5	9	12	20
2. MULTIPLE DX	35005	8.2	64	2	2	6	10	17	22	41
A. NOT OPERATED	25672	6.9	39	1	2	5	9	13	18	31
B. OPERATED	15009	8.8	91	1	2	6	12	20	26	48
TOTAL 0-19 YRS	1341	5.1	34	1	1	3	6	11	15	30
20-34	3696	5.4	34	1	1	4	7	11	15	29
35-49	6913	6.0	39	1	2	4	7	12	17	31
50-64	12488	7.4	55	1	2	5	10	15	21	37
65+	16243	9.2	72	2	2	7	12	19	24	44
GRAND TOTAL	**40681**	**7.6**	**59**	**1**	**2**	**5**	**10**	**16**	**21**	**39**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	4.5	10	<1	<1	4	5	10	10	10
50-64	14	4.8	30	2	2	3	5	11	20	22
65+	46	4.1	7	1	1	4	6	8	8	11
B. *Operated*										
0-19 YRS										
20-34										
35-49	12	3.0	5	1	1	2	4	6	9	9
50-64	25	3.6	8	2	2	2	4	8	10	12
65+	11	5.2	34	1	1	3	5	16	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	5	2.8	1	2	2	3	3	4	4	4
35-49	131	5.0	20	1	1	4	6	9	12	27
50-64	672	6.0	31	2	2	5	7	11	14	25
65+	2206	7.5	49	2	2	6	9	14	20	41
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	4	5.8	25	1	1	5	10	11	11	11
35-49	152	5.5	34	1	2	3	8	12	16	31
50-64	453	6.2	44	1	2	4	9	14	18	30
65+	523	9.8	96	2	2	8	13	20	27	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	4.3	11	1	1	3	6	8	10	20
B. *Operated*	48	3.8	13	1	2	2	4	9	12	19
2. MULTIPLE DX										
A. *Not Operated*	3017	7.0	44	2	2	5	8	13	18	34
B. *Operated*	1134	7.8	70	1	2	5	10	17	22	46
1. SINGLE DX	114	4.1	12	1	2	3	5	8	10	20
2. MULTIPLE DX	4151	7.2	51	2	2	5	9	14	19	40
A. NOT OPERATED	3083	7.0	44	2	2	5	8	13	18	34
B. OPERATED	1182	7.6	68	1	2	5	10	16	22	46
TOTAL 0-19 YRS	5	3.6	6	1	1	5	5	6	6	6
20-34	9	4.1	12	1	1	3	5	10	11	11
35-49	301	5.2	26	1	2	3	6	11	14	29
50-64	1164	6.0	36	1	2	4	8	12	16	28
65+	2786	7.9	58	2	2	6	9	15	21	46
GRAND TOTAL	**4265**	**7.2**	**51**	**2**	**2**	**5**	**9**	**14**	**19**	**39**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	8.5	113	1	1	8	16	16	16	16
20-34	21	5.5	87	<1	<1	2	4	17	28	40
35-49	29	4.6	32	<1	<1	2	5	13	17	23
50-64	27	8.4	71	<1	1	5	14	21	27	30
65+	24	10.4	110	<1	1	7	15	26	35	35
B. *Operated*										
0-19 YRS	12	12.4	57	2	4	11	15	23	30	31
20-34	87	15.9	117	2	3	15	21	29	36	58
35-49	166	16.7	143	2	5	14	21	29	38	61
50-64	123	18.6	161	2	3	17	24	35	42	66
65+	33	21.1	402	1	2	18	24	39	80	90
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	6.8	21	1	1	7	10	12	15	17
20-34	32	10.3	265	<1	1	5	11	24	39	85
35-49	43	11.7	290	<1	1	5	15	27	52	83
50-64	80	11.0	103	<1	1	9	17	27	36	99+
65+	188	15.9	153	2	4	14	23	31	46	99+
B. *Operated*										
0-19 YRS	12	21.9	194	5	8	20	26	46	51	52
20-34	103	23.8	395	3	5	17	29	60	71	98
35-49	241	23.7	274	5	7	20	32	55	73	99+
50-64	349	26.6	301	6	9	23	34	55	77	99+
65+	231	29.5	329	8	10	26	39	61	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	103	7.2	75	<1	1	3	11	20	25	37
B. *Operated*	421	17.3	162	2	4	16	22	31	40	66
2. MULTIPLE DX										
A. *Not Operated*	359	13.4	168	1	2	10	19	29	44	99+
B. *Operated*	936	26.2	314	5	9	22	34	58	73	99+
1. SINGLE DX	524	15.3	161	1	2	14	21	28	37	66
2. MULTIPLE DX	1295	22.7	306	2	4	19	31	53	69	99+
A. NOT OPERATED	462	12.0	154	1	1	8	18	28	39	97
B. OPERATED	1357	23.5	283	4	7	20	31	51	66	99+
TOTAL 0-19 YRS	42	12.8	117	1	2	10	16	25	36	52
20-34	243	17.6	287	1	2	14	23	39	61	86
35-49	479	19.1	245	1	3	16	25	40	62	99+
50-64	579	21.9	273	2	4	19	29	48	64	99+
65+	476	22.6	301	3	4	19	31	50	67	99+
GRAND TOTAL	**1819**	**20.5**	**275**	**2**	**3**	**17**	**27**	**46**	**63**	**99+**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	19.8	225	4	4	23	54	99+	99+	99+
20-34	1	98.0		98	98	98	98	98	98	98
35-49	6	55.7	598	33	33	46	76	93	95	95
50-64	6	14.2	148	3	3	10	22	34	35	35
65+	17	26.5	493	4	7	25	39	95	99+	99+
B. *Operated*										
0-19 YRS	5	48.4	665	23	23	38	75	78	78	78
20-34	13	36.5	332	19	19	28	47	66	74	76
35-49	25	41.2	716	7	11	39	71	99	99+	99+
50-64	47	35.8	413	9	13	34	50	79	99+	99+
65+	35	42.3	532	16	17	40	56	84	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	34	30.8	696	4	5	25	46	97	99+	99+
B. *Operated*	125	39.3	503	9	17	36	58	85	99	99+
1. SINGLE DX										
2. MULTIPLE DX	159	37.5	553	7	11	35	56	87	99+	99+
A. NOT OPERATED	34	30.8	696	4	5	25	46	97	99+	99+
B. OPERATED	125	39.3	503	9	17	36	58	85	99	99+
TOTAL 0-19 YRS	9	35.7	645	4	8	33	74	89	99+	99+
20-34	14	40.9	577	19	19	33	51	78	94	98
35-49	31	44.0	706	8	16	44	72	96	99+	99+
50-64	53	33.3	427	6	9	31	45	73	96	99+
65+	52	37.2	565	7	10	34	55	87	97	99+
GRAND TOTAL	**159**	**37.5**	**553**	**7**	**11**	**35**	**56**	**87**	**99+**	**99+**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	6.3	45	<1	<1	3	11	18	19	19
20-34	13	6.5	26	1	2	5	8	16	17	17
35-49	13	8.5	119	<1	<1	6	11	23	35	38
50-64	67	9.7	148	1	1	6	10	29	33	96
65+	182	9.8	59	1	2	8	14	20	25	39
B. *Operated*										
0-19 YRS	40	8.8	31	3	3	8	11	17	19	29
20-34	59	8.5	70	1	2	7	11	15	20	54
35-49	65	9.1	38	2	2	8	12	18	24	26
50-64	127	12.7	102	3	4	9	15	25	39	49
65+	232	12.0	82	3	4	9	14	24	31	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	7.0	45	<1	1	6	8	14	25	30
20-34	37	10.2	121	1	2	6	12	32	42	99+
35-49	134	12.1	159	1	2	8	15	24	37	69
50-64	446	13.6	172	2	3	10	18	28	37	87
65+	1826	14.3	146	3	4	11	18	29	38	74
B. *Operated*										
0-19 YRS	78	13.6	114	2	3	11	19	25	37	87
20-34	103	16.8	204	2	4	13	21	36	59	99+
35-49	190	22.2	453	5	7	14	27	52	86	99+
50-64	448	20.8	304	4	6	16	29	54	75	99+
65+	1161	21.3	272	5	7	16	28	47	65	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	9.3	80	1	1	7	13	20	28	61
B. *Operated*	523	11.1	78	3	3	9	14	22	29	47
2. MULTIPLE DX										
A. *Not Operated*	2495	13.8	150	2	3	10	18	29	38	75
B. *Operated*	1980	20.8	290	4	6	16	27	47	69	99+
1. SINGLE DX	818	10.5	79	1	2	8	13	21	28	47
2. MULTIPLE DX	4475	16.9	224	3	4	13	22	37	52	99+
A. NOT OPERATED	2790	13.4	144	2	3	10	17	28	37	75
B. OPERATED	2503	18.7	261	3	5	14	24	43	61	99+
TOTAL 0-19 YRS	190	10.0	79	1	1	8	14	22	27	54
20-34	212	12.7	157	2	2	9	16	31	46	99+
35-49	402	16.3	309	2	3	11	19	39	58	96
50-64	1088	16.2	231	2	3	12	21	38	57	99+
65+	3401	16.3	194	3	4	12	21	34	47	94
GRAND TOTAL	**5293**	**15.9**	**207**	**2**	**4**	**12**	**20**	**34**	**48**	**99+**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	13.3	65	5	5	12	19	24	24	24
20-34	7	21.4	132	6	7	22	29	37	39	39
35-49	37	16.1	319	1	3	9	18	45	63	69
50-64	158	20.8	316	4	6	15	26	41	74	98
65+	745	19.8	242	4	6	15	26	40	60	90
B. *Operated*										
0-19 YRS	10	20.0	161	2	3	22	26	38	39	39
20-34	21	28.5	342	9	10	24	46	61	84	99+
35-49	52	28.7	549	6	8	16	46	77	94	99+
50-64	87	30.7	465	7	9	26	50	77	99+	99+
65+	306	29.1	389	8	10	24	43	66	91	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	951	19.8	256	4	6	15	26	40	62	90
B. *Operated*	476	29.1	413	7	9	24	45	69	97	99+
1. SINGLE DX										
2. MULTIPLE DX	1427	22.9	327	5	7	17	30	53	71	99+
A. NOT OPERATED	951	19.8	256	4	6	15	26	40	62	90
B. OPERATED	476	29.1	413	7	9	24	45	69	97	99+
TOTAL 0-19 YRS	14	18.1	137	2	4	18	24	37	39	39
20-34	28	26.8	292	7	9	22	39	55	75	99+
35-49	89	23.4	488	3	4	14	37	62	82	99+
50-64	245	24.3	390	5	7	19	34	61	80	99+
65+	1051	22.5	302	5	7	17	29	51	66	99+
GRAND TOTAL	**1427**	**22.9**	**327**	**5**	**7**	**17**	**30**	**53**	**71**	**99+**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	5	4.8	5	1	1	6	6	6	6	6
35-49	18	6.9	106	1	2	3	9	11	32	46
50-64	98	4.4	32	<1	1	3	5	9	12	35
65+	161	4.3	15	1	1	3	5	10	12	22
B. *Operated*										
0-19 YRS	7	6.7	28	<1	<1	6	10	15	16	16
20-34	24	6.1	19	1	1	5	8	13	15	16
35-49	208	5.3	24	1	1	4	7	10	12	28
50-64	1941	5.4	15	1	2	5	7	10	12	19
65+	3192	5.3	15	1	1	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	10.0	61	5	5	6	16	19	19	19
20-34	8	9.0	47	3	3	8	17	69	99+	99+
35-49	85	6.2	23	1	1	5	8	13	18	72
50-64	598	5.5	24	1	1	4	7	11	14	25
65+	2181	6.9	49	1	2	5	8	13	16	37
B. *Operated*										
0-19 YRS	19	8.4	56	1	1	5	14	21	24	25
20-34	38	10.4	121	1	2	7	12	29	40	44
35-49	611	7.5	59	1	2	6	9	13	19	34
50-64	6695	7.6	41	2	2	6	9	14	18	33
65+	15236	8.1	49	2	2	6	10	15	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	284	4.6	26	1	1	3	5	10	12	23
B. *Operated*	5372	5.3	16	1	2	5	7	10	12	19
2. MULTIPLE DX										
A. *Not Operated*	2875	6.6	43	1	2	5	8	13	16	34
B. *Operated*	22599	8.0	47	2	2	6	10	15	20	35
1. SINGLE DX	5656	5.3	16	1	2	5	7	10	12	19
2. MULTIPLE DX	25474	7.8	47	2	2	6	10	15	19	35
A. NOT OPERATED	3159	6.4	42	1	2	5	8	12	16	34
B. OPERATED	27971	7.5	42	2	2	6	9	14	19	33
TOTAL 0-19 YRS	31	8.0	46	1	1	6	11	18	23	25
20-34	75	8.5	75	1	2	6	11	16	32	85
35-49	922	6.9	50	1	2	5	9	12	18	34
50-64	9332	7.0	35	2	2	6	9	13	17	29
65+	20770	7.5	45	2	2	6	9	14	19	34
GRAND TOTAL	**31130**	**7.3**	**42**	**1**	**2**	**6**	**9**	**14**	**18**	**33**

157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	3	14.7	100	5	5	14	22	25	25	25
35-49	8	9.3	89	<1	<1	4	19	22	23	23
50-64	55	11.0	89	2	3	8	14	22	29	51
65+	196	13.6	161	3	4	9	15	34	43	85
B. *Operated*										
0-19 YRS	5	13.6	127	2	2	10	19	32	32	32
20-34	9	18.0	171	4	5	28	35	99+	99+	99+
35-49	38	10.3	78	1	1	7	16	21	31	35
50-64	340	12.5	163	2	3	9	15	27	38	90
65+	714	13.3	149	2	3	10	17	27	39	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	263	13.0	143	2	3	9	15	29	40	70
B. *Operated*	1106	13.0	151	2	3	10	16	28	39	88
1. SINGLE DX										
2. MULTIPLE DX	1369	13.0	150	2	3	9	16	28	39	86
A. NOT OPERATED	263	13.0	143	2	3	9	15	29	40	70
B. OPERATED	1106	13.0	151	2	3	10	16	28	39	88
TOTAL 0-19 YRS	6	14.0	103	2	3	12	16	30	32	32
20-34	12	17.2	145	4	5	19	31	99+	99+	99+
35-49	46	10.1	78	1	1	7	17	22	30	35
50-64	395	12.3	153	2	3	9	15	27	36	87
65+	910	13.4	152	2	3	10	17	29	41	83
GRAND TOTAL	**1369**	**13.0**	**150**	**2**	**3**	**9**	**16**	**28**	**39**	**86**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	6.9	108	<1	1	4	6	19	36	39
20-34	24	6.1	26	1	2	4	8	12	19	21
35-49	94	7.0	53	1	2	6	8	11	16	45
50-64	334	7.5	46	2	2	6	9	14	20	33
65+	1046	9.6	83	2	3	7	11	18	26	53
B. *Operated*										
0-19 YRS	5	10.8	37	5	5	9	13	21	21	21
20-34	35	6.5	29	1	2	5	8	14	16	26
35-49	68	5.7	14	1	2	5	7	11	13	17
50-64	146	8.2	104	1	2	5	9	18	27	57
65+	155	8.3	57	2	2	6	10	17	24	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	40	8.1	46	1	2	7	10	16	27	99+
20-34	105	8.7	46	2	3	8	11	15	19	41
35-49	517	8.9	58	2	3	7	11	16	23	44
50-64	3336	10.7	92	2	3	8	13	21	29	57
65+	16599	12.0	107	3	4	9	14	23	32	69
B. *Operated*										
0-19 YRS	22	10.8	76	1	2	8	15	27	30	33
20-34	66	10.7	115	1	2	9	14	21	32	96
35-49	318	12.0	151	2	3	9	14	26	36	88
50-64	1272	13.2	180	2	3	9	16	27	46	84
65+	3141	16.5	231	3	4	12	21	38	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1510	8.9	73	2	3	7	11	17	24	47
B. *Operated*	409	7.7	65	1	2	6	9	15	21	39
2. MULTIPLE DX										
A. *Not Operated*	20597	11.7	104	3	4	9	14	23	31	66
B. *Operated*	4819	15.2	213	3	4	11	19	34	53	99+
1. SINGLE DX	1919	8.6	71	2	2	6	10	16	24	46
2. MULTIPLE DX	25416	12.3	126	3	4	9	15	25	35	78
A. NOT OPERATED	22107	11.5	102	3	4	9	14	22	31	65
B. OPERATED	5228	14.6	205	2	3	10	18	33	51	99+
TOTAL 0-19 YRS	79	8.8	63	1	2	7	10	18	30	82
20-34	230	8.7	63	2	2	7	11	17	21	54
35-49	997	9.5	87	2	2	7	11	20	27	66
50-64	5088	11.0	113	2	3	8	13	22	31	68
65+	20941	12.5	127	3	4	9	15	25	36	79
GRAND TOTAL	**27335**	**12.1**	**123**	**3**	**3**	**9**	**15**	**24**	**34**	**76**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	11.1	68	3	3	8	15	23	29	33
20-34	30	15.8	278	3	3	10	21	38	61	71
35-49	157	13.4	157	2	4	10	16	26	45	67
50-64	1306	15.2	174	3	5	11	19	33	44	85
65+	7207	15.5	161	4	5	12	19	31	43	88
B. *Operated*										
0-19 YRS	10	9.9	39	3	4	9	13	55	96	99+
20-34	32	20.1	290	6	7	15	23	45	63	76
35-49	100	20.3	330	3	5	14	29	48	70	88
50-64	388	20.9	354	4	5	14	29	55	83	99+
65+	1201	22.1	313	5	7	17	30	54	79	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8720	15.4	163	4	5	12	19	31	43	86
B. *Operated*	1731	21.6	322	4	6	16	30	54	78	99+
1. SINGLE DX										
2. MULTIPLE DX	10451	16.4	195	4	5	12	20	35	49	99+
A. NOT OPERATED	8720	15.4	163	4	5	12	19	31	43	86
B. OPERATED	1731	21.6	322	4	6	16	30	54	78	99+
TOTAL 0-19 YRS	30	10.7	57	3	3	9	14	25	33	99+
20-34	62	18.0	284	3	4	12	21	42	63	75
35-49	257	16.1	234	3	4	11	18	38	54	75
50-64	1694	16.5	220	4	5	12	21	37	52	99+
65+	8408	16.4	188	4	5	12	20	34	48	99+
GRAND TOTAL	**10451**	**16.4**	**195**	**4**	**5**	**12**	**20**	**35**	**49**	**99+**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	3.8	23	1	1	2	3	11	17	17
20-34	87	3.1	6	1	1	2	4	5	9	13
35-49	307	3.4	5	1	1	3	4	6	8	11
50-64	1066	3.6	8	1	1	3	5	7	8	12
65+	2728	4.2	19	1	1	3	5	8	10	19
B. *Operated*										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	35	4.1	16	1	1	3	6	7	9	23
35-49	173	4.1	10	1	1	3	5	8	10	17
50-64	594	4.1	9	1	1	3	6	8	10	14
65+	661	4.3	15	1	1	3	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.7	34	1	1	4	7	11	14	37
20-34	211	4.1	13	1	1	3	5	8	10	18
35-49	1145	4.8	13	1	2	4	6	9	11	18
50-64	6283	5.2	19	1	2	4	6	9	12	20
65+	32946	6.4	37	2	2	5	8	12	16	32
B. *Operated*										
0-19 YRS	15	6.1	14	1	2	6	9	11	13	13
20-34	64	4.8	10	1	2	4	7	9	11	15
35-49	555	6.1	25	1	2	5	8	12	15	23
50-64	2957	6.8	33	2	2	5	9	13	17	28
65+	6874	8.8	73	2	2	7	11	17	23	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4198	4.0	15	1	1	3	5	7	9	17
B. *Operated*	1465	4.2	12	1	1	3	6	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	40656	6.2	33	2	2	5	7	11	15	29
B. *Operated*	10465	8.0	60	2	2	6	10	16	21	42
1. SINGLE DX	5663	4.0	14	1	1	3	5	8	9	17
2. MULTIPLE DX	51121	6.6	39	2	2	5	8	12	16	33
A. NOT OPERATED	44854	6.0	32	1	2	5	7	11	14	28
B. OPERATED	11930	7.6	55	2	2	6	9	15	20	39
TOTAL 0-19 YRS	98	5.6	29	1	1	4	7	11	14	33
20-34	397	4.0	12	1	1	3	5	8	10	15
35-49	2180	4.9	16	1	2	4	6	9	12	18
50-64	10900	5.4	22	1	2	4	7	10	13	23
65+	43209	6.6	42	2	2	5	8	12	17	35
GRAND TOTAL	**56784**	**6.3**	**37**	**1**	**2**	**5**	**8**	**12**	**16**	**31**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.7	48	1	2	6	9	14	24	32
20-34	29	5.6	15	1	1	4	9	12	12	14
35-49	109	7.0	69	1	1	5	8	13	20	51
50-64	530	7.9	69	1	2	6	9	16	20	41
65+	1939	9.2	67	2	3	7	11	18	25	46
B. *Operated*										
0-19 YRS	9	6.2	31	1	1	4	9	16	17	17
20-34	12	6.3	10	3	3	5	9	11	12	12
35-49	37	8.3	54	1	2	6	13	18	24	28
50-64	125	8.7	66	1	2	6	11	17	24	44
65+	169	10.4	155	2	2	7	11	22	40	85
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	8.1	31	1	2	7	11	17	19	23
20-34	81	6.4	28	1	2	5	9	13	15	28
35-49	578	9.4	74	2	3	7	11	17	24	54
50-64	3823	10.6	107	2	3	8	13	21	30	68
65+	21661	11.8	112	3	4	9	14	23	32	71
B. *Operated*										
0-19 YRS	12	12.3	182	1	2	9	19	54	91	99+
20-34	53	11.6	111	2	3	8	15	29	34	51
35-49	193	10.1	68	2	3	8	12	21	25	85
50-64	1134	13.4	175	2	3	9	16	30	46	99+
65+	3162	17.6	251	3	5	13	23	41	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2626	8.8	68	2	2	7	11	17	24	45
B. *Operated*	352	9.3	106	1	2	6	11	20	28	54
2. MULTIPLE DX										
A. *Not Operated*	26196	11.6	110	3	3	9	14	22	32	70
B. *Operated*	4554	16.2	228	3	4	12	21	37	55	99+
1. SINGLE DX	2978	8.9	72	2	2	7	11	17	24	47
2. MULTIPLE DX	30750	12.2	131	3	3	9	15	24	36	80
A. NOT OPERATED	28822	11.3	107	2	3	8	14	22	31	67
B. OPERATED	4906	15.7	222	3	4	11	20	36	54	99+
TOTAL 0-19 YRS	93	8.3	54	1	2	7	11	17	22	74
20-34	175	7.8	56	1	2	5	10	15	24	36
35-49	917	9.2	72	2	2	7	11	18	24	54
50-64	5612	10.9	119	2	3	8	13	22	32	72
65+	26931	12.3	130	3	4	9	15	24	36	79
GRAND TOTAL	**33728**	**11.9**	**126**	**2**	**3**	**9**	**14**	**24**	**35**	**77**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	26	11.8	242	1	2	7	11	25	50	71
20-34	26	12.6	208	3	3	9	15	23	35	77
35-49	233	12.2	149	2	3	9	15	25	32	93
50-64	1542	14.5	183	3	4	10	18	31	43	78
65+	8323	15.0	158	3	5	12	19	31	44	99+
B. *Operated*										
0-19 YRS	9	17.3	417	2	3	7	27	52	62	62
20-34	15	12.9	77	4	5	12	16	37	82	99+
35-49	78	17.2	193	3	5	13	25	41	61	99+
50-64	353	19.3	305	4	5	14	27	51	83	99+
65+	1151	22.0	299	5	7	17	30	53	73	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	10150	14.8	162	3	4	11	19	31	43	97
B. *Operated*	1606	21.1	296	5	6	16	29	52	74	99+
1. SINGLE DX										
2. MULTIPLE DX	11756	15.7	185	3	5	12	20	34	48	99+
A. NOT OPERATED	10150	14.8	162	3	4	11	19	31	43	97
B. OPERATED	1606	21.1	296	5	6	16	29	52	74	99+
TOTAL 0-19 YRS	35	13.2	282	1	2	7	14	38	58	71
20-34	41	12.7	157	3	4	10	15	23	54	99+
35-49	311	13.4	164	2	3	10	17	29	42	99+
50-64	1895	15.4	209	3	4	11	19	35	50	99+
65+	9474	15.8	180	3	5	12	20	33	48	99+
GRAND TOTAL	**11756**	**15.7**	**185**	**3**	**5**	**12**	**20**	**34**	**48**	**99+**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.6	1	1	1	3	3	4	5	5
20-34	54	4.0	7	1	1	3	5	8	9	11
35-49	191	3.8	7	1	1	3	5	7	9	15
50-64	304	4.2	10	1	1	3	5	8	10	17
65+	593	5.0	26	1	2	4	6	10	13	27
B. *Operated*										
0-19 YRS	10	5.7	32	2	2	2	11	15	15	15
20-34	45	7.8	52	1	1	6	12	17	18	36
35-49	121	8.2	72	1	2	6	11	19	24	77
50-64	216	6.1	39	1	1	4	9	14	19	30
65+	238	4.8	25	1	1	3	6	10	14	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	5.9	29	1	1	4	8	12	22	25
20-34	219	5.0	19	1	1	4	6	9	13	29
35-49	913	5.5	26	1	2	4	7	10	12	31
50-64	2419	6.7	42	2	2	5	8	12	17	38
65+	10310	8.3	69	2	3	6	10	16	23	60
B. *Operated*										
0-19 YRS	26	9.8	114	1	2	5	15	27	30	42
20-34	126	11.8	109	2	2	9	16	27	32	49
35-49	339	12.8	220	2	2	8	15	29	46	85
50-64	982	10.5	131	2	2	7	13	23	34	67
65+	2148	11.1	135	2	2	8	14	24	36	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1156	4.5	18	1	1	3	6	9	11	22
B. *Operated*	630	6.1	42	1	1	4	9	14	19	31
2. MULTIPLE DX										
A. *Not Operated*	13932	7.8	61	2	2	6	9	15	21	51
B. *Operated*	3621	11.1	141	2	2	8	14	24	36	94
1. SINGLE DX	1786	5.1	27	1	1	3	6	11	14	26
2. MULTIPLE DX	17553	8.5	80	2	2	6	10	17	25	61
A. NOT OPERATED	15088	7.5	59	2	2	6	9	14	21	50
B. OPERATED	4251	10.4	130	1	2	7	13	23	33	85
TOTAL 0-19 YRS	121	6.3	48	1	1	4	8	15	24	32
20-34	444	7.1	56	1	1	5	9	16	20	38
35-49	1564	7.1	79	1	2	5	8	14	21	53
50-64	3921	7.4	65	1	2	5	9	15	21	44
65+	13289	8.6	79	2	2	6	10	17	25	67
GRAND TOTAL	**19339**	**8.2**	**76**	**2**	**2**	**6**	**10**	**16**	**24**	**58**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	3.0	4	1	1	3	4	5	5	5
35-49	7	4.0	6	2	2	3	6	8	8	8
50-64	35	3.9	15	1	1	2	5	9	13	19
65+	59	4.2	17	1	1	3	5	9	14	22
B. *Operated*										
0-19 YRS	4	4.3	21	1	1	2	7	11	11	11
20-34	8	9.6	64	1	1	10	15	21	22	22
35-49	110	5.5	25	1	1	4	9	11	12	25
50-64	472	5.2	24	1	1	3	8	12	14	20
65+	499	5.8	38	1	1	3	9	13	15	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	2	<1	<1	4	4	5	5	5
20-34	6	5.8	25	2	2	3	10	14	14	14
35-49	73	4.8	23	1	1	3	5	9	15	27
50-64	364	5.4	22	1	1	4	7	12	15	21
65+	1504	8.0	68	2	2	6	10	16	23	49
B. *Operated*										
0-19 YRS	23	8.8	54	<1	1	6	15	17	24	28
20-34	49	6.0	38	1	1	3	9	14	15	34
35-49	595	9.3	83	1	2	8	12	18	28	48
50-64	3308	10.9	122	1	2	8	13	22	33	63
65+	6923	14.3	179	2	2	11	18	30	42	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	105	4.1	15	1	1	3	5	8	13	20
B. *Operated*	1093	5.5	31	1	1	3	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	1953	7.4	59	1	2	5	9	15	21	40
B. *Operated*	10898	12.9	159	2	2	10	16	28	39	78
1. SINGLE DX	1198	5.4	30	1	1	3	8	12	15	26
2. MULTIPLE DX	12851	12.1	147	1	2	9	15	26	37	75
A. NOT OPERATED	2058	7.2	57	1	2	5	9	14	20	39
B. OPERATED	11991	12.3	152	1	2	9	16	27	37	75
TOTAL 0-19 YRS	34	7.2	44	<1	1	5	11	16	21	28
20-34	66	6.3	39	1	1	4	9	14	19	32
35-49	785	8.3	71	1	2	6	11	17	25	46
50-64	4179	9.7	107	1	2	7	12	20	29	58
65+	8985	12.7	160	1	2	9	16	28	39	80
GRAND TOTAL	**14049**	**11.5**	**141**	**1**	**2**	**9**	**15**	**25**	**35**	**72**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	1	6.0		6	6	6	6	6	6	6
50-64	35	2.7	7	1	1	2	3	6	9	13
65+	100	4.7	20	<1	1	3	6	11	15	20
B. *Operated*										
0-19 YRS										
20-34	4	3.5	14	<1	<1	2	6	9	9	9
35-49	23	7.3	53	1	1	7	10	13	22	34
50-64	380	9.1	23	1	2	9	11	14	17	25
65+	679	10.0	35	1	2	10	13	16	19	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	3.1	6	<1	<1	3	5	7	7	7
35-49	23	4.5	13	<1	<1	4	7	9	12	15
50-64	219	5.5	51	1	1	3	7	11	14	45
65+	1389	7.1	44	1	2	5	9	14	20	39
B. *Operated*										
0-19 YRS	15	9.0	69	1	1	8	12	17	28	32
20-34	27	14.4	115	1	2	12	20	33	35	36
35-49	96	13.6	146	2	2	10	17	29	39	92
50-64	2075	13.3	88	2	5	11	15	23	31	61
65+	6033	15.3	120	2	5	13	18	27	36	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	138	4.2	17	<1	1	3	5	10	14	19
B. *Operated*	1086	9.6	31	1	2	10	12	15	18	26
2. MULTIPLE DX										
A. *Not Operated*	1640	6.8	45	1	1	5	9	14	19	39
B. *Operated*	8246	14.8	113	2	5	12	17	26	35	67
1. SINGLE DX	1224	9.0	32	1	2	9	12	15	18	26
2. MULTIPLE DX	9886	13.4	110	2	3	11	16	25	33	63
A. NOT OPERATED	1778	6.6	43	1	1	5	8	14	19	39
B. OPERATED	9332	14.2	106	2	4	12	17	25	33	65
TOTAL 0-19 YRS	18	7.8	65	1	1	5	12	17	26	32
20-34	39	10.9	109	<1	<1	8	15	29	35	36
35-49	143	11.1	122	1	2	9	14	26	34	85
50-64	2709	12.0	82	2	2	10	14	21	28	52
65+	8201	13.3	110	2	3	11	16	24	33	62
GRAND TOTAL	11110	12.9	104	2	3	11	16	24	32	60

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	2.3	1	1	1	2	3	4	4	4
50-64	14	2.7	4	<1	<1	2	3	6	7	8
65+	8	3.9	20	2	2	2	3	11	15	15
B. *Operated*										
0-19 YRS	24	5.0	29	<1	1	3	5	14	17	22
20-34	46	7.1	78	1	1	4	9	20	24	45
35-49	70	8.1	39	1	2	7	10	17	21	29
50-64	174	7.1	33	1	2	6	10	13	16	25
65+	178	7.4	31	1	2	7	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	31	4	4	5	11	16	16	16
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	4.5	2	3	3	4	5	6	6	6
50-64	36	5.7	73	1	1	3	6	11	14	51
65+	101	6.7	63	1	1	5	8	14	20	50
B. *Operated*										
0-19 YRS	21	11.1	104	2	2	8	15	27	36	38
20-34	56	13.4	174	2	3	9	15	31	47	59
35-49	181	11.6	143	1	2	9	15	23	35	81
50-64	623	11.4	99	2	2	9	14	20	29	50
65+	1123	13.2	135	2	3	10	16	25	34	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30	2.9	8	<1	<1	2	3	5	8	15
B. *Operated*	492	7.2	37	1	2	6	10	14	18	27
2. MULTIPLE DX										
A. *Not Operated*	146	6.4	63	1	1	4	8	13	17	51
B. *Operated*	2004	12.5	126	2	2	10	16	24	33	60
1. SINGLE DX	522	7.0	36	1	1	6	10	14	17	26
2. MULTIPLE DX	2150	12.1	124	2	2	9	15	23	33	59
A. NOT OPERATED	176	5.8	55	1	1	4	7	11	15	49
B. OPERATED	2496	11.5	113	2	2	9	14	22	30	56
TOTAL 0-19 YRS	49	7.8	68	1	2	4	13	16	23	38
20-34	104	10.4	138	1	1	6	13	26	36	57
35-49	262	10.3	114	1	2	8	13	21	27	72
50-64	847	10.1	87	1	2	8	13	19	26	47
65+	1410	12.0	122	2	2	9	15	23	32	57
GRAND TOTAL	2672	11.1	111	1	2	9	14	22	30	55

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	27	7.1	29	1	1	6	9	17	19	20
35-49	46	5.3	16	1	1	4	9	10	13	17
50-64	96	4.5	19	1	1	3	6	10	13	23
65+	124	5.5	16	1	1	4	8	11	13	17
B. *Operated*										
0-19 YRS	14	6.7	23	1	1	6	10	13	15	15
20-34	77	6.4	26	1	1	6	9	12	17	24
35-49	410	6.2	21	1	1	6	9	12	14	20
50-64	1323	7.2	32	1	1	7	10	13	17	27
65+	1235	7.5	42	1	1	7	10	15	18	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	7.1	18	1	2	7	9	14	15	15
20-34	45	7.2	18	1	2	8	10	12	15	18
35-49	122	6.6	20	1	2	6	9	12	15	21
50-64	418	6.6	37	1	1	5	9	13	16	29
65+	1021	8.2	54	1	2	7	11	15	19	42
B. *Operated*										
0-19 YRS	32	6.2	33	1	1	5	8	10	24	26
20-34	178	12.0	193	1	2	8	14	23	43	70
35-49	1194	10.6	103	2	2	9	13	20	27	59
50-64	5709	11.2	95	2	2	9	14	21	28	59
65+	10518	13.4	134	2	2	11	17	26	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	5.3	19	1	1	4	8	11	13	20
B. *Operated*	3059	7.2	34	1	1	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	1619	7.6	46	1	2	6	10	14	18	32
B. *Operated*	17631	12.5	121	2	2	10	15	24	33	67
1. SINGLE DX	3352	7.0	33	1	1	6	10	13	17	26
2. MULTIPLE DX	19250	12.1	117	2	2	10	15	24	32	65
A. NOT OPERATED	1912	7.3	43	1	2	6	10	14	18	31
B. OPERATED	20690	11.7	112	1	2	10	15	23	31	62
TOTAL 0-19 YRS	59	6.5	27	1	1	5	9	13	15	26
20-34	327	9.6	123	1	2	7	11	18	27	63
35-49	1772	9.2	80	1	2	8	11	17	24	49
50-64	7546	10.2	83	1	2	9	13	19	26	53
65+	12898	12.4	123	2	2	10	16	25	33	68
GRAND TOTAL	**22602**	**11.3**	**108**	**1**	**2**	**9**	**14**	**22**	**30**	**60**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	353	5.7	19	1	2	5	8	11	14	19
20-34	92	4.5	13	1	1	3	5	9	12	19
35-49	114	4.6	20	1	1	3	5	9	13	25
50-64	164	3.7	9	<1	1	3	5	7	9	16
65+	195	4.7	41	1	1	3	6	10	13	21
B. *Operated*										
0-19 YRS	76	5.9	43	1	1	3	8	11	17	37
20-34	149	6.1	47	1	1	4	7	14	23	35
35-49	352	4.9	23	1	1	3	7	10	12	24
50-64	870	5.0	26	1	1	3	7	11	14	27
65+	869	5.5	36	1	1	3	7	13	16	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	278	6.2	29	1	2	5	8	14	17	28
20-34	199	6.1	67	<1	1	4	7	11	15	58
35-49	420	5.8	29	<1	1	4	7	12	15	32
50-64	1021	6.0	37	1	1	4	7	12	17	28
65+	2573	7.5	55	1	2	6	9	15	20	39
B. *Operated*										
0-19 YRS	115	8.0	74	1	2	5	10	16	27	43
20-34	286	10.8	128	1	2	7	14	24	35	55
35-49	915	8.9	96	1	2	6	11	20	26	52
50-64	3465	9.9	112	1	2	7	13	20	30	58
65+	6459	12.4	159	2	2	9	16	27	38	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	918	4.9	22	1	1	4	6	10	13	20
B. *Operated*	2316	5.3	31	1	1	3	7	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	4491	6.9	48	1	2	5	9	14	19	34
B. *Operated*	11240	11.2	140	1	2	8	14	24	35	68
1. SINGLE DX	3234	5.2	29	1	1	3	7	11	15	26
2. MULTIPLE DX	15731	10.0	117	1	2	7	13	22	31	62
A. NOT OPERATED	5409	6.5	44	1	2	5	8	13	18	33
B. OPERATED	13556	10.2	126	1	2	7	13	22	32	63
TOTAL 0-19 YRS	822	6.2	33	1	2	5	8	13	17	33
20-34	726	7.7	86	1	1	5	9	17	25	50
35-49	1801	7.1	65	1	1	5	9	16	22	40
50-64	5520	8.2	86	1	2	5	11	17	25	50
65+	10096	10.4	127	1	2	7	13	23	32	67
GRAND TOTAL	**18965**	**9.2**	**105**	**1**	**2**	**6**	**12**	**20**	**29**	**57**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	6.0	17	1	2	5	8	11	13	21
20-34	1192	6.7	13	2	2	6	9	11	13	18
35-49	1688	7.4	18	2	3	7	9	12	14	21
50-64	1684	7.6	15	3	3	7	10	12	15	20
65+	1457	7.7	13	3	4	7	10	12	15	19
B. *Operated*										
0-19 YRS	76	7.1	15	1	2	7	9	13	14	18
20-34	563	6.9	19	1	2	7	10	12	14	22
35-49	692	7.1	20	1	2	7	9	13	15	21
50-64	718	7.6	23	1	2	7	10	13	15	24
65+	539	7.8	18	2	2	8	10	13	14	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	7.4	19	2	2	7	10	14	15	20
20-34	1374	8.3	29	2	3	8	10	14	17	28
35-49	2765	8.6	23	3	4	8	11	15	17	25
50-64	5034	9.0	26	3	4	8	11	15	18	26
65+	8405	9.6	34	3	4	8	11	16	19	33
B. *Operated*										
0-19 YRS	61	10.0	54	2	3	9	12	18	23	43
20-34	792	9.3	45	2	3	8	12	17	21	38
35-49	1474	9.9	58	2	3	8	12	18	25	41
50-64	2519	10.2	54	2	3	9	12	18	23	41
65+	3929	11.5	66	3	4	10	14	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6154	7.4	15	2	3	7	9	12	14	20
B. *Operated*	2588	7.4	20	1	2	7	10	13	15	21
2. MULTIPLE DX										
A. *Not Operated*	17699	9.2	30	3	4	8	11	15	18	28
B. *Operated*	8775	10.6	60	2	3	9	13	19	24	45
1. SINGLE DX	8742	7.4	17	2	3	7	9	12	14	20
2. MULTIPLE DX	26474	9.6	40	3	4	8	12	16	20	35
A. NOT OPERATED	23853	8.7	27	3	4	8	11	14	17	26
B. OPERATED	11363	9.9	53	2	3	9	12	17	22	41
TOTAL 0-19 YRS	391	7.3	24	1	2	7	10	13	16	24
20-34	3921	7.8	27	2	2	7	10	13	16	27
35-49	6619	8.5	30	2	3	8	11	14	18	28
50-64	9955	9.0	32	3	4	8	11	15	18	29
65+	14330	9.8	41	3	4	9	12	16	20	36
GRAND TOTAL	**35216**	**9.1**	**35**	**2**	**3**	**8**	**11**	**15**	**19**	**31**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						
(1)	(2)	(3)	(4)	5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	38	4.9	15	1	1	4	5	11	13	18
35-49	59	6.2	27	1	1	5	8	13	17	24
50-64	105	7.5	34	1	2	6	11	15	19	28
65+	192	10.8	105	1	3	8	13	20	27	61
B. *Operated*										
0-19 YRS	89	2.9	2	1	1	3	4	5	5	7
20-34	2040	3.4	5	1	1	3	4	5	7	11
35-49	3148	3.8	7	1	2	3	4	6	8	14
50-64	2246	4.7	20	1	2	4	5	7	11	23
65+	759	7.8	62	2	2	5	9	19	24	41
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	7.0	19	1	1	7	11	12	12	12
20-34	91	6.2	53	<1	<1	4	7	14	23	37
35-49	303	8.4	45	1	1	7	11	16	21	32
50-64	649	9.7	62	2	3	8	12	18	24	45
65+	2203	11.2	78	3	4	9	14	21	28	46
B. *Operated*										
0-19 YRS	18	6.3	49	1	1	3	10	17	23	26
20-34	612	5.3	32	1	1	4	5	10	16	31
35-49	1495	5.9	37	1	2	4	6	11	17	32
50-64	1898	8.5	89	2	2	5	10	20	27	52
65+	2140	15.5	199	3	3	11	21	35	45	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	396	8.6	70	1	2	7	11	17	21	41
B. *Operated*	8282	4.3	16	1	2	3	5	7	10	23
2. MULTIPLE DX										
A. *Not Operated*	3254	10.5	73	2	3	8	13	20	27	43
B. *Operated*	6163	10.0	126	2	2	5	12	24	34	60
1. SINGLE DX	8678	4.5	20	1	2	3	5	7	11	24
2. MULTIPLE DX	9417	10.2	108	2	2	7	13	22	30	57
A. NOT OPERATED	3650	10.3	73	2	3	8	13	20	26	42
B. OPERATED	14445	6.7	71	1	2	4	6	15	23	46
TOTAL 0-19 YRS	117	3.6	12	1	1	3	4	6	11	21
20-34	2781	3.9	14	1	1	3	4	6	8	21
35-49	5005	4.7	20	1	2	4	5	8	12	25
50-64	4898	6.9	57	2	2	4	7	14	21	41
65+	5294	12.4	133	2	3	9	16	26	36	63
GRAND TOTAL	**18095**	**7.4**	**74**	**1**	**2**	**4**	**8**	**17**	**24**	**45**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.3	2	1	1	2	3	4	5	7
20-34	226	2.5	2	1	1	2	3	4	5	7
35-49	277	2.8	4	<1	1	2	4	6	7	9
50-64	226	2.9	5	<1	<1	2	4	5	7	12
65+	145	3.1	9	<1	<1	2	4	6	8	17
B. *Operated*										
0-19 YRS	68	3.2	3	1	1	3	4	6	6	9
20-34	1305	3.9	3	1	2	4	5	6	7	9
35-49	1750	4.2	4	1	2	4	5	6	8	10
50-64	1076	4.2	4	1	2	4	5	7	8	11
65+	372	4.5	4	1	2	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	3.2	3	1	1	3	4	6	7	8
20-34	393	3.2	5	<1	1	3	4	6	7	11
35-49	732	3.8	8	1	1	3	5	7	9	15
50-64	933	3.9	9	1	1	3	5	7	9	14
65+	1403	4.7	18	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	156	4.1	4	1	2	4	5	6	8	10
20-34	5161	4.4	4	2	2	4	5	7	8	11
35-49	8894	4.7	7	2	2	4	6	7	9	14
50-64	7011	5.1	8	2	2	5	6	8	10	15
65+	3836	6.3	21	2	3	5	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	914	2.8	4	<1	1	2	3	5	7	10
B. *Operated*	4571	4.1	4	1	2	4	5	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	3504	4.1	12	1	1	3	5	8	10	17
B. *Operated*	25058	5.0	9	2	2	4	6	8	10	16
1. SINGLE DX	5485	3.9	4	1	1	4	5	6	8	10
2. MULTIPLE DX	28562	4.9	10	2	2	4	6	8	10	16
A. NOT OPERATED	4418	3.8	11	1	1	3	5	7	9	16
B. OPERATED	29629	4.9	8	2	2	4	6	8	10	15
TOTAL 0-19 YRS	307	3.6	4	1	1	3	5	6	7	9
20-34	7085	4.2	4	1	2	4	5	7	8	11
35-49	11653	4.6	7	1	2	4	5	7	9	13
50-64	9246	4.8	8	1	2	4	6	8	10	15
65+	5756	5.7	20	1	2	5	7	10	13	23
GRAND TOTAL	**34047**	**4.7**	**9**	**1**	**2**	**4**	**6**	**8**	**10**	**15**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	4.2	15	1	1	3	6	9	13	19
20-34	446	6.5	21	1	1	6	9	12	14	20
35-49	483	6.4	16	1	2	6	9	11	13	18
50-64	536	6.6	20	1	1	6	9	12	14	23
65+	659	7.0	31	1	2	6	9	12	14	21
B. *Operated*										
0-19 YRS	532	2.4	5	<1	1	2	3	4	7	13
20-34	1342	3.6	13	<1	1	2	4	9	11	18
35-49	691	5.0	24	1	1	3	8	11	14	24
50-64	527	6.3	21	1	1	5	10	12	14	20
65+	427	7.7	32	1	2	7	11	14	16	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	316	4.3	26	1	1	3	5	9	11	21
20-34	932	6.7	31	1	1	5	9	13	16	29
35-49	1614	6.9	31	1	2	6	9	13	17	26
50-64	3430	7.2	32	1	2	6	9	13	17	26
65+	8585	7.3	33	2	2	6	9	13	17	29
B. *Operated*										
0-19 YRS	308	6.1	76	1	1	3	7	15	21	50
20-34	1610	5.6	41	1	1	3	8	13	17	30
35-49	1484	8.5	58	1	2	7	11	17	23	40
50-64	2368	10.7	85	2	2	9	13	20	27	50
65+	3900	11.8	105	2	3	9	14	22	30	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2269	6.5	23	1	1	6	9	12	14	20
B. *Operated*	3519	4.6	20	1	1	2	7	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	14877	7.1	32	1	2	6	9	13	17	28
B. *Operated*	9670	9.8	87	1	2	8	13	19	26	49
1. SINGLE DX	5788	5.3	22	1	1	4	8	11	13	20
2. MULTIPLE DX	24547	8.2	56	1	2	7	10	16	20	38
A. NOT OPERATED	17146	7.0	31	1	2	6	9	13	16	27
B. OPERATED	13189	8.4	75	1	1	7	11	17	23	45
TOTAL 0-19 YRS	1301	3.9	30	1	1	2	4	9	12	25
20-34	4330	5.3	30	1	1	3	7	12	15	27
35-49	4272	7.1	39	1	1	6	9	14	18	32
50-64	6861	8.3	52	1	2	7	11	16	20	37
65+	13571	8.6	58	2	2	7	11	16	21	40
GRAND TOTAL	**30335**	**7.6**	**51**	**1**	**2**	**6**	**10**	**15**	**19**	**36**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9291	2.5	3	1	1	2	3	4	5	8
20-34	1539	3.1	3	1	1	3	4	5	6	8
35-49	607	3.4	4	1	1	3	4	6	7	10
50-64	282	3.9	6	1	2	3	5	7	8	12
65+	220	4.3	8	1	1	4	5	7	9	16
B. *Operated*										
0-19 YRS	1492	1.8	2	<1	1	2	2	3	4	8
20-34	553	2.3	3	1	1	2	2	4	6	10
35-49	141	3.2	6	1	1	2	4	6	8	12
50-64	72	2.9	5	<1	1	2	3	6	8	11
65+	32	3.5	10	1	1	2	4	10	11	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18390	3.3	5	1	1	3	4	6	7	11
20-34	3995	3.6	5	1	2	3	4	6	8	12
35-49	2279	4.3	7	1	2	4	5	7	9	14
50-64	2354	5.4	15	2	2	4	7	10	12	18
65+	3510	6.6	26	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	1636	3.2	19	1	1	2	3	7	11	23
20-34	622	4.5	26	1	1	3	5	9	13	27
35-49	354	5.9	27	1	1	4	8	12	16	26
50-64	386	7.8	73	1	1	5	10	16	24	54
65+	387	9.6	80	2	2	7	12	19	25	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11939	2.7	4	1	1	2	3	5	6	8
B. *Operated*	2290	2.1	3	<1	1	2	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	30528	3.9	10	1	1	3	5	7	9	15
B. *Operated*	3385	5.0	39	1	1	3	6	11	16	34
1. SINGLE DX	14229	2.6	4	1	1	2	3	5	6	8
2. MULTIPLE DX	33913	4.0	13	1	1	3	5	7	10	17
A. NOT OPERATED	42467	3.6	8	1	1	3	4	6	8	14
B. OPERATED	5675	3.8	27	1	1	2	4	9	13	26
TOTAL 0-19 YRS	30809	3.0	5	1	1	2	4	5	7	11
20-34	6709	3.5	6	1	1	3	4	6	7	12
35-49	3381	4.3	9	1	2	4	5	7	10	16
50-64	3094	5.5	22	1	2	4	7	10	13	22
65+	4149	6.7	31	2	2	5	8	12	16	27
GRAND TOTAL	**48142**	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12512	3.5	5	1	1	3	4	6	7	10
20-34	933	3.8	7	1	2	3	4	6	7	10
35-49	910	4.1	5	2	2	4	5	7	8	12
50-64	799	4.7	7	2	2	4	6	8	9	13
65+	922	5.2	9	2	2	5	6	9	10	16
B. *Operated*										
0-19 YRS	58	3.8	9	<1	1	3	5	8	9	17
20-34	21	4.8	21	1	1	4	5	8	15	23
35-49	37	5.7	19	1	2	4	7	12	15	19
50-64	34	5.9	29	1	1	4	9	12	14	26
65+	31	5.6	40	<1	1	3	8	11	16	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16064	4.2	7	1	2	4	5	7	9	13
20-34	3222	4.7	10	2	2	4	6	8	10	16
35-49	4749	5.4	11	2	2	5	7	9	11	17
50-64	11208	6.6	22	2	3	5	8	12	15	23
65+	24101	7.4	28	2	3	6	9	13	16	27
B. *Operated*										
0-19 YRS	220	8.5	74	2	2	6	10	17	23	46
20-34	215	7.5	34	2	2	6	10	14	20	30
35-49	475	7.7	34	2	2	6	9	15	21	32
50-64	1043	9.9	72	2	3	8	12	19	25	46
65+	1838	12.3	96	3	4	10	16	25	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16076	3.7	6	1	2	3	5	6	7	11
B. *Operated*	181	5.0	22	1	1	3	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	59344	6.1	20	2	2	5	7	11	14	22
B. *Operated*	3791	10.6	80	2	3	8	13	21	28	52
1. SINGLE DX	16257	3.7	6	1	2	3	5	6	7	11
2. MULTIPLE DX	63135	6.3	25	2	2	5	8	11	15	26
A. NOT OPERATED	75420	5.5	18	2	2	5	7	10	13	21
B. OPERATED	3972	10.3	79	2	3	8	13	21	27	50
TOTAL 0-19 YRS	28854	3.9	7	1	2	3	5	7	8	12
20-34	4391	4.6	11	2	2	4	6	8	10	17
35-49	6171	5.4	13	2	2	5	7	9	11	19
50-64	13084	6.7	26	2	3	6	8	12	15	26
65+	26892	7.6	33	2	3	6	9	13	17	31
GRAND TOTAL	**79392**	**5.8**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	6	1.7	1	1	1	2	2	3	3	3
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	1758	1.9	1	1	1	2	2	3	4	5
20-34	3912	2.0	1	1	1	2	2	3	4	5
35-49	1931	1.9	1	1	1	2	2	3	4	4
50-64	874	2.0	1	1	1	2	3	3	4	5
65+	206	2.1	2	1	1	2	3	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.3	1	<1	<1	1	1	2	3	5
20-34	87	1.4		<1	<1	1	2	2	3	4
35-49	66	1.3		<1	<1	1	1	2	3	4
50-64	47	2.2	4	<1	<1	1	3	5	6	9
65+	22	2.7	3	<1	<1	2	4	5	6	6
B. *Operated*										
0-19 YRS	3592	2.0	1	1	1	2	3	3	4	5
20-34	9228	2.1	2	1	1	2	3	3	4	6
35-49	5897	2.2	2	1	1	2	3	4	4	6
50-64	3158	2.4	2	1	1	2	3	4	5	8
65+	970	2.5	3	1	1	2	3	4	5	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	8681	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	275	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	22845	2.2	2	1	1	2	3	3	4	6
1. SINGLE DX	8699	1.9	1	1	1	2	2	3	4	5
2. MULTIPLE DX	23120	2.2	2	1	1	2	3	3	4	6
A. NOT OPERATED	293	1.6	1	<1	<1	1	2	3	4	6
B. OPERATED	31526	2.1	2	1	1	2	3	3	4	6
TOTAL 0-19 YRS	5407	2.0	1	1	1	2	3	3	4	5
20-34	13233	2.1	1	1	1	2	3	3	4	5
35-49	7896	2.1	2	1	1	2	3	3	4	6
50-64	4083	2.3	2	1	1	2	3	4	4	7
65+	1200	2.5	3	1	1	2	3	4	5	10
GRAND TOTAL	**31819**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	96	1.9	1	<1	1	2	2	3	4	5
20-34	170	2.0	1	<1	1	2	2	4	4	6
35-49	229	2.0	1	<1	<1	2	2	4	4	6
50-64	307	2.0	1	<1	1	2	2	4	4	7
65+	167	2.3	2	<1	<1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	2.6	2	1	1	2	4	5	5	5
20-34	12	3.5	3	<1	<1	4	5	6	6	6
35-49	19	2.9	25	<1	<1	1	3	5	15	23
50-64	18	3.7	24	<1	<1	2	5	6	16	22
65+	15	2.3	4	<1	1	1	3	5	7	7
B. *Operated*										
0-19 YRS	268	2.4	2	<1	1	2	3	4	5	8
20-34	603	2.3	3	<1	1	2	3	4	5	8
35-49	839	2.4	2	1	1	2	3	4	5	9
50-64	1028	2.6	3	1	1	2	3	4	5	10
65+	622	2.9	5	1	1	2	4	5	6	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	1.0		<1	<1	1	1	1	1	1
B. *Operated*	969	2.0	1	<1	1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	72	3.0	14	<1	<1	2	4	5	7	23
B. *Operated*	3360	2.5	3	1	1	2	3	4	5	9
1. SINGLE DX	974	2.0	1	<1	1	2	2	4	4	6
2. MULTIPLE DX	3432	2.5	3	1	1	2	3	4	5	9
A. NOT OPERATED	77	2.9	13	<1	<1	2	4	5	6	23
B. OPERATED	4329	2.4	3	1	1	2	3	4	5	9
TOTAL 0-19 YRS	374	2.2	2	<1	1	2	3	4	4	8
20-34	786	2.3	2	<1	1	2	3	4	5	7
35-49	1088	2.3	3	<1	1	2	3	4	5	9
50-64	1353	2.5	3	1	1	2	3	4	5	9
65+	805	2.8	4	1	1	2	3	5	6	9
GRAND TOTAL	**4406**	**2.4**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**9**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	1.7	1	<1	<1	1	2	3	4	6
20-34	59	2.2	1	<1	1	2	3	4	4	6
35-49	15	2.3	1	1	1	2	3	4	5	5
50-64										
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	45793	1.5	1	<1	1	1	2	2	2	3
20-34	10998	1.7	1	1	1	2	2	3	3	4
35-49	1164	1.8	1	1	1	2	2	3	3	6
50-64	199	2.1	2	1	1	2	3	3	4	7
65+	86	1.8	1	1	1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1016	1.6	2	<1	<1	1	1	3	4	7
20-34	163	1.9	2	<1	<1	1	3	4	5	7
35-49	32	2.0	2	<1	<1	2	2	4	5	7
50-64	9	2.8	2	<1	<1	3	4	5	5	5
65+	6	7.2	45	<1	<1	5	12	17	18	18
B. *Operated*										
0-19 YRS	30107	1.5	1	<1	1	1	2	2	3	4
20-34	2798	2.0	2	1	1	2	2	3	4	7
35-49	526	2.5	4	1	1	2	3	4	6	11
50-64	128	2.8	6	1	1	2	4	6	8	12
65+	75	3.4	45	1	1	2	3	6	9	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	1.8	1	<1	<1	1	2	3	4	6
B. *Operated*	58240	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1226	1.7	2	<1	<1	1	2	3	5	7
B. *Operated*	33634	1.6	1	<1	1	1	2	2	3	5
1. SINGLE DX	58512	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	34860	1.6	1	<1	1	1	2	2	3	5
A. NOT OPERATED	1498	1.7	2	<1	<1	1	2	3	5	7
B. OPERATED	91874	1.6	1	<1	1	1	2	2	3	4
TOTAL 0-19 YRS	77112	1.5	1	<1	1	1	2	2	2	4
20-34	14018	1.8	1	1	1	2	2	3	3	5
35-49	1737	2.1	2	1	1	2	2	3	4	8
50-64	336	2.4	3	1	1	2	3	4	6	10
65+	169	2.7	23	1	1	2	2	5	7	17
GRAND TOTAL	**93372**	**1.6**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**4**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1650	2.8	3	<1	1	3	4	5	6	8
20-34	1147	3.1	3	1	1	3	4	5	6	9
35-49	490	3.1	4	1	1	3	4	5	7	10
50-64	211	3.3	7	<1	1	3	4	6	8	13
65+	144	2.9	4	<1	1	2	4	5	6	10
B. *Operated*										
0-19 YRS	1955	2.5	8	<1	1	2	3	4	6	13
20-34	2957	2.3	3	<1	1	2	3	4	5	8
35-49	2493	2.2	3	<1	1	2	3	4	5	9
50-64	2242	2.1	5	<1	1	2	2	4	5	9
65+	1085	2.2	4	<1	1	2	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1860	3.7	6	1	1	3	5	7	8	14
20-34	1220	3.8	5	1	2	3	5	7	8	12
35-49	917	4.2	7	1	1	4	5	8	9	13
50-64	863	4.9	16	1	1	4	6	9	12	20
65+	838	5.2	16	1	2	4	7	10	13	18
B. *Operated*										
0-19 YRS	2426	3.2	19	<1	1	2	3	6	9	21
20-34	3608	2.7	8	1	1	2	3	5	6	13
35-49	3470	2.9	9	1	1	2	3	5	7	15
50-64	3376	3.5	18	1	1	2	4	7	11	21
65+	2422	4.4	37	1	1	2	4	9	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3642	3.0	3	1	1	3	4	5	6	9
B. *Operated*	10732	2.3	4	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	5698	4.2	9	1	1	3	5	8	10	15
B. *Operated*	15302	3.3	17	1	1	2	3	6	9	20
1. SINGLE DX	14374	2.4	4	<1	1	2	3	4	5	10
2. MULTIPLE DX	21000	3.5	15	1	1	2	4	7	10	19
A. NOT OPERATED	9340	3.7	7	1	1	3	5	7	9	14
B. OPERATED	26034	2.8	12	<1	1	2	3	5	8	17
TOTAL 0-19 YRS	7891	3.1	10	<1	1	2	4	6	7	15
20-34	8932	2.7	5	1	1	2	3	5	6	11
35-49	7370	2.8	7	<1	1	2	3	5	7	13
50-64	6692	3.2	14	<1	1	2	4	6	9	18
65+	4489	4.0	25	1	1	2	4	8	13	25
GRAND TOTAL	**35374**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23493	3.9	5	1	2	3	5	7	8	11
20-34	4919	4.7	7	2	2	4	6	8	9	14
35-49	3611	5.2	9	2	2	5	7	9	10	16
50-64	3509	5.8	10	2	3	5	7	10	11	16
65+	5124	6.9	17	2	3	6	8	12	14	21
B. *Operated*										
0-19 YRS	140	5.7	23	1	1	5	8	11	14	22
20-34	147	7.6	32	2	2	6	10	17	19	28
35-49	190	8.4	37	1	2	7	11	16	20	30
50-64	312	8.3	34	1	2	7	11	16	20	27
65+	315	9.4	45	2	2	8	12	17	21	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33689	4.7	12	2	2	4	6	8	11	16
20-34	7447	6.1	19	2	2	5	7	11	14	22
35-49	9012	6.9	22	2	3	6	8	12	15	25
50-64	19646	7.9	30	3	3	7	10	14	17	28
65+	72007	9.7	50	3	4	8	12	17	21	38
B. *Operated*										
0-19 YRS	856	11.9	123	2	3	9	15	24	33	76
20-34	869	14.4	173	3	4	10	18	30	42	85
35-49	1359	14.3	148	3	4	11	17	26	38	74
50-64	3475	14.9	142	3	5	12	18	29	39	74
65+	8995	17.6	179	4	6	14	22	34	47	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40656	4.7	9	2	2	4	6	8	10	15
B. *Operated*	1104	8.2	37	1	2	7	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	141801	7.9	39	2	3	6	10	14	18	31
B. *Operated*	15554	16.2	168	4	5	13	20	32	44	87
1. SINGLE DX	41760	4.8	10	2	2	4	6	8	10	16
2. MULTIPLE DX	157355	8.7	58	2	3	7	11	16	21	41
A. NOT OPERATED	182457	7.2	34	2	2	6	9	13	17	29
B. OPERATED	16658	15.7	163	3	5	12	20	31	42	86
TOTAL 0-19 YRS	58178	4.5	12	1	2	4	5	8	10	16
20-34	13382	6.1	30	2	2	5	7	11	14	29
35-49	14172	7.2	37	2	3	6	9	13	17	31
50-64	26942	8.6	48	3	3	7	10	15	20	37
65+	86441	10.4	68	3	4	8	12	19	24	48
GRAND TOTAL	**199115**	**7.9**	**50**	**2**	**3**	**6**	**10**	**15**	**20**	**37**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	857	2.9	3	1	1	3	4	5	6	9
20-34	700	3.2	3	1	1	3	4	5	6	9
35-49	446	3.5	5	1	1	3	4	6	7	10
50-64	336	4.1	7	2	2	3	5	7	9	15
65+	404	4.6	8	2	2	4	6	8	9	15
B. *Operated*										
0-19 YRS	5	10.2	243	2	2	3	13	38	38	38
20-34	8	2.9	4	1	1	3	4	6	7	7
35-49	1	4.0		4	4	4	4	4	4	4
50-64	6	6.8	21	2	2	6	11	13	13	13
65+	4	9.5	26	3	3	10	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1848	3.3	4	1	1	3	4	5	7	11
20-34	1742	3.5	5	1	1	3	4	6	7	11
35-49	1197	4.4	7	2	2	4	5	8	9	13
50-64	1766	5.0	10	2	2	4	6	9	11	17
65+	4107	6.3	21	2	3	5	8	12	14	23
B. *Operated*										
0-19 YRS	26	7.4	48	1	3	5	8	14	28	29
20-34	53	6.9	41	1	2	5	8	15	20	32
35-49	46	8.9	54	2	3	6	11	18	23	39
50-64	90	9.6	44	2	3	8	13	19	24	32
65+	181	13.7	121	4	5	11	16	27	36	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2743	3.5	5	1	1	3	4	6	7	11
B. *Operated*	24	6.5	61	1	1	4	8	13	21	38
2. MULTIPLE DX										
A. *Not Operated*	10660	4.9	14	1	2	4	6	9	12	19
B. *Operated*	396	10.9	87	2	3	8	13	21	28	48
1. SINGLE DX	2767	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX	11056	5.1	18	1	2	4	6	9	12	21
A. NOT OPERATED	13403	4.6	12	1	2	4	6	8	11	18
B. OPERATED	420	10.6	87	2	3	8	13	21	28	47
TOTAL 0-19 YRS	2736	3.2	5	1	1	3	4	5	7	10
20-34	2503	3.5	5	1	1	3	4	6	7	12
35-49	1690	4.3	9	1	2	4	5	8	9	14
50-64	2198	5.1	12	2	2	4	6	9	12	18
65+	4696	6.5	26	2	2	5	8	12	15	26
GRAND TOTAL	**13823**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2223	3.1	4	1	1	3	4	5	6	9
20-34	337	3.7	5	1	2	3	5	6	7	11
35-49	428	4.2	7	1	2	4	5	7	9	13
50-64	854	5.5	10	2	2	5	7	9	11	19
65+	907	5.9	17	2	2	5	7	10	13	20
B. *Operated*										
0-19 YRS	36	2.7	7	<1	<1	2	3	5	9	14
20-34	44	4.1	19	1	1	3	5	8	10	26
35-49	75	4.3	20	<1	<1	3	5	8	14	24
50-64	127	3.8	11	<1	1	3	5	8	11	16
65+	108	4.5	14	<1	1	3	7	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3303	3.9	7	1	2	3	5	7	8	13
20-34	1061	4.4	9	1	2	4	5	8	10	15
35-49	1741	5.7	21	2	2	5	7	10	13	21
50-64	4864	6.9	30	2	3	6	8	12	16	29
65+	9985	7.7	35	2	3	6	9	14	18	32
B. *Operated*										
0-19 YRS	78	6.7	112	1	2	4	7	12	20	70
20-34	157	6.1	23	1	2	5	8	13	16	24
35-49	390	7.8	63	1	2	6	10	15	23	51
50-64	905	8.6	78	1	2	6	11	17	25	52
65+	1314	10.8	115	2	2	8	13	23	32	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4749	4.2	9	1	2	3	5	7	9	15
B. *Operated*	390	4.0	14	<1	1	3	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	20954	6.6	29	2	2	5	8	12	16	27
B. *Operated*	2844	9.3	93	1	2	7	12	19	28	59
1. SINGLE DX	5139	4.2	10	1	1	3	5	8	9	16
2. MULTIPLE DX	23798	6.9	38	2	2	5	8	13	17	32
A. NOT OPERATED	25703	6.2	26	2	2	5	8	11	15	26
B. OPERATED	3234	8.7	87	1	2	6	11	18	26	53
TOTAL 0-19 YRS	5640	3.6	7	1	1	3	4	6	8	12
20-34	1599	4.4	10	1	2	4	5	8	10	17
35-49	2634	5.7	26	1	2	4	7	10	14	26
50-64	6750	6.9	34	2	2	5	8	12	16	31
65+	12314	7.9	44	2	3	6	10	14	19	36
GRAND TOTAL	**28937**	**6.4**	**34**	**2**	**2**	**5**	**8**	**12**	**16**	**30**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.3	17	<1	<1	3	7	9	9	9
20-34	6	3.2	9	1	1	2	3	8	9	9
35-49	64	4.2	4	1	2	4	5	7	8	9
50-64	322	6.5	17	2	2	5	8	12	15	20
65+	429	6.9	38	2	2	5	8	13	17	27
B. *Operated*										
0-19 YRS	3	8.7	4	7	7	8	10	11	11	11
20-34	16	8.9	28	2	3	8	10	14	22	25
35-49	26	7.7	10	3	3	8	9	12	14	16
50-64	25	8.2	118	1	1	6	10	19	65	99+
65+	13	5.8	22	1	1	4	9	13	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	5.4	24	1	2	4	5	[illegible]	18	18
20-34	29	4.9	7	1	2	4	7	[illegible]	10	11
35-49	275	7.4	55	2	2	5	8	[illegible]	22	41
50-64	2276	8.5	53	2	3	7	10	15	20	38
65+	5168	8.8	53	2	3	7	11	16	22	41
B. *Operated*										
0-19 YRS	16	10.1	38	2	4	9	14	18	22	24
20-34	68	11.1	35	4	5	9	14	21	23	28
35-49	107	15.4	197	3	4	11	21	33	40	92
50-64	320	14.9	206	2	4	10	18	33	47	98
65+	565	16.6	209	3	5	12	20	39	50	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	824	6.5	27	2	2	5	8	12	15	25
B. *Operated*	83	7.8	47	1	2	7	10	12	17	85
2. MULTIPLE DX										
A. *Not Operated*	7757	8.7	53	2	3	7	10	16	21	40
B. *Operated*	1076	15.5	195	3	4	11	19	35	47	99
1. SINGLE DX	907	6.6	29	2	2	5	8	12	15	25
2. MULTIPLE DX	8833	9.5	76	2	3	7	11	18	25	50
A. NOT OPERATED	8581	8.5	51	2	3	7	10	15	21	39
B. OPERATED	1159	15.0	189	3	4	11	18	33	46	99
TOTAL 0-19 YRS	31	8.1	33	1	2	6	11	18	18	24
20-34	119	8.9	34	2	3	8	11	18	22	26
35-49	472	8.8	91	2	2	6	10	19	26	56
50-64	2943	9.0	71	2	3	7	11	17	23	49
65+	6175	9.4	72	2	3	7	11	18	25	48
GRAND TOTAL	**9740**	**9.2**	**72**	**2**	**3**	**7**	**11**	**17**	**24**	**49**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28781	3.2	3	1	1	3	4	5	6	9
20-34	7024	3.8	5	1	2	3	5	7	8	11
35-49	5716	4.5	7	1	2	4	6	8	9	14
50-64	4797	5.0	9	1	2	4	6	9	10	15
65+	2892	5.5	11	2	2	5	7	10	12	17
B. *Operated*										
0-19 YRS	75	4.0	6	<1	1	3	5	8	9	12
20-34	48	5.3	16	1	1	4	7	11	13	19
35-49	60	6.4	22	1	1	5	8	12	17	20
50-64	71	6.9	25	1	2	7	8	12	15	31
65+	38	7.8	21	1	2	7	9	14	16	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20369	3.8	6	1	2	3	5	6	8	12
20-34	6807	4.7	9	1	2	4	6	8	10	15
35-49	8803	5.7	15	2	2	5	7	10	12	20
50-64	14219	6.5	20	2	3	5	8	11	14	22
65+	17117	7.4	29	2	3	6	9	13	16	28
B. *Operated*										
0-19 YRS	273	8.0	81	2	2	6	9	16	20	84
20-34	261	9.0	45	2	3	7	11	17	20	39
35-49	544	9.9	56	2	3	8	12	19	25	43
50-64	899	11.4	87	2	4	9	14	22	28	50
65+	973	13.2	107	3	4	11	16	25	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49210	3.7	6	1	2	3	5	7	8	12
B. *Operated*	292	5.9	19	1	2	5	8	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	67315	5.6	19	2	2	5	7	10	13	21
B. *Operated*	2950	11.2	86	2	3	9	14	21	29	56
1. SINGLE DX	49502	3.7	6	1	2	3	5	7	8	12
2. MULTIPLE DX	70265	5.8	23	2	2	5	7	11	14	24
A. NOT OPERATED	116525	4.8	14	1	2	4	6	9	11	18
B. OPERATED	3242	10.7	82	2	3	9	13	20	28	56
TOTAL 0-19 YRS	49498	3.4	5	1	1	3	4	6	7	11
20-34	14140	4.3	8	1	2	4	5	8	9	14
35-49	15123	5.4	15	2	2	5	7	9	12	19
50-64	19986	6.4	22	2	2	5	8	11	14	24
65+	21020	7.4	32	2	3	6	9	13	17	29
GRAND TOTAL	**119767**	**5.0**	**17**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	60	4.1	9	<1	1	3	5	9	10	12
20-34	70	4.5	9	1	2	4	6	8	9	19
35-49	337	5.3	14	1	2	4	7	9	13	21
50-64	2042	6.3	18	2	2	5	8	11	14	22
65+	2852	6.4	26	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	11	5.0	32	1	1	3	8	14	19	19
20-34	20	7.2	45	<1	1	5	9	17	22	26
35-49	41	7.1	22	2	2	6	10	13	16	20
50-64	121	7.6	112	1	1	4	8	15	25	55
65+	113	6.7	28	1	2	5	9	15	18	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	214	7.3	22	2	2	7	10	13	16	23
20-34	270	6.9	35	1	2	5	9	14	19	28
35-49	1872	6.7	31	2	2	5	8	12	16	27
50-64	13519	7.8	38	2	3	6	10	14	18	32
65+	28871	8.4	47	2	3	7	10	15	20	36
B. *Operated*										
0-19 YRS	56	8.9	44	1	2	8	13	21	24	95
20-34	62	7.8	41	2	2	6	11	15	20	36
35-49	297	9.2	72	2	2	7	11	19	25	38
50-64	1607	12.4	144	2	3	9	15	25	37	91
65+	3118	14.3	167	3	4	11	18	29	44	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5361	6.2	22	2	2	5	8	11	14	23
B. *Operated*	306	7.1	61	1	1	5	9	15	20	47
2. MULTIPLE DX										
A. *Not Operated*	44746	8.1	44	2	3	7	10	15	19	34
B. *Operated*	5140	13.3	154	2	3	10	16	27	40	96
1. SINGLE DX	5667	6.3	24	2	2	5	8	11	14	23
2. MULTIPLE DX	49886	8.7	57	2	3	7	10	16	22	42
A. NOT OPERATED	50107	7.9	42	2	3	6	10	14	19	33
B. OPERATED	5446	12.9	150	2	3	9	16	27	39	94
TOTAL 0-19 YRS	341	6.9	25	1	2	6	10	13	17	26
20-34	422	6.6	33	1	2	5	8	13	18	27
35-49	2547	6.8	34	2	2	5	8	13	17	29
50-64	17289	8.1	48	2	3	6	10	15	20	37
65+	34954	8.8	59	2	3	7	11	16	22	44
GRAND TOTAL	**55553**	**8.4**	**55**	**2**	**3**	**7**	**10**	**16**	**21**	**41**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	188	3.1	6	1	1	2	4	6	7	12
20-34	611	3.2	5	1	1	3	4	6	7	13
35-49	154	3.6	6	1	1	3	5	7	8	13
50-64	50	5.2	25	1	1	4	6	11	15	25
65+	28	5.8	13	1	2	5	9	12	13	13
B. *Operated*										
0-19 YRS	465	6.0	18	2	3	5	7	11	13	22
20-34	2088	5.8	12	2	3	5	7	10	13	18
35-49	653	6.3	17	2	3	5	7	11	15	22
50-64	222	7.0	24	2	3	5	9	14	17	25
65+	131	7.4	28	2	3	6	10	13	17	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	78	3.9	10	1	1	3	5	8	9	19
20-34	233	4.5	16	1	1	3	6	9	13	20
35-49	137	5.0	21	1	1	4	6	10	14	22
50-64	192	7.2	27	1	2	6	9	15	18	26
65+	353	8.2	50	2	3	7	10	14	21	52
B. *Operated*										
0-19 YRS	168	9.9	41	4	4	8	13	19	22	32
20-34	839	9.1	37	3	4	8	11	16	20	34
35-49	562	9.8	64	2	3	7	13	19	26	41
50-64	834	11.6	89	3	4	9	15	24	30	50
65+	1187	12.6	104	3	4	9	16	25	33	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1031	3.4	7	1	1	3	4	6	8	13
B. *Operated*	3559	6.1	15	2	3	5	7	11	14	20
2. MULTIPLE DX										
A. *Not Operated*	993	6.4	33	1	2	5	8	13	16	30
B. *Operated*	3590	11.0	78	3	4	8	14	21	29	44
1. SINGLE DX	4590	5.5	15	1	2	5	7	10	13	20
2. MULTIPLE DX	4583	10.0	72	2	3	7	12	20	27	43
A. NOT OPERATED	2024	4.9	22	1	1	4	6	10	13	23
B. OPERATED	7149	8.5	53	2	3	6	10	17	22	38
TOTAL 0-19 YRS	899	6.0	24	1	2	5	7	12	15	23
20-34	3771	6.0	20	1	2	5	7	11	15	22
35-49	1506	7.2	39	2	2	5	9	15	19	35
50-64	1298	9.9	71	2	3	7	12	20	27	44
65+	1699	11.1	90	3	3	8	14	23	31	50
GRAND TOTAL	**9173**	**7.7**	**48**	**2**	**2**	**6**	**9**	**15**	**21**	**37**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1699	3.1	6	1	1	3	4	5	7	13
20-34	744	3.3	12	1	1	2	4	6	8	16
35-49	679	4.0	11	1	1	3	5	8	10	15
50-64	667	4.4	15	1	1	3	5	9	11	22
65+	859	5.5	19	1	1	4	7	11	14	22
B. *Operated*										
0-19 YRS	254	4.3	26	<1	1	2	5	10	15	23
20-34	361	5.8	38	1	1	4	8	12	16	31
35-49	529	6.8	36	1	1	5	9	15	18	29
50-64	809	6.3	38	1	1	5	8	13	17	27
65+	712	6.9	49	1	1	5	9	15	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3452	4.6	19	1	1	3	5	9	12	22
20-34	1838	5.4	28	1	1	4	7	10	15	29
35-49	2821	5.8	31	1	2	4	7	11	15	28
50-64	6969	6.9	34	1	2	5	9	13	17	29
65+	20345	8.7	50	2	3	7	11	16	21	37
B. *Operated*										
0-19 YRS	761	10.3	169	1	1	5	13	25	40	69
20-34	982	11.2	125	1	2	8	15	26	33	70
35-49	1812	10.5	96	1	2	8	14	22	31	52
50-64	4150	11.6	132	2	2	9	15	25	34	63
65+	7319	13.6	149	2	3	10	18	29	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4648	3.9	12	1	1	3	5	7	10	18
B. *Operated*	2665	6.3	40	1	1	4	8	14	18	30
2. MULTIPLE DX										
A. *Not Operated*	35425	7.5	44	2	2	6	9	15	19	33
B. *Operated*	15024	12.4	139	2	2	9	16	26	36	68
1. SINGLE DX	7313	4.8	24	1	1	3	6	10	14	23
2. MULTIPLE DX	50449	9.0	77	2	2	7	11	18	25	48
A. NOT OPERATED	40073	7.1	41	1	2	5	9	14	18	32
B. OPERATED	17689	11.5	129	1	2	8	15	25	34	63
TOTAL 0-19 YRS	6166	4.9	39	1	1	3	5	10	15	32
20-34	3925	6.5	58	1	1	4	8	15	21	41
35-49	5841	7.2	55	1	2	5	9	15	20	38
50-64	12595	8.3	71	1	2	6	10	17	23	46
65+	29235	9.8	79	2	3	7	12	19	26	50
GRAND TOTAL	**57762**	**8.5**	**72**	**1**	**2**	**6**	**11**	**17**	**24**	**46**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	145	3.0	3	<1	1	3	4	5	6	8
20-34	133	3.4	6	<1	1	3	4	6	8	13
35-49	65	4.2	14	<1	1	3	5	10	13	17
50-64	41	4.1	17	<1	1	3	5	9	14	20
65+	21	4.8	29	<1	1	3	5	12	20	21
B. Operated										
0-19 YRS	5041	2.0	2	<1	<1	2	2	4	4	6
20-34	5133	2.5	3	<1	1	2	3	4	5	8
35-49	2221	2.6	2	<1	1	2	3	4	5	8
50-64	1187	2.5	6	<1	1	2	3	4	5	8
65+	512	2.5	5	1	1	2	3	4	5	11
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	514	3.0	5	<1	<1	2	4	6	7	12
20-34	464	3.3	8	<1	1	2	4	6	9	16
35-49	292	3.8	15	<1	1	3	5	8	10	20
50-64	251	4.3	23	<1	1	3	5	9	12	26
65+	242	4.9	25	<1	1	3	6	10	14	22
B. Operated										
0-19 YRS	4526	2.4	3	<1	<1	2	3	4	5	8
20-34	4777	3.0	8	1	1	2	4	5	6	11
35-49	2973	3.0	7	1	1	2	3	5	7	14
50-64	2995	3.3	17	1	1	2	3	5	8	20
65+	2394	3.3	14	1	1	2	3	6	9	19
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	405	3.5	9	<1	1	3	4	6	9	17
B. Operated	14094	2.3	3	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
A. Not Operated	1763	3.6	13	<1	1	3	5	7	10	19
B. Operated	17665	2.9	9	1	1	2	3	5	7	15
1. SINGLE DX	14499	2.4	3	<1	<1	2	3	4	5	8
2. MULTIPLE DX	19428	3.0	9	<1	1	2	4	5	7	15
A. NOT OPERATED	2168	3.6	12	<1	1	3	5	7	9	18
B. OPERATED	31759	2.7	6	<1	1	2	3	4	6	11
TOTAL 0-19 YRS	10226	2.2	3	<1	<1	2	3	4	5	8
20-34	10507	2.8	6	<1	1	2	3	5	6	10
35-49	5551	2.9	6	1	1	2	3	5	6	12
50-64	4474	3.1	14	1	1	2	3	5	8	18
65+	3169	3.3	14	1	1	2	3	6	9	19
GRAND TOTAL	**33927**	**2.7**	**7**	**<1**	**1**	**2**	**3**	**5**	**6**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	340	3.4	4	1	1	3	4	6	8	10
20-34	152	3.8	4	1	2	4	5	6	8	10
35-49	107	3.9	5	1	1	3	5	7	8	12
50-64	93	4.6	11	1	2	4	6	8	12	18
65+	74	5.0	10	1	2	4	7	9	12	15
B. Operated										
0-19 YRS	540	2.7	4	<1	<1	2	3	5	6	9
20-34	532	2.9	5	<1	1	2	4	5	8	13
35-49	551	2.8	4	<1	1	2	3	5	7	10
50-64	495	2.9	4	<1	1	2	4	5	6	10
65+	393	3.2	7	1	1	2	4	6	8	14
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	669	3.9	5	1	2	3	5	6	8	12
20-34	240	4.4	13	1	1	4	5	8	10	16
35-49	210	4.9	13	1	1	4	6	9	12	18
50-64	354	6.2	23	1	2	5	8	11	15	28
65+	628	7.4	30	2	2	6	9	14	17	28
B. Operated										
0-19 YRS	411	3.5	10	<1	1	3	4	7	9	17
20-34	470	4.2	24	1	1	3	4	8	12	29
35-49	606	4.1	20	1	1	3	4	8	11	21
50-64	802	4.3	14	1	1	3	5	9	11	20
65+	915	5.6	50	1	2	3	6	12	17	35
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	766	3.9	6	1	2	3	5	7	8	13
B. Operated	2511	2.9	5	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. Not Operated	2101	5.5	20	1	2	4	7	10	14	23
B. Operated	3204	4.5	27	1	1	3	5	9	13	26
1. SINGLE DX	3277	3.1	5	<1	1	3	4	6	7	12
2. MULTIPLE DX	5305	4.9	24	1	1	4	6	10	13	24
A. NOT OPERATED	2867	5.1	16	1	2	4	6	9	12	21
B. OPERATED	5715	3.8	18	1	1	3	4	7	10	20
TOTAL 0-19 YRS	1960	3.4	6	<1	1	3	4	6	8	12
20-34	1394	3.7	13	1	1	3	4	7	9	17
35-49	1474	3.7	13	1	1	3	4	7	9	17
50-64	1744	4.3	14	1	1	3	5	9	11	19
65+	2010	5.7	36	1	2	4	7	12	16	30
GRAND TOTAL	**8582**	**4.2**	**18**	**1**	**1**	**3**	**5**	**8**	**11**	**20**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1125	3.0	5	1	1	2	4	6	7	11
20-34	598	3.0	5	<1	1	3	4	5	7	12
35-49	863	2.9	4	<1	1	2	4	6	7	11
50-64	692	3.4	6	1	1	3	4	6	8	11
65+	521	3.9	12	1	1	3	5	7	10	18
B. *Operated*										
0-19 YRS	407	5.5	36	<1	1	3	8	12	15	28
20-34	313	4.8	14	<1	1	4	7	10	12	21
35-49	411	5.2	18	<1	1	4	7	10	13	22
50-64	444	5.1	29	1	1	4	7	10	12	33
65+	531	4.9	20	<1	1	4	7	10	12	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1639	4.2	15	1	1	3	5	8	10	20
20-34	1946	4.2	11	1	1	3	5	8	10	16
35-49	3778	4.2	9	1	1	4	5	8	10	15
50-64	5021	4.6	12	1	2	4	6	8	11	17
65+	7057	5.6	21	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	874	11.4	153	1	1	7	14	28	38	65
20-34	942	6.9	43	1	2	5	8	14	19	32
35-49	1831	7.0	39	1	2	6	9	13	18	34
50-64	3276	7.4	50	1	2	6	9	14	20	39
65+	5789	8.9	86	1	2	6	11	18	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3799	3.2	6	1	1	3	4	6	8	12
B. *Operated*	2106	5.1	24	<1	1	4	7	10	13	25
2. MULTIPLE DX										
A. *Not Operated*	19441	4.8	15	1	2	4	6	9	11	19
B. *Operated*	12712	8.3	73	1	2	6	10	17	23	46
1. SINGLE DX	5905	3.9	13	<1	1	3	5	8	10	19
2. MULTIPLE DX	32153	6.2	41	1	2	4	7	12	17	34
A. NOT OPERATED	23240	4.5	14	1	1	4	6	8	11	18
B. OPERATED	14818	7.8	67	1	2	6	9	16	22	43
TOTAL 0-19 YRS	4045	5.6	54	1	1	3	6	11	18	42
20-34	3799	4.7	20	1	1	4	6	9	12	22
35-49	6883	4.9	19	1	1	4	6	9	12	22
50-64	9433	5.5	27	1	2	4	7	11	14	28
65+	13898	6.9	51	1	2	5	8	13	19	38
GRAND TOTAL	**38058**	**5.8**	**37**	**1**	**1**	**4**	**7**	**11**	**16**	**32**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	75	3.6	6	1	1	3	4	6	9	13
20-34	260	3.9	6	1	1	3	5	7	9	11
35-49	430	4.0	6	1	1	4	5	7	9	12
50-64	294	3.7	4	1	1	3	5	7	8	10
65+	242	4.4	7	<1	2	4	6	8	9	14
B. *Operated*										
0-19 YRS	21	4.5	4	1	2	5	6	7	8	8
20-34	127	6.6	21	<1	2	6	8	13	15	25
35-49	297	6.8	19	<1	2	6	9	11	14	20
50-64	307	6.2	21	<1	1	5	8	11	16	23
65+	225	6.2	31	<1	1	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	4.7	7	1	2	4	6	9	9	13
20-34	575	5.0	13	1	2	4	6	9	11	18
35-49	1121	5.3	12	2	2	5	7	9	12	18
50-64	1543	5.8	15	2	2	5	7	10	13	21
65+	2685	6.7	22	2	2	6	8	12	16	25
B. *Operated*										
0-19 YRS	32	7.7	34	2	3	6	10	14	20	28
20-34	328	7.6	32	2	2	6	9	14	17	28
35-49	994	8.2	53	2	3	7	10	15	19	39
50-64	1614	8.4	41	2	3	7	10	15	19	34
65+	2572	9.1	49	2	3	7	11	17	21	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1301	4.0	6	1	1	3	5	7	9	12
B. *Operated*	977	6.4	23	<1	1	6	8	11	15	24
2. MULTIPLE DX										
A. *Not Operated*	6014	6.0	18	2	2	5	7	11	13	22
B. *Operated*	5540	8.6	46	2	3	7	11	16	20	37
1. SINGLE DX	2278	5.0	14	<1	1	4	7	9	11	18
2. MULTIPLE DX	11554	7.3	33	2	2	6	9	13	17	29
A. NOT OPERATED	7315	5.6	16	2	2	5	7	10	13	21
B. OPERATED	6517	8.3	43	2	3	7	10	15	19	35
TOTAL 0-19 YRS	218	4.7	12	1	2	4	6	9	11	17
20-34	1290	5.6	19	1	2	5	7	10	13	23
35-49	2842	6.3	29	1	2	5	8	12	15	24
50-64	3758	6.8	28	2	2	5	8	13	16	28
65+	5724	7.6	36	2	3	6	9	14	18	30
GRAND TOTAL	**13832**	**6.9**	**31**	**2**	**2**	**6**	**9**	**13**	**17**	**28**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.6	2	2	2	3	5	6	6	6
20-34	152	4.1	5	1	2	4	5	7	8	10
35-49	285	4.4	5	2	2	4	6	8	8	10
50-64	354	4.7	6	2	2	4	6	8	9	13
65+	443	5.5	17	2	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	19	5.9	8	1	2	6	8	9	10	10
20-34	111	6.9	12	3	3	7	9	11	13	20
35-49	234	7.2	13	2	3	7	9	11	14	17
50-64	321	7.4	20	2	3	6	10	12	15	22
65+	347	9.2	36	2	4	8	12	16	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	4.7	10	2	2	4	6	8	10	20
20-34	317	4.6	11	1	2	4	6	8	10	16
35-49	714	5.2	15	2	2	4	6	9	11	17
50-64	1647	5.9	15	2	3	5	7	10	12	18
65+	4286	7.7	34	3	3	6	9	13	17	30
B. *Operated*										
0-19 YRS	27	9.9	128	2	3	7	11	16	26	62
20-34	203	8.2	50	2	3	7	10	14	18	42
35-49	598	10.1	70	3	3	8	12	19	26	43
50-64	1728	10.6	80	3	3	8	13	20	27	52
65+	4544	12.0	98	3	4	9	15	23	31	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1270	4.8	10	2	2	4	6	8	9	13
B. *Operated*	1032	7.9	24	2	3	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	7040	6.8	27	2	3	6	8	12	15	26
B. *Operated*	7100	11.4	90	3	4	9	14	22	29	54
1. SINGLE DX	2302	6.2	18	2	2	5	8	11	13	22
2. MULTIPLE DX	14140	9.1	64	2	3	7	11	17	23	46
A. NOT OPERATED	8310	6.5	25	2	3	5	8	11	14	25
B. OPERATED	8132	11.0	83	3	4	8	13	21	28	53
TOTAL 0-19 YRS	158	5.5	32	2	2	4	6	9	12	22
20-34	783	5.8	23	2	2	4	7	10	13	29
35-49	1831	7.0	36	2	2	5	8	13	17	31
50-64	4050	7.9	48	2	3	6	9	15	20	37
65+	9620	9.7	69	3	3	7	11	18	25	49
GRAND TOTAL	**16442**	**8.7**	**59**	**2**	**3**	**7**	**10**	**16**	**22**	**43**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.3	4	1	1	3	4	6	7	9
20-34	1556	3.4	4	1	1	3	4	6	7	10
35-49	1610	3.8	5	1	1	3	5	7	8	12
50-64	976	3.9	5	1	2	3	5	7	8	12
65+	547	4.3	6	1	2	4	5	7	9	13
B. *Operated*										
0-19 YRS	16	6.4	11	1	2	6	9	11	12	12
20-34	190	8.0	23	3	4	7	9	11	16	32
35-49	355	8.2	23	2	3	8	10	14	18	25
50-64	197	8.0	21	1	2	8	10	14	17	22
65+	83	7.5	29	<1	<1	7	10	15	18	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	395	4.3	10	1	2	4	5	8	9	14
20-34	2281	4.6	9	1	2	4	6	8	10	15
35-49	3515	4.9	10	1	2	4	6	9	11	16
50-64	3866	5.3	12	2	2	4	7	9	11	18
65+	5012	6.4	25	2	2	5	8	11	14	23
B. *Operated*										
0-19 YRS	38	7.6	23	1	2	7	9	15	18	20
20-34	436	8.9	59	2	3	7	11	17	21	40
35-49	993	9.5	55	2	3	8	12	18	21	35
50-64	1149	9.7	66	2	3	8	12	18	23	40
65+	1237	11.2	96	3	4	9	13	21	30	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5078	3.7	5	1	1	3	5	6	8	11
B. *Operated*	841	8.0	23	2	3	8	10	14	17	24
2. MULTIPLE DX										
A. *Not Operated*	15069	5.4	16	2	2	4	7	9	12	19
B. *Operated*	3853	10.0	72	2	3	8	12	18	24	45
1. SINGLE DX	5919	4.3	10	1	1	3	5	8	10	16
2. MULTIPLE DX	18922	6.4	31	2	2	5	8	12	15	28
A. NOT OPERATED	20147	5.0	14	1	2	4	6	9	11	17
B. OPERATED	4694	9.7	64	2	3	8	12	18	23	42
TOTAL 0-19 YRS	838	4.0	9	1	1	3	5	7	9	14
20-34	4463	4.7	16	1	2	4	6	9	11	20
35-49	6473	5.5	21	1	2	4	7	10	13	22
50-64	6188	6.0	25	2	2	5	7	11	14	25
65+	6879	7.1	40	2	2	5	8	13	17	32
GRAND TOTAL	**24841**	**5.9**	**27**	**1**	**2**	**5**	**7**	**11**	**14**	**25**

193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	3.9	5	1	2	4	5	6	8	12
20-34	782	4.0	5	1	2	4	5	7	8	11
35-49	947	4.3	5	2	2	4	5	7	8	12
50-64	1064	4.7	6	2	2	4	6	8	9	13
65+	868	5.4	12	2	3	5	7	9	10	15
B. *Operated*										
0-19 YRS	37	7.5	17	1	2	7	9	13	16	18
20-34	275	8.1	18	4	5	7	9	12	15	23
35-49	411	8.3	14	3	4	8	10	13	15	19
50-64	412	8.7	18	3	4	8	11	14	17	23
65+	305	10.5	48	3	5	9	12	17	22	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	137	4.4	15	2	2	4	5	7	9	17
20-34	907	4.5	7	2	2	4	6	8	9	14
35-49	1716	5.2	11	2	2	5	6	9	10	17
50-64	2939	5.9	13	2	3	5	7	10	12	20
65+	6486	7.6	30	3	3	6	9	13	17	30
B. *Operated*										
0-19 YRS	29	7.0	11	2	3	7	9	10	14	15
20-34	342	9.6	35	3	4	8	11	17	20	32
35-49	735	11.0	74	3	4	9	13	20	25	51
50-64	1518	12.5	105	3	4	10	15	23	31	63
65+	3349	14.8	137	4	5	12	18	28	38	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3769	4.6	7	2	2	4	6	8	9	13
B. *Operated*	1440	8.8	24	3	4	8	10	14	17	25
2. MULTIPLE DX										
A. *Not Operated*	12185	6.6	23	2	3	5	8	11	15	26
B. *Operated*	5973	13.4	118	4	5	10	16	25	34	66
1. SINGLE DX	5209	5.8	15	2	2	5	7	10	12	19
2. MULTIPLE DX	18158	8.8	64	2	3	7	10	17	23	45
A. NOT OPERATED	15954	6.1	20	2	2	5	7	11	14	24
B. OPERATED	7413	12.5	103	4	5	10	15	23	32	62
TOTAL 0-19 YRS	311	4.8	13	2	2	4	6	9	10	16
20-34	2306	5.5	16	2	2	5	7	10	12	20
35-49	3809	6.4	28	2	2	5	8	11	15	26
50-64	5933	7.6	45	2	3	6	9	14	18	35
65+	11008	9.7	74	3	3	7	12	18	25	50
GRAND TOTAL	**23367**	**8.2**	**55**	**2**	**3**	**6**	**10**	**15**	**20**	**41**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	4.3	4	1	2	5	5	7	8	8
20-34	39	4.8	18	1	2	4	5	10	12	25
35-49	57	5.0	11	1	2	4	6	9	11	20
50-64	74	5.0	8	1	2	4	6	9	11	13
65+	80	6.4	10	2	3	6	8	11	12	18
B. *Operated*										
0-19 YRS	6	13.7	102	4	4	10	23	28	29	29
20-34	43	9.7	27	3	4	9	11	19	22	22
35-49	126	10.5	25	4	6	9	12	18	21	26
50-64	141	11.9	42	4	5	10	15	21	23	42
65+	118	12.0	46	4	5	11	15	21	25	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	8.1	21	3	4	6	12	15	17	17
20-34	64	6.1	17	1	2	5	8	12	15	19
35-49	161	7.2	27	2	3	6	10	14	16	29
50-64	244	6.8	15	2	3	6	8	13	14	20
65+	624	8.7	42	2	3	7	10	15	20	34
B. *Operated*										
0-19 YRS	7	17.4	173	4	4	11	27	37	39	39
20-34	86	15.8	191	4	5	11	19	34	46	98
35-49	253	14.7	110	4	6	12	18	29	38	55
50-64	500	16.2	140	5	6	13	20	29	37	65
65+	1032	17.2	147	5	6	14	22	34	42	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	262	5.4	11	1	2	5	7	10	11	19
B. *Operated*	434	11.3	38	4	5	10	14	20	23	31
2. MULTIPLE DX										
A. *Not Operated*	1103	7.9	33	2	3	7	10	14	18	29
B. *Operated*	1878	16.5	143	5	6	13	20	32	40	70
1. SINGLE DX	696	9.1	36	2	3	8	11	17	21	28
2. MULTIPLE DX	2981	13.3	119	3	4	10	17	26	36	61
A. NOT OPERATED	1365	7.4	29	2	3	6	9	13	17	27
B. OPERATED	2312	15.6	127	4	6	13	19	29	39	65
TOTAL 0-19 YRS	35	9.6	79	2	3	6	11	23	29	39
20-34	232	10.1	104	2	3	8	12	20	28	61
35-49	597	10.9	73	2	3	9	14	20	27	47
50-64	959	12.3	103	3	4	10	15	23	30	59
65+	1854	13.6	117	3	4	11	17	27	36	61
GRAND TOTAL	**3677**	**12.5**	**106**	**3**	**4**	**10**	**16**	**24**	**33**	**56**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2015	2.5	2	1	1	2	3	4	6	8
20-34	3281	2.9	4	1	1	2	4	5	6	9
35-49	2326	3.2	4	1	1	3	4	6	7	10
50-64	1365	3.4	5	1	1	3	4	6	7	11
65+	767	3.6	7	1	1	3	5	7	8	12
B. *Operated*										
0-19 YRS	62	4.8	96	<1	1	3	5	7	8	70
20-34	217	4.9	10	<1	1	4	7	9	11	15
35-49	264	5.4	17	<1	1	4	7	10	12	22
50-64	238	5.0	15	<1	<1	4	7	10	12	18
65+	108	5.4	26	<1	<1	4	8	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4202	3.1	5	1	1	3	4	5	7	11
20-34	7725	4.0	9	1	1	3	5	7	9	14
35-49	9075	4.6	10	1	2	4	6	8	10	16
50-64	9191	5.0	13	1	2	4	6	9	11	19
65+	12506	6.1	24	2	2	5	7	11	14	23
B. *Operated*										
0-19 YRS	220	5.0	12	1	1	4	7	9	12	17
20-34	1273	6.7	28	2	2	5	8	12	15	26
35-49	1910	7.6	36	2	3	6	9	14	18	30
50-64	2595	8.1	42	2	3	7	10	15	19	32
65+	3588	9.3	68	2	3	7	11	17	23	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9754	3.0	4	1	1	3	4	5	7	10
B. *Operated*	889	5.1	21	<1	1	4	7	10	12	20
2. MULTIPLE DX										
A. *Not Operated*	42699	4.3	15	1	2	4	6	9	11	19
B. *Operated*	9586	8.2	49	2	3	7	10	15	20	37
1. SINGLE DX	10643	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX	52285	5.5	23	1	2	4	7	10	13	23
A. NOT OPERATED	52453	4.5	13	1	2	4	6	8	11	18
B. OPERATED	10475	7.9	48	2	2	6	10	15	19	36
TOTAL 0-19 YRS	6499	3.0	5	1	1	3	4	5	7	11
20-34	12496	4.0	11	1	1	3	5	7	9	15
35-49	13575	4.8	14	1	2	4	6	9	11	19
50-64	13389	5.4	20	1	2	4	7	10	13	22
65+	16969	6.6	35	2	2	5	8	12	16	30
GRAND TOTAL	**62928**	**5.1**	**21**	**1**	**2**	**4**	**6**	**9**	**13**	**22**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	419	2.9	4	1	1	2	4	5	7	10
20-34	596	3.2	4	1	1	3	4	6	7	11
35-49	475	3.3	5	1	1	3	4	6	8	11
50-64	269	3.7	8	1	1	3	5	6	9	14
65+	186	4.3	12	1	1	3	6	9	11	15
B. *Operated*										
0-19 YRS	261	3.9	5	2	2	3	5	6	7	10
20-34	63	7.7	69	1	2	6	8	13	21	51
35-49	85	9.5	32	2	3	8	13	18	20	25
50-64	79	11.5	104	2	4	9	13	21	29	57
65+	71	12.1	133	1	2	9	17	21	28	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	784	4.3	35	1	1	3	4	7	11	34
20-34	1464	5.4	58	1	1	3	6	9	14	44
35-49	1631	4.7	18	1	2	4	6	8	11	18
50-64	1683	5.1	17	1	2	4	6	10	13	22
65+	2361	6.2	26	1	2	5	8	12	16	25
B. *Operated*										
0-19 YRS	158	7.2	61	1	2	5	8	14	22	30
20-34	300	10.9	81	2	3	8	13	23	33	49
35-49	557	12.8	111	3	4	10	16	26	35	54
50-64	716	13.8	141	2	3	11	17	27	36	72
65+	1158	15.9	148	3	4	13	21	31	41	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1945	3.3	6	1	1	3	4	6	8	12
B. *Operated*	559	7.3	58	2	2	5	9	15	20	45
2. MULTIPLE DX										
A. *Not Operated*	7923	5.3	30	1	2	4	6	10	13	30
B. *Operated*	2889	13.8	132	2	4	11	18	28	37	64
1. SINGLE DX	2504	4.2	20	1	1	3	5	8	11	21
2. MULTIPLE DX	10812	7.6	71	1	2	5	9	16	23	45
A. NOT OPERATED	9868	4.9	26	1	1	4	6	9	13	26
B. OPERATED	3448	12.7	126	2	3	10	16	26	35	59
TOTAL 0-19 YRS	1622	4.2	26	1	1	3	5	7	10	29
20-34	2423	5.6	53	1	1	4	6	11	16	42
35-49	2748	6.2	47	1	2	4	7	13	18	38
50-64	2747	7.4	67	1	2	5	9	16	22	45
65+	3776	9.2	85	2	2	6	11	20	27	49
GRAND TOTAL	**13316**	**7.0**	**63**	**1**	**2**	**4**	**8**	**15**	**22**	**43**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	176	2.2	2	<1	1	2	3	4	4	6
20-34	130	2.2	2	<1	1	2	3	4	5	7
35-49	48	2.9	3	1	1	3	4	5	6	8
50-64	18	3.4	6	1	1	3	4	8	9	9
65+	7	5.7	17	2	2	6	6	12	14	14
B. *Operated*										
0-19 YRS	17186	3.4	2	2	2	3	4	5	6	8
20-34	12246	3.5	2	2	2	3	4	5	6	8
35-49	3732	4.0	3	2	2	4	5	6	7	10
50-64	1379	4.6	5	2	3	4	6	7	9	13
65+	383	5.7	9	2	3	5	7	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	2.5	6	1	1	2	3	5	6	14
20-34	70	2.9	7	1	1	2	3	6	9	13
35-49	31	4.4	6	1	1	4	7	8	8	9
50-64	23	5.8	14	1	1	5	8	12	13	14
65+	35	6.7	25	1	3	5	9	13	18	22
B. *Operated*										
0-19 YRS	3081	4.7	10	2	2	4	5	8	10	16
20-34	2886	4.9	9	2	2	4	6	8	10	17
35-49	1302	6.0	18	2	3	5	7	10	14	22
50-64	843	6.9	29	3	3	6	8	12	15	26
65+	603	8.9	53	3	4	7	10	15	19	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	379	2.4	3	<1	1	2	3	4	6	8
B. *Operated*	34926	3.6	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	271	3.6	12	1	1	2	5	8	10	19
B. *Operated*	8715	5.5	17	2	3	4	6	9	12	20
1. SINGLE DX	35305	3.5	3	2	2	3	4	5	6	9
2. MULTIPLE DX	8986	5.4	17	2	2	4	6	9	12	20
A. NOT OPERATED	650	2.9	7	1	1	2	3	6	8	14
B. OPERATED	43641	3.9	6	2	2	3	4	6	8	13
TOTAL 0-19 YRS	20555	3.5	3	2	2	3	4	5	7	10
20-34	15332	3.8	4	2	2	3	4	6	7	11
35-49	5113	4.5	8	2	2	4	5	7	9	15
50-64	2263	5.5	15	2	3	5	6	9	12	18
65+	1028	7.6	38	3	3	6	9	13	17	30
GRAND TOTAL	**44291**	**3.9**	**6**	**2**	**2**	**3**	**4**	**6**	**8**	**13**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	6.8	13	1	2	7	8	12	14	17
20-34	52	5.7	11	1	2	5	8	10	11	17
35-49	32	6.5	14	1	2	6	8	13	14	14
50-64	34	6.4	15	2	2	6	9	9	10	22
65+	11	9.5	69	4	5	7	9	20	33	34
B. *Operated*										
0-19 YRS	3733	6.8	12	3	3	6	8	11	12	17
20-34	2035	6.5	11	3	3	6	8	10	12	18
35-49	1241	7.2	12	3	4	7	9	11	13	20
50-64	887	8.1	14	4	4	7	10	13	15	22
65+	424	9.0	16	4	5	8	11	13	15	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	9.7	20	1	3	10	13	15	16	17
20-34	26	7.1	19	2	2	6	10	12	14	20
35-49	17	10.7	22	4	5	10	13	15	21	24
50-64	33	7.8	11	2	4	8	10	13	14	14
65+	52	10.7	49	1	3	9	14	20	23	36
B. *Operated*										
0-19 YRS	2295	9.4	30	4	4	8	11	16	20	30
20-34	1417	9.1	31	4	4	8	11	15	18	30
35-49	1247	10.3	40	4	5	9	12	17	21	35
50-64	1493	11.8	49	5	6	10	14	19	25	38
65+	1493	13.8	92	6	7	11	16	23	30	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	171	6.5	17	1	2	6	8	11	13	21
B. *Operated*	8320	7.0	12	3	3	7	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	148	9.3	30	2	3	9	12	16	19	29
B. *Operated*	7945	10.8	50	4	5	9	13	18	23	38
1. SINGLE DX	8491	7.0	13	3	3	7	9	11	13	19
2. MULTIPLE DX	8093	10.7	50	4	5	9	13	18	23	38
A. NOT OPERATED	319	7.8	25	1	2	7	10	14	16	26
B. OPERATED	16265	8.9	34	3	4	8	10	15	19	31
TOTAL 0-19 YRS	6090	7.8	20	3	3	7	9	12	16	25
20-34	3530	7.6	21	3	3	7	9	12	15	22
35-49	2537	8.7	28	3	4	8	10	14	17	30
50-64	2447	10.3	39	4	5	9	12	17	21	32
65+	1980	12.7	78	5	6	10	15	21	27	53
GRAND TOTAL	**16584**	**8.8**	**34**	**3**	**4**	**8**	**10**	**14**	**19**	**31**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	2.0	1	1	1	2	2	3	4	6
20-34	177	2.1	2	<1	1	2	3	4	5	7
35-49	67	2.4	3	1	1	2	3	5	6	8
50-64	29	3.6	7	1	1	3	5	7	8	14
65+	6	3.2	4	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	1201	3.7	3	2	2	3	4	6	7	9
20-34	912	4.1	4	2	2	4	5	6	8	11
35-49	249	4.7	6	2	2	4	6	8	10	13
50-64	89	5.1	10	2	2	4	6	8	11	20
65+	32	6.1	11	2	2	5	8	10	13	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	2.6	6	1	1	2	3	4	5	10
20-34	125	2.7	3	1	1	2	3	5	7	9
35-49	51	3.9	5	<1	1	3	5	7	9	10
50-64	40	4.7	10	2	2	4	6	7	11	17
65+	42	5.7	19	1	2	5	7	10	16	22
B. *Operated*										
0-19 YRS	757	4.7	6	2	3	4	6	7	9	13
20-34	732	5.5	10	2	3	5	7	9	11	18
35-49	251	6.8	22	3	3	6	8	11	15	24
50-64	134	7.6	16	3	3	7	10	12	15	24
65+	86	10.0	115	3	3	7	11	18	21	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	499	2.2	2	1	1	2	3	4	5	7
B. *Operated*	2483	4.0	4	2	2	4	5	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	419	3.3	8	1	1	3	4	6	8	16
B. *Operated*	1960	5.7	17	2	3	5	7	9	12	21
1. SINGLE DX	2982	3.7	4	1	2	3	5	6	7	11
2. MULTIPLE DX	2379	5.3	16	2	2	4	6	9	11	21
A. NOT OPERATED	918	2.7	5	1	1	2	3	5	7	10
B. OPERATED	4443	4.8	10	2	2	4	6	8	10	16
TOTAL 0-19 YRS	2339	3.8	5	1	2	3	5	6	7	11
20-34	1946	4.4	7	1	2	4	5	7	9	14
35-49	618	5.3	14	1	2	4	7	9	11	20
50-64	292	6.0	15	2	2	5	7	11	12	23
[illegible]	166	7.9	71	2	2	6	9	15	18	44
[illegible]	**5361**	**4.4**	**10**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.5	2	<1	<1	1	1	2	3	8
20-34	76	2.0	2	<1	<1	2	3	4	5	6
35-49	37	2.5	2	<1	<1	2	4	5	6	6
50-64	52	2.4	7	<1	<1	2	3	4	6	19
65+	50	2.8	5	<1	<1	2	4	5	7	12
B. *Operated*										
0-19 YRS	10817	1.7	1	<1	<1	1	2	3	4	5
20-34	12298	2.8	2	1	1	3	4	4	5	6
35-49	11331	3.0	2	1	1	3	4	5	5	7
50-64	15294	3.3	3	1	1	3	4	5	6	8
65+	10628	3.6	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	550	1.5	5	<1	<1	1	1	2	4	7
20-34	140	2.0	3	<1	<1	1	2	4	5	9
35-49	157	2.3	4	<1	<1	1	3	5	6	9
50-64	317	2.6	8	<1	<1	2	3	5	7	16
65+	510	3.9	15	<1	1	3	5	9	12	17
B. *Operated*										
0-19 YRS	6561	1.9	3	<1	<1	2	2	3	4	8
20-34	4434	3.3	3	1	1	3	4	5	6	10
35-49	6616	3.8	5	1	2	3	5	6	8	12
50-64	14173	4.2	8	1	2	4	5	7	9	15
65+	18907	5.1	16	2	2	4	6	9	11	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	307	2.1	3	<1	<1	1	3	4	5	9
B. *Operated*	60368	2.9	3	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1674	2.5	9	<1	<1	1	3	6	8	14
B. *Operated*	50691	4.1	10	1	1	3	5	7	9	16
1. SINGLE DX	60675	2.9	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	52365	4.1	10	1	1	3	5	7	9	16
A. NOT OPERATED	1981	2.5	8	<1	<1	1	3	5	7	14
B. OPERATED	111059	3.5	7	1	1	3	4	6	7	12
TOTAL 0-19 YRS	18020	1.8	2	<1	<1	1	2	3	4	6
20-34	16948	2.9	2	1	1	3	4	5	5	8
35-49	18141	3.3	3	1	1	3	4	5	6	9
50-64	29836	3.7	6	1	2	3	4	6	7	12
65+	30095	4.5	12	1	2	4	5	8	10	17
GRAND TOTAL	**113040**	**3.4**	**7**	**1**	**1**	**3**	**4**	**6**	**7**	**12**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	1.1		<1	<1	1	1	2	2	3
20-34	13	1.9	1	<1	<1	1	3	3	4	4
35-49	11	2.4	5	<1	<1	1	3	6	8	8
50-64	15	1.7	1	<1	1	1	2	3	3	3
65+	39	1.8	2	<1	<1	1	2	3	5	7
B. *Operated*										
0-19 YRS	1164	1.9	2	<1	1	2	2	4	4	7
20-34	520	3.2	3	1	1	3	4	5	6	9
35-49	403	3.5	3	1	2	3	4	6	7	10
50-64	652	4.0	4	1	2	4	5	7	8	10
65+	923	4.9	8	2	2	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	2.0	2	<1	<1	2	3	4	4	8
20-34	13	3.4	8	<1	<1	2	5	8	10	10
35-49	5	2.2	2	1	1	2	3	4	4	4
50-64	30	2.6	3	1	1	2	3	5	7	7
65+	230	5.8	69	1	1	4	7	12	15	32
B. *Operated*										
0-19 YRS	840	2.6	5	<1	1	2	3	5	7	11
20-34	251	3.8	4	1	2	3	5	6	8	12
35-49	315	5.0	12	1	2	4	6	9	11	18
50-64	832	6.1	23	2	3	5	7	10	13	25
65+	3150	8.5	55	2	3	7	10	16	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	123	1.6	1	<1	<1	1	2	3	4	7
B. *Operated*	3662	3.4	5	1	1	3	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	324	4.8	52	<1	1	3	6	10	13	24
B. *Operated*	5388	6.8	42	1	2	5	8	13	18	34
1. SINGLE DX	3785	3.3	5	1	1	3	4	6	7	11
2. MULTIPLE DX	5712	6.7	43	1	2	5	8	13	17	34
A. NOT OPERATED	447	3.9	40	<1	1	2	4	8	12	21
B. OPERATED	9050	5.4	30	1	1	4	7	10	14	29
TOTAL 0-19 YRS	2095	2.2	3	<1	1	2	3	4	5	9
20-34	797	3.4	3	1	1	3	4	6	7	10
35-49	734	4.1	8	1	2	4	5	7	9	15
50-64	1529	5.1	16	2	2	4	6	8	11	19
65+	4342	7.5	48	2	3	6	9	14	19	35
GRAND TOTAL	**9497**	**5.3**	**31**	**1**	**1**	**4**	**7**	**10**	**14**	**28**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	1.5	1	<1	<1	1	2	3	3	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	6	2.5	8	<1	<1	1	2	7	8	8
50-64	3	1.7	1	<1	<1	1	2	3	3	3
65+	4	2.5		2	2	2	3	3	3	3
B. *Operated*										
0-19 YRS	1722	1.9	6	<1	<1	2	2	3	3	5
20-34	645	2.8	3	1	1	2	3	5	6	8
35-49	892	2.8	3	1	1	3	4	5	6	8
50-64	659	3.1	3	1	1	3	4	5	6	9
65+	247	3.7	4	1	2	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	1.4	2	<1	<1	1	1	3	4	9
20-34	29	3.1	10	<1	1	2	3	9	10	12
35-49	39	2.8	6	<1	<1	2	4	6	8	11
50-64	48	3.4	6	<1	<1	3	5	7	9	11
65+	42	5.1	42	<1	1	3	6	11	13	40
B. *Operated*										
0-19 YRS	434	2.5	7	<1	<1	2	3	5	6	13
20-34	386	4.0	6	1	2	4	5	7	8	12
35-49	741	4.1	7	1	1	4	5	7	9	13
50-64	912	4.7	13	1	2	4	6	8	11	19
65+	651	5.7	19	1	2	5	7	10	14	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.7	2	<1	<1	1	2	3	3	8
B. *Operated*	4165	2.5	5	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	256	2.8	12	<1	<1	1	4	6	9	13
B. *Operated*	3124	4.4	12	1	1	4	5	8	10	18
1. SINGLE DX	4200	2.5	5	<1	<1	2	3	4	5	8
2. MULTIPLE DX	3380	4.2	12	1	1	3	5	8	10	18
A. NOT OPERATED	291	2.7	11	<1	<1	1	3	6	9	13
B. OPERATED	7289	3.3	9	<1	1	3	4	6	8	14
TOTAL 0-19 YRS	2273	2.0	6	<1	<1	2	2	3	4	7
20-34	1063	3.2	4	1	1	3	4	6	7	10
35-49	1678	3.3	5	1	1	3	4	6	7	11
50-64	1622	4.0	9	1	1	3	5	7	9	16
65+	944	5.1	17	1	2	4	6	9	12	23
GRAND TOTAL	**7580**	**3.3**	**9**	**<1**	**1**	**3**	**4**	**6**	**8**	**14**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	5	2	2	2	5	6	6	6
20-34	20	2.2	3	<1	<1	1	3	4	6	8
35-49	29	2.8	4	1	1	2	3	5	9	9
50-64	26	2.8	7	<1	1	2	3	6	8	13
65+	29	3.5	8	1	1	3	4	7	11	13
B. *Operated*										
0-19 YRS	341	2.3	4	<1	<1	2	3	4	5	9
20-34	1175	3.6	4	1	1	3	5	6	7	10
35-49	1936	4.3	5	1	2	4	5	7	8	12
50-64	2113	4.8	6	1	2	5	6	8	9	13
65+	1437	5.4	7	2	2	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.7	1	<1	<1	2	2	3	3	3
20-34	51	2.6	5	<1	<1	2	3	6	9	10
35-49	138	3.2	10	<1	<1	2	4	7	9	17
50-64	202	4.2	14	<1	<1	3	5	9	12	18
65+	322	4.8	19	1	1	4	6	10	13	24
B. *Operated*										
0-19 YRS	143	3.9	13	<1	1	3	5	8	10	18
20-34	876	5.3	17	2	2	5	6	9	11	19
35-49	2225	6.1	16	2	2	5	7	10	12	21
50-64	3511	7.1	30	2	3	6	8	12	15	27
65+	3658	7.8	30	2	3	7	9	14	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	107	2.9	6	<1	1	2	3	6	8	13
B. *Operated*	7002	4.5	6	1	2	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	726	4.1	15	<1	1	3	5	8	11	20
B. *Operated*	10413	6.9	27	2	3	6	8	12	15	27
1. SINGLE DX	7109	4.4	6	1	2	4	6	8	9	12
2. MULTIPLE DX	11139	6.8	26	2	2	6	8	12	15	26
A. NOT OPERATED	833	4.0	14	<1	1	3	5	8	11	19
B. OPERATED	17415	5.9	20	2	2	5	7	10	13	23
TOTAL 0-19 YRS	500	2.7	7	<1	1	2	3	5	8	14
20-34	2122	4.2	11	1	1	4	5	7	9	15
35-49	4328	5.2	12	1	2	5	6	9	11	17
50-64	5852	6.2	22	2	2	5	7	10	13	23
65+	5446	7.0	25	2	3	6	9	12	15	26
GRAND TOTAL	**18248**	**5.9**	**20**	**1**	**2**	**5**	**7**	**10**	**13**	**23**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.7	3	1	1	2	3	6	6	6
20-34	86	3.1	4	1	1	3	4	6	7	10
35-49	354	3.4	4	1	1	3	4	6	7	10
50-64	352	3.6	5	1	1	3	4	6	7	9
65+	277	3.6	4	1	1	3	5	6	7	10
B. *Operated*										
0-19 YRS	13	4.5	5	<1	<1	5	6	7	8	8
20-34	46	5.9	12	1	2	5	8	10	12	16
35-49	71	6.5	20	<1	1	6	8	11	17	24
50-64	159	7.7	10	2	4	8	9	11	13	17
65+	82	8.0	10	2	3	8	10	12	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	4.0	6	1	2	4	5	7	7	14
20-34	632	4.0	5	1	2	4	5	7	9	11
35-49	2090	4.2	7	1	2	4	5	7	9	13
50-64	3526	4.5	8	2	2	4	5	8	10	15
65+	5311	5.4	16	2	2	4	7	9	12	21
B. *Operated*										
0-19 YRS	52	9.9	64	4	4	7	11	19	23	50
20-34	335	7.5	21	2	3	7	9	11	16	24
35-49	916	8.2	28	2	3	7	10	13	17	32
50-64	1404	8.6	32	2	3	8	10	15	18	31
65+	1464	10.1	62	2	3	9	12	18	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1075	3.5	4	1	1	3	4	6	7	10
B. *Operated*	371	7.2	12	2	2	7	9	11	13	17
2. MULTIPLE DX										
A. *Not Operated*	11611	4.8	12	2	2	4	6	8	11	18
B. *Operated*	4171	9.0	42	2	3	8	11	16	20	34
1. SINGLE DX	1446	4.4	9	1	1	4	6	9	10	14
2. MULTIPLE DX	15782	5.9	23	2	2	5	7	11	14	24
A. NOT OPERATED	12686	4.7	11	1	2	4	6	8	10	18
B. OPERATED	4542	8.8	40	2	3	8	11	15	20	33
TOTAL 0-19 YRS	123	6.5	39	1	2	5	7	12	17	32
20-34	1099	5.1	13	1	2	4	7	9	11	18
35-49	3431	5.2	16	1	2	4	7	9	12	20
50-64	5441	5.6	18	2	2	4	7	10	13	22
65+	7134	6.3	29	2	2	5	8	12	16	28
GRAND TOTAL	**17228**	**5.8**	**22**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	2.0	3	<1	<1	1	3	4	4	4
20-34	7	2.7	6	<1	<1	1	4	7	7	7
35-49	9	3.6	5	<1	<1	3	5	7	8	8
50-64	6	2.8	5	1	1	2	3	7	7	7
65+	3	2.7	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	76	2.8	18	<1	1	2	3	5	6	30
20-34	246	2.9	2	1	1	3	4	5	6	7
35-49	342	3.3	4	1	1	3	4	5	7	9
50-64	338	3.8	6	1	1	3	5	7	8	14
65+	283	4.1	5	1	2	4	5	7	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	3	1	1	2	4	6	6	6
20-34	15	4.7	20	1	1	3	7	10	15	17
35-49	33	4.6	13	<1	1	3	6	10	11	14
50-64	35	4.2	6	<1	1	4	6	8	8	9
65+	68	5.3	13	1	1	5	7	9	14	19
B. *Operated*										
0-19 YRS	23	3.0	5	<1	<1	2	3	6	9	10
20-34	133	4.3	11	1	1	3	5	7	11	18
35-49	232	4.9	22	1	2	4	5	8	11	29
50-64	351	6.5	30	2	2	5	8	11	15	29
65+	601	6.3	25	2	2	5	8	11	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	2.9	4	<1	<1	3	4	7	7	8
B. *Operated*	1285	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*	158	4.7	12	1	1	4	6	9	11	17
B. *Operated*	1340	5.8	25	1	2	4	7	10	13	28
1. SINGLE DX	1313	3.5	5	1	1	3	4	6	7	12
2. MULTIPLE DX	1498	5.7	24	1	2	4	7	10	13	27
A. NOT OPERATED	186	4.5	11	<1	1	4	6	8	10	16
B. OPERATED	2625	4.7	17	1	2	4	6	8	11	22
TOTAL 0-19 YRS	109	2.8	14	<1	1	2	3	5	6	22
20-34	401	3.5	6	1	1	3	4	6	7	15
35-49	616	3.9	12	1	1	3	5	7	9	15
50-64	730	5.1	19	1	2	4	6	9	11	26
65+	955	5.5	19	1	2	4	7	10	12	22
GRAND TOTAL	**2811**	**4.7**	**16**	**1**	**1**	**4**	**6**	**8**	**11**	**21**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	1	1	1	1
20-34	19	2.2	2	<1	<1	2	3	4	5	5
35-49	27	2.9	4	<1	1	2	4	7	7	8
50-64	28	4.1	8	1	1	4	5	7	10	15
65+	60	3.8	5	1	1	3	5	7	9	10
B. *Operated*										
0-19 YRS	197	2.3	3	<1	1	2	3	4	6	10
20-34	468	3.3	5	1	1	3	4	6	8	11
35-49	841	4.0	6	1	1	3	5	7	9	12
50-64	849	5.0	9	1	2	4	6	9	11	15
65+	937	6.6	20	2	2	6	8	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	4	<1	<1	2	2	5	7	7
20-34	25	3.0	4	<1	1	3	4	6	7	9
35-49	69	3.7	7	1	1	3	5	7	8	15
50-64	164	4.8	13	1	1	4	7	9	12	19
65+	565	6.1	29	1	2	5	7	11	15	27
B. *Operated*										
0-19 YRS	79	6.4	69	1	2	4	7	12	21	53
20-34	312	5.9	25	1	2	4	7	11	15	31
35-49	907	7.1	29	2	2	6	9	13	16	29
50-64	1743	8.5	45	2	3	7	10	15	20	38
65+	3712	11.1	84	3	4	9	14	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	140	3.4	6	<1	1	3	4	7	8	10
B. *Operated*	3292	4.8	12	1	2	4	6	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	832	5.5	24	1	2	4	7	10	14	24
B. *Operated*	6753	9.6	67	2	3	8	12	18	23	43
1. SINGLE DX	3432	4.7	12	1	1	4	6	9	11	16
2. MULTIPLE DX	7585	9.1	64	2	3	7	11	17	23	41
A. NOT OPERATED	972	5.2	22	1	1	4	7	10	13	23
B. OPERATED	10045	8.0	54	2	2	6	10	15	20	38
TOTAL 0-19 YRS	291	3.4	24	<1	1	2	4	6	9	22
20-34	824	4.2	14	1	1	3	5	8	11	17
35-49	1844	5.5	20	1	2	4	7	10	14	23
50-64	2784	7.2	35	2	2	6	9	13	17	32
65+	5274	9.7	71	2	3	8	12	18	23	44
GRAND TOTAL	**11017**	**7.8**	**52**	**1**	**2**	**6**	**10**	**15**	**20**	**37**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	616	2.6	4	1	1	2	3	5	6	10
20-34	909	3.9	7	1	1	3	5	7	9	13
35-49	1338	4.2	7	1	1	4	5	8	9	14
50-64	1517	4.5	8	1	2	4	6	8	10	13
65+	1839	5.0	12	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	576	6.2	16	2	3	5	8	10	12	18
20-34	579	8.9	18	4	5	8	10	14	17	23
35-49	793	9.6	25	4	5	9	11	15	18	28
50-64	803	10.6	33	5	6	9	13	16	21	34
65+	789	11.9	32	5	6	11	14	19	24	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	551	3.6	9	1	1	3	5	7	9	16
20-34	1288	5.0	17	1	2	4	6	9	12	19
35-49	2179	5.6	15	1	2	5	7	10	13	19
50-64	4121	6.3	26	1	2	5	8	11	14	26
65+	11850	7.4	37	2	2	6	9	14	17	31
B. *Operated*										
0-19 YRS	708	9.5	73	3	4	8	11	15	23	44
20-34	1172	12.4	75	4	5	10	15	22	28	49
35-49	1900	14.3	107	5	6	11	17	27	35	61
50-64	3078	16.0	130	6	7	13	19	29	38	70
65+	7415	17.5	137	6	8	14	21	31	41	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6219	4.3	9	1	1	4	6	8	10	15
B. *Operated*	3540	9.7	29	3	4	9	12	16	20	29
2. MULTIPLE DX										
A. *Not Operated*	19989	6.7	31	2	2	5	8	12	16	28
B. *Operated*	14273	15.9	128	5	7	13	19	29	38	69
1. SINGLE DX	9759	6.2	23	1	2	5	8	12	15	24
2. MULTIPLE DX	34262	10.6	92	2	3	8	13	21	28	51
A. NOT OPERATED	26208	6.2	27	1	2	5	8	11	15	26
B. OPERATED	17813	14.7	114	5	6	12	18	27	35	64
TOTAL 0-19 YRS	2451	5.6	35	1	1	4	7	11	14	25
20-34	3948	7.5	44	1	2	6	9	14	19	35
35-49	6210	8.5	60	2	2	7	10	16	22	42
50-64	9519	9.5	79	2	2	7	12	19	26	47
65+	21893	10.8	92	2	3	8	14	21	28	52
GRAND TOTAL	**44021**	**9.6**	**80**	**2**	**2**	**7**	**12**	**19**	**26**	**47**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15915	2.6	3	1	1	2	3	4	5	8
20-34	7145	2.6	3	1	1	2	3	5	6	8
35-49	3233	3.0	5	1	1	3	4	5	7	10
50-64	2030	3.3	6	1	1	3	4	6	8	12
65+	1714	3.5	6	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	366	4.4	39	1	1	3	5	7	9	30
20-34	487	4.9	13	1	2	4	6	8	11	18
35-49	267	5.2	11	1	2	5	7	9	11	17
50-64	190	6.3	32	1	1	6	8	10	12	41
65+	82	6.0	17	1	1	6	8	11	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31759	3.4	6	1	1	3	4	6	7	12
20-34	11212	3.3	7	1	1	3	4	6	8	12
35-49	7720	4.1	9	1	2	3	5	7	9	15
50-64	9235	4.6	12	1	2	4	6	8	10	17
65+	19067	5.8	27	2	2	5	7	11	14	26
B. *Operated*										
0-19 YRS	636	7.5	103	2	2	5	7	14	31	84
20-34	946	6.7	36	2	2	5	8	12	14	31
35-49	1047	8.3	55	2	3	6	10	15	21	38
50-64	1243	9.4	73	2	3	7	11	18	24	51
65+	2262	11.8	114	3	4	9	14	23	32	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	30037	2.8	4	1	1	2	3	5	6	9
B. *Operated*	1392	5.1	22	1	2	4	6	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	78993	4.2	13	1	2	3	5	8	10	17
B. *Operated*	6134	9.5	86	2	3	7	11	18	26	56
1. SINGLE DX	31429	2.9	5	1	1	2	4	5	6	10
2. MULTIPLE DX	85127	4.6	20	1	2	3	5	8	11	22
A. NOT OPERATED	109030	3.8	11	1	1	3	5	7	9	16
B. OPERATED	7526	8.7	77	2	2	6	10	17	24	52
TOTAL 0-19 YRS	48676	3.2	7	1	1	3	4	5	7	11
20-34	19790	3.2	8	1	1	3	4	6	8	13
35-49	12267	4.2	14	1	1	3	5	8	10	18
50-64	12698	4.9	19	1	2	4	6	9	12	21
65+	23125	6.2	38	2	2	5	7	12	16	32
GRAND TOTAL	**116556**	**4.1**	**17**	**1**	**1**	**3**	**5**	**7**	**10**	**19**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	4.5	3	<1	1	5	6	7	7	7
20-34	238	4.3	5	1	2	4	5	7	8	11
35-49	1430	5.0	8	2	2	5	6	8	10	13
50-64	2729	5.0	9	1	2	4	7	8	10	15
65+	2948	4.8	11	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	8	6.4	9	1	2	6	9	10	10	10
20-34	140	8.0	15	3	4	7	9	12	15	25
35-49	422	9.9	25	4	5	9	11	16	18	27
50-64	739	10.4	23	3	5	10	12	16	19	26
65+	567	11.7	51	2	4	11	14	20	23	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	6.5	31	1	2	5	8	16	20	25
20-34	227	5.5	17	2	2	4	7	10	12	27
35-49	1858	5.5	10	2	2	5	7	9	11	16
50-64	6564	5.6	12	2	2	5	7	10	12	18
65+	20556	6.7	27	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	24	10.5	66	4	4	8	12	16	25	44
20-34	242	10.9	47	4	5	9	12	18	26	52
35-49	1346	12.0	54	3	5	10	14	21	25	43
50-64	3707	13.2	81	3	5	11	16	23	29	49
65+	7722	15.0	119	3	5	12	18	28	36	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7355	4.9	10	1	2	4	6	8	10	15
B. *Operated*	1876	10.5	32	3	5	10	12	17	20	28
2. MULTIPLE DX										
A. *Not Operated*	29238	6.3	23	2	2	5	8	11	14	24
B. *Operated*	13041	14.1	101	3	5	12	17	26	33	58
1. SINGLE DX	9231	6.0	19	1	2	5	8	11	14	21
2. MULTIPLE DX	42279	8.7	60	2	3	7	11	17	23	41
A. NOT OPERATED	36593	6.1	21	2	2	5	7	11	13	22
B. OPERATED	14917	13.6	94	3	5	11	16	25	31	56
TOTAL 0-19 YRS	75	7.5	40	1	3	6	9	15	18	39
20-34	847	7.1	29	2	2	6	9	12	16	29
35-49	5056	7.4	31	2	3	6	9	13	17	29
50-64	13739	7.8	43	2	2	6	10	15	19	34
65+	31793	8.6	62	2	2	6	10	17	23	42
GRAND TOTAL	**51510**	**8.2**	**54**	**2**	**2**	**6**	**10**	**16**	**21**	**39**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	79	2.4	4	<1	1	2	3	5	7	9
20-34	162	3.0	4	<1	1	2	4	5	7	10
35-49	134	3.2	5	<1	1	3	4	6	8	12
50-64	90	3.4	6	<1	1	3	5	6	7	14
65+	39	4.1	11	1	1	3	6	8	10	16
B. *Operated*										
0-19 YRS	570	2.7	4	<1	1	2	3	5	6	12
20-34	3469	2.9	3	1	1	3	4	5	6	9
35-49	3396	3.1	4	1	1	3	4	5	7	10
50-64	1614	3.3	5	1	1	3	4	6	7	12
65+	578	3.8	13	1	1	3	4	6	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	3.5	7	1	1	3	5	8	9	12
20-34	257	4.1	22	<1	1	3	5	8	12	20
35-49	299	4.3	17	1	1	3	5	8	11	18
50-64	284	5.1	18	1	2	4	7	10	13	24
65+	321	7.1	56	1	2	6	8	13	18	43
B. *Operated*										
0-19 YRS	328	4.0	14	<1	1	3	5	8	11	21
20-34	3059	4.0	12	1	1	3	5	7	9	17
35-49	4276	4.2	13	1	2	4	5	7	10	18
50-64	3491	5.0	24	1	2	4	6	9	13	27
65+	2080	6.6	52	1	2	5	7	13	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	504	3.1	5	<1	1	2	4	6	8	11
B. *Operated*	9627	3.1	5	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	1305	5.1	28	1	1	4	6	10	13	24
B. *Operated*	13234	4.7	23	1	2	4	5	8	12	25
1. SINGLE DX	10131	3.1	5	1	1	3	4	5	7	10
2. MULTIPLE DX	14539	4.8	23	1	2	4	5	9	12	25
A. NOT OPERATED	1809	4.5	23	1	1	3	6	9	12	21
B. OPERATED	22861	4.0	16	1	1	3	5	7	10	19
TOTAL 0-19 YRS	1121	3.2	8	<1	1	2	4	6	8	14
20-34	6947	3.4	8	1	1	3	4	6	7	13
35-49	8105	3.7	10	1	1	3	4	6	8	15
50-64	5479	4.5	19	1	2	4	5	8	11	22
65+	3018	6.1	45	1	2	4	7	12	17	34
GRAND TOTAL	**24670**	**4.1**	**16**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2419	3.2	10	1	1	2	4	6	8	14
20-34	3472	4.5	12	1	1	4	6	8	11	19
35-49	2414	4.4	13	1	1	3	5	8	10	17
50-64	1525	4.3	13	1	1	3	5	8	10	19
65+	1646	4.3	14	1	1	3	5	8	11	18
B. *Operated*										
0-19 YRS	917	6.3	49	1	1	4	8	12	21	33
20-34	1997	7.1	36	1	2	6	9	14	19	29
35-49	1475	7.4	49	1	1	6	9	15	20	37
50-64	1191	7.1	40	1	1	6	9	14	19	32
65+	1051	7.4	36	1	2	6	10	15	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2890	4.1	17	1	1	3	5	8	11	21
20-34	5821	5.2	19	1	2	4	6	10	13	24
35-49	6318	5.4	17	1	2	4	7	10	13	22
50-64	7118	5.7	25	1	2	4	7	11	14	24
65+	16467	6.4	34	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	1306	9.8	128	1	2	7	11	21	33	66
20-34	4573	10.4	104	2	2	7	12	22	30	55
35-49	5021	10.8	107	2	3	8	13	22	30	56
50-64	5777	11.9	134	2	3	9	15	25	36	64
65+	9901	13.6	153	2	3	10	17	28	40	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11476	4.1	12	1	1	3	5	8	10	17
B. *Operated*	6631	7.1	42	1	1	5	9	14	19	32
2. MULTIPLE DX										
A. *Not Operated*	38614	5.7	27	1	2	4	7	11	14	26
B. *Operated*	26578	11.9	132	2	3	9	15	25	35	64
1. SINGLE DX	18107	5.2	25	1	1	4	7	11	14	25
2. MULTIPLE DX	65192	8.3	79	1	2	6	10	17	24	49
A. NOT OPERATED	50090	5.4	24	1	2	4	7	10	14	24
B. OPERATED	33209	11.0	118	2	2	8	14	23	32	60
TOTAL 0-19 YRS	7532	5.1	43	1	1	3	6	10	15	35
20-34	15863	6.8	50	1	2	5	8	13	19	37
35-49	15228	7.2	56	1	2	5	9	14	20	40
50-64	15611	8.0	75	1	2	5	10	16	23	48
65+	29065	8.7	86	1	2	6	11	18	26	52
GRAND TOTAL	**83299**	**7.6**	**69**	**1**	**2**	**5**	**9**	**16**	**22**	**45**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.0	1	2	2	3	3	4	4	4
20-34	92	7.4	47	2	2	5	9	14	27	32
35-49	155	7.1	58	1	2	5	8	13	16	45
50-64	167	7.4	43	2	2	5	9	15	19	40
65+	52	7.9	24	2	3	7	10	14	18	25
B. *Operated*										
0-19 YRS										
20-34	22	3.9	50	<1	<1	2	3	8	19	34
35-49	85	4.9	26	1	1	3	7	12	17	24
50-64	85	6.1	56	1	1	3	9	13	22	39
65+	35	4.5	19	<1	1	2	6	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	13.0	107	4	4	8	20	30	33	33
20-34	816	8.7	58	2	3	6	10	18	27	38
35-49	2353	9.4	60	2	3	7	11	18	24	41
50-64	2876	10.6	73	2	3	8	13	21	26	46
65+	1608	10.5	63	3	4	8	13	20	26	39
B. *Operated*										
0-19 YRS	3	16.7	282	2	2	13	29	35	35	35
20-34	185	11.7	105	2	2	9	16	27	35	84
35-49	740	12.8	131	1	2	10	17	25	35	62
50-64	1101	13.0	139	2	2	10	17	27	35	62
65+	590	15.0	161	2	3	12	20	31	42	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	471	7.3	46	2	2	5	9	14	18	33
B. *Operated*	227	5.2	39	1	1	3	7	12	17	35
2. MULTIPLE DX										
A. *Not Operated*	7661	10.0	66	2	3	7	13	20	26	43
B. *Operated*	2619	13.3	140	2	2	10	17	28	36	67
1. SINGLE DX	698	6.6	45	1	1	5	8	13	18	34
2. MULTIPLE DX	10280	10.8	87	2	3	8	14	22	29	49
A. NOT OPERATED	8132	9.8	65	2	3	7	12	19	26	43
B. OPERATED	2846	12.7	137	1	2	10	17	27	36	65
TOTAL 0-19 YRS	16	10.6	118	2	2	5	15	32	34	35
20-34	1115	9.0	67	2	2	6	10	19	28	42
35-49	3333	9.9	78	2	3	7	12	20	26	45
50-64	4229	11.0	91	2	3	8	14	22	28	50
65+	2285	11.5	92	2	3	9	14	23	31	52
GRAND TOTAL	**10978**	**10.6**	**85**	**2**	**3**	**8**	**13**	**22**	**28**	**48**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	28	2.6	5	<1	1	2	3	6	7	10
20-34	72	5.1	19	1	1	4	6	11	14	23
35-49	85	5.5	20	1	1	4	7	12	13	24
50-64	140	6.9	41	1	1	5	9	14	18	33
65+	79	7.3	41	1	1	6	9	15	21	33
B. *Operated*										
0-19 YRS	73	2.5	5	1	1	2	3	5	8	13
20-34	326	2.5	7	<1	1	2	2	5	8	14
35-49	337	2.4	6	<1	1	2	2	5	8	11
50-64	392	3.1	16	1	1	2	3	7	10	24
65+	215	4.3	35	1	1	2	5	11	16	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	5.7	18	1	1	5	8	12	14	18
20-34	231	6.4	23	1	2	6	8	11	14	25
35-49	612	8.5	59	2	2	7	11	16	21	41
50-64	1357	8.8	46	2	3	7	11	18	21	41
65+	1747	10.8	84	2	3	8	14	21	27	51
B. *Operated*										
0-19 YRS	82	6.4	109	1	1	3	7	16	21	65
20-34	352	6.4	64	1	1	3	8	15	25	35
35-49	724	8.3	92	1	1	5	11	19	25	45
50-64	1397	8.7	87	1	1	6	12	20	27	46
65+	1407	12.0	145	1	2	9	16	25	35	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	404	6.1	32	1	1	5	8	13	16	29
B. *Operated*	1343	2.9	14	<1	1	2	3	7	10	21
2. MULTIPLE DX										
A. *Not Operated*	4028	9.4	64	2	3	7	12	18	24	45
B. *Operated*	3962	9.5	111	1	1	6	13	22	29	54
1. SINGLE DX	1747	3.7	20	1	1	2	4	9	12	24
2. MULTIPLE DX	7990	9.5	87	1	2	7	12	20	26	49
A. NOT OPERATED	4432	9.1	62	2	2	7	11	18	24	42
B. OPERATED	5305	7.9	94	1	1	4	11	19	26	48
TOTAL 0-19 YRS	264	4.7	44	1	1	2	5	11	14	24
20-34	981	5.0	35	1	1	3	6	11	15	30
35-49	1758	7.1	66	1	1	5	9	15	21	42
50-64	3286	8.0	63	1	1	6	10	18	23	42
65+	3448	10.8	108	1	2	8	14	23	30	54
GRAND TOTAL	**9737**	**8.4**	**80**	**1**	**1**	**6**	**11**	**18**	**25**	**46**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	200	4.2	8	1	1	3	5	7	9	14
20-34	554	5.1	12	1	2	4	7	9	12	16
35-49	246	5.3	11	2	2	5	6	9	12	17
50-64	214	5.8	20	1	2	5	7	10	12	26
65+	139	5.5	13	1	2	5	7	9	12	20
B. *Operated*										
0-19 YRS	51	7.1	91	1	1	3	8	19	30	47
20-34	121	4.4	21	1	1	3	6	9	13	27
35-49	133	5.1	61	1	1	3	7	12	15	41
50-64	131	5.2	35	1	1	2	7	15	18	26
65+	75	6.3	41	1	1	3	8	16	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	237	4.6	13	1	1	3	6	9	11	20
20-34	677	6.3	26	2	2	5	7	12	15	25
35-49	1020	8.3	64	2	2	6	10	17	25	43
50-64	1940	9.1	70	2	3	7	11	18	24	45
65+	2305	9.5	60	3	3	7	12	18	24	40
B. *Operated*										
0-19 YRS	83	11.3	144	1	1	6	17	30	34	51
20-34	234	10.6	139	1	1	7	14	22	35	69
35-49	438	11.0	126	1	2	8	14	25	34	62
50-64	729	12.8	146	1	2	9	17	28	37	60
65+	821	14.9	177	2	2	11	20	33	44	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1353	5.2	13	1	2	4	7	9	12	18
B. *Operated*	511	5.3	45	1	1	3	7	13	17	29
2. MULTIPLE DX										
A. *Not Operated*	6179	8.6	60	2	3	6	10	17	23	41
B. *Operated*	2305	12.9	155	1	2	9	17	29	39	65
1. SINGLE DX	1864	5.2	22	1	1	4	7	10	13	23
2. MULTIPLE DX	8484	9.8	89	2	2	7	12	20	28	49
A. NOT OPERATED	7532	8.0	53	2	2	6	10	15	21	38
B. OPERATED	2816	11.5	144	1	1	8	15	27	36	62
TOTAL 0-19 YRS	571	5.6	43	1	1	4	6	11	18	34
20-34	1586	6.4	41	1	2	5	8	13	16	33
35-49	1837	8.3	75	1	2	6	10	17	25	46
50-64	3014	9.6	88	2	2	7	12	21	28	48
65+	3340	10.6	93	2	3	8	13	22	30	50
GRAND TOTAL	**10348**	**9.0**	**80**	**1**	**2**	**6**	**11**	**19**	**26**	**47**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	2.9	4	1	1	2	4	5	6	10
20-34	1325	2.7	4	1	1	2	3	5	6	9
35-49	1260	2.9	8	1	1	2	4	5	7	10
50-64	1222	3.2	5	1	1	3	4	6	7	10
65+	977	4.2	7	1	2	4	5	8	9	14
B. *Operated*										
0-19 YRS	1024	5.8	5	3	4	5	7	8	10	14
20-34	12148	6.0	5	3	4	6	7	9	10	13
35-49	10961	6.3	5	4	4	6	7	9	10	14
50-64	9410	6.8	7	4	4	6	8	10	11	16
65+	4527	8.1	12	4	5	7	9	12	15	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	3.6	6	<1	1	3	5	7	9	11
20-34	1457	3.5	6	1	1	3	4	6	8	11
35-49	1884	4.0	9	1	1	3	5	7	9	15
50-64	3557	4.8	13	1	2	4	6	9	11	17
65+	8036	6.3	24	2	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	780	8.2	30	3	4	7	10	14	17	28
20-34	9950	7.5	15	4	4	7	9	12	14	21
35-49	13219	7.9	19	4	5	7	9	12	15	23
50-64	18812	9.1	26	4	5	8	11	15	18	29
65+	23022	12.0	54	5	6	10	14	20	25	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4938	3.2	6	1	1	3	4	6	7	11
B. *Operated*	38070	6.5	7	4	4	6	8	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	15101	5.3	19	1	2	4	7	10	13	21
B. *Operated*	65783	9.6	36	4	5	8	11	16	20	33
1. SINGLE DX	43008	6.1	8	2	3	6	7	9	11	15
2. MULTIPLE DX	80884	8.8	35	3	4	7	11	15	19	32
A. NOT OPERATED	20039	4.8	16	1	1	4	6	9	12	19
B. OPERATED	103853	8.5	27	4	4	7	10	14	18	29
TOTAL 0-19 YRS	2125	6.3	17	2	3	6	7	10	13	21
20-34	24880	6.3	11	2	3	6	7	10	12	17
35-49	27324	6.8	14	2	3	6	8	11	13	20
50-64	33001	7.8	21	3	4	7	9	13	16	24
65+	36562	10.0	48	3	4	8	12	18	22	37
GRAND TOTAL	**123892**	**7.9**	**27**	**2**	**4**	**7**	**9**	**13**	**17**	**28**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	126	3.5	4	1	1	3	5	6	7	10
20-34	857	3.1	4	1	1	3	4	6	7	9
35-49	781	3.4	6	1	1	3	4	6	8	11
50-64	567	3.6	6	1	1	3	5	6	8	12
65+	469	4.6	12	1	1	4	6	8	10	17
B. *Operated*										
0-19 YRS	81	6.8	15	3	4	6	7	11	15	24
20-34	1044	6.6	9	3	4	6	8	11	13	18
35-49	1146	6.9	9	3	4	6	8	10	13	17
50-64	714	7.5	12	4	4	7	9	12	13	18
65+	379	9.2	16	4	5	8	11	14	16	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	114	4.0	7	1	2	3	5	7	9	15
20-34	995	4.2	7	1	1	4	6	8	9	14
35-49	1101	4.8	10	1	2	4	6	8	11	15
50-64	1510	5.3	13	1	2	5	7	10	12	16
65+	2813	7.0	34	2	2	6	9	12	15	27
B. *Operated*										
0-19 YRS	132	7.8	23	2	3	6	10	16	18	23
20-34	1552	8.0	21	3	4	7	10	13	16	24
35-49	2182	8.7	26	4	5	7	10	15	18	28
50-64	2271	10.2	44	4	5	9	12	17	21	34
65+	2615	13.6	83	5	6	11	16	23	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2800	3.6	7	1	1	3	5	6	8	12
B. *Operated*	3364	7.2	11	3	4	6	8	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	6533	5.7	22	1	2	5	7	10	13	21
B. *Operated*	8752	10.4	52	4	5	9	12	18	23	38
1. SINGLE DX	6164	5.5	12	1	2	5	7	10	12	17
2. MULTIPLE DX	15285	8.4	44	2	3	7	10	15	19	34
A. NOT OPERATED	9333	5.1	18	1	2	4	6	9	12	19
B. OPERATED	12116	9.5	42	4	5	8	11	16	21	35
TOTAL 0-19 YRS	453	5.5	16	1	2	5	7	10	14	19
20-34	4448	5.9	16	1	2	5	7	10	13	20
35-49	5210	6.7	20	2	2	6	8	12	15	22
50-64	5062	7.6	32	2	2	7	10	13	17	27
65+	6276	9.7	63	2	3	8	12	18	23	41
GRAND TOTAL	**21449**	**7.6**	**37**	**2**	**2**	**6**	**9**	**14**	**18**	**30**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.3	2	1	1	2	3	4	5	5
20-34	67	3.5	6	<1	1	3	5	7	8	11
35-49	95	3.6	6	1	1	3	5	7	8	11
50-64	107	3.6	5	1	1	3	5	7	7	12
65+	171	4.2	12	1	1	3	6	8	10	11
B. *Operated*										
0-19 YRS	43	7.4	11	3	4	7	9	11	14	18
20-34	426	7.4	14	2	4	7	9	11	14	21
35-49	360	7.2	16	2	2	7	9	12	14	19
50-64	447	7.9	26	1	2	7	10	14	16	29
65+	554	9.4	40	1	2	9	13	17	20	32
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	4.7	4	2	3	4	5	7	9	10
20-34	104	4.6	38	1	1	3	5	8	11	36
35-49	145	4.5	9	1	2	4	6	8	11	14
50-64	278	5.4	13	1	1	5	7	9	11	17
65+	857	7.2	36	2	2	6	9	13	17	27
B. *Operated*										
0-19 YRS	61	9.9	50	4	5	9	11	16	22	47
20-34	469	9.5	34	4	5	8	11	16	19	28
35-49	540	10.9	54	3	5	9	13	19	25	38
50-64	1083	12.1	77	3	5	10	15	21	27	52
65+	3266	14.4	87	3	5	13	18	24	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	453	3.8	8	1	1	3	5	7	9	11
B. *Operated*	1830	8.1	26	1	2	7	10	14	17	27
2. MULTIPLE DX										
A. *Not Operated*	1398	6.3	29	1	2	5	8	12	15	24
B. *Operated*	5419	13.1	80	3	5	11	16	23	29	49
1. SINGLE DX	2283	7.2	25	1	2	7	10	13	16	25
2. MULTIPLE DX	6817	11.7	77	2	3	10	15	21	27	47
A. NOT OPERATED	1851	5.7	25	1	2	5	7	10	13	23
B. OPERATED	7249	11.8	71	2	4	10	15	21	27	44
TOTAL 0-19 YRS	131	7.8	33	1	3	7	9	13	17	30
20-34	1066	7.8	28	2	3	7	10	13	16	25
35-49	1140	8.3	39	2	2	7	11	15	19	31
50-64	1915	9.7	61	2	2	8	12	18	23	39
65+	4848	12.2	81	2	3	11	16	22	28	47
GRAND TOTAL	**9100**	**10.6**	**68**	**2**	**3**	**9**	**14**	**20**	**25**	**41**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	5.9	16	<1	1	6	7	12	14	16
20-34	98	3.5	6	1	1	3	5	6	7	14
35-49	98	4.7	14	1	1	4	6	9	10	21
50-64	114	4.6	10	1	2	4	6	10	11	13
65+	152	5.4	15	1	2	5	7	10	13	23
B. *Operated*										
0-19 YRS	17	7.8	41	1	1	7	13	18	18	18
20-34	72	6.4	44	1	1	5	9	13	16	38
35-49	104	6.8	36	1	1	5	9	13	23	27
50-64	116	7.3	37	1	1	6	11	17	20	25
65+	116	7.7	55	1	1	6	12	17	20	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	105	9.3	43	2	3	8	12	18	20	34
20-34	162	6.2	24	1	2	5	8	12	15	28
35-49	299	5.8	27	1	2	5	7	10	14	31
50-64	431	6.9	31	1	2	6	9	12	15	30
65+	1237	8.1	50	2	3	7	10	14	19	35
B. *Operated*										
0-19 YRS	57	15.2	241	2	2	12	17	28	54	75
20-34	190	10.3	74	1	2	9	13	21	28	41
35-49	393	12.0	109	1	2	10	15	24	33	47
50-64	573	13.4	112	2	3	11	17	25	31	60
65+	1317	15.5	113	3	5	13	20	29	35	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	485	4.7	12	1	1	4	6	9	11	16
B. *Operated*	425	7.2	43	1	1	5	10	15	20	28
2. MULTIPLE DX										
A. *Not Operated*	2234	7.5	42	2	2	6	9	13	18	32
B. *Operated*	2530	14.1	115	2	3	12	18	27	34	60
1. SINGLE DX	910	5.8	28	1	1	4	8	12	16	25
2. MULTIPLE DX	4764	11.0	91	2	2	9	14	22	29	50
A. NOT OPERATED	2719	7.0	38	1	2	6	9	13	17	30
B. OPERATED	2955	13.1	110	2	2	11	17	26	32	55
TOTAL 0-19 YRS	202	10.5	105	1	2	8	14	18	26	64
20-34	522	7.2	48	1	1	5	9	14	20	34
35-49	894	8.5	72	1	2	6	11	18	25	39
50-64	1234	9.7	79	1	2	8	13	19	26	44
65+	2822	11.4	93	2	3	9	15	23	30	52
GRAND TOTAL	**5674**	**10.2**	**85**	**1**	**2**	**8**	**13**	**21**	**28**	**47**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	301	4.8	10	1	2	4	6	8	11	19
20-34	1808	5.2	11	1	2	5	6	9	11	17
35-49	1853	5.7	15	2	2	5	7	10	12	20
50-64	1082	5.7	15	2	2	5	7	10	12	20
65+	666	6.1	14	2	2	5	7	10	13	18
B. *Operated*										
0-19 YRS	25	8.9	38	1	2	7	13	18	20	24
20-34	187	9.8	89	1	2	8	11	18	31	53
35-49	278	8.9	63	1	2	7	12	18	23	42
50-64	218	10.2	85	1	2	9	13	19	27	49
65+	114	9.3	131	1	1	6	11	19	30	61
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	341	5.8	18	2	2	5	8	11	13	19
20-34	4145	6.6	24	2	2	5	8	12	15	26
35-49	6483	7.2	30	2	3	6	9	13	17	30
50-64	4778	7.3	28	2	3	6	9	13	16	27
65+	5209	8.2	35	3	3	7	10	15	19	32
B. *Operated*										
0-19 YRS	98	17.5	290	2	4	11	22	44	54	78
20-34	864	15.0	179	3	4	11	19	33	43	84
35-49	1622	16.8	187	3	5	13	21	36	47	99+
50-64	1652	16.5	216	3	4	12	21	35	50	90
65+	1812	18.0	238	3	5	14	22	37	54	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5710	5.5	13	2	2	5	7	10	12	19
B. *Operated*	822	9.5	83	1	2	7	12	18	27	47
2. MULTIPLE DX										
A. *Not Operated*	20956	7.3	30	2	3	6	9	13	17	29
B. *Operated*	6048	16.8	212	3	5	12	21	36	50	90
1. SINGLE DX	6532	6.0	24	2	2	5	7	11	14	24
2. MULTIPLE DX	27004	9.5	86	2	3	7	11	18	26	53
A. NOT OPERATED	26666	7.0	27	2	3	6	8	12	16	27
B. OPERATED	6870	16.0	202	2	4	12	20	34	47	87
TOTAL 0-19 YRS	765	7.0	67	1	2	5	8	13	19	50
20-34	7004	7.4	51	2	2	6	9	13	19	40
35-49	10236	8.5	66	2	3	6	10	16	23	47
50-64	7730	9.1	84	2	3	7	11	17	25	51
65+	7801	10.3	100	2	3	8	12	20	28	60
GRAND TOTAL	**33536**	**8.8**	**76**	**2**	**3**	**6**	**10**	**17**	**24**	**50**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	340	2.6	3	1	1	2	3	5	6	9
20-34	441	3.0	4	1	1	3	4	5	6	10
35-49	489	3.6	9	1	1	3	5	6	8	13
50-64	521	3.8	8	1	1	3	5	7	8	11
65+	880	4.9	14	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	27	4.5	12	1	1	3	6	8	10	17
20-34	43	5.5	14	2	2	5	7	10	12	22
35-49	50	5.5	11	1	1	5	8	10	11	15
50-64	73	7.0	48	1	2	5	8	15	17	42
65+	128	7.6	30	1	2	6	9	14	18	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	735	3.6	8	1	1	3	5	7	8	14
20-34	1783	4.1	10	1	1	3	5	7	10	15
35-49	2504	4.9	13	1	2	4	6	9	11	19
50-64	5055	5.7	20	2	2	5	7	10	13	23
65+	16804	6.9	29	2	2	6	8	13	16	27
B. *Operated*										
0-19 YRS	107	6.4	27	1	2	5	8	13	18	60
20-34	333	8.1	74	2	2	6	10	14	20	43
35-49	673	9.0	72	2	3	6	10	17	24	48
50-64	1604	9.6	66	2	3	7	12	19	25	41
65+	4744	11.1	97	3	4	8	14	21	30	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2671	3.8	9	1	1	3	5	7	9	13
B. *Operated*	321	6.6	28	1	2	5	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	26881	6.2	25	2	2	5	8	11	15	25
B. *Operated*	7461	10.4	87	2	3	8	13	20	27	53
1. SINGLE DX	2992	4.1	12	1	1	3	5	8	10	16
2. MULTIPLE DX	34342	7.1	41	2	2	5	9	13	18	33
A. NOT OPERATED	29552	6.0	24	1	2	5	7	11	14	24
B. OPERATED	7782	10.2	85	2	3	8	13	20	27	52
TOTAL 0-19 YRS	1209	3.6	9	1	1	3	5	7	9	17
20-34	2600	4.4	20	1	1	3	5	8	11	20
35-49	3716	5.5	26	1	2	4	7	10	14	25
50-64	7253	6.4	33	1	2	5	8	12	17	29
65+	22556	7.7	46	2	3	6	9	14	19	36
GRAND TOTAL	**37334**	**6.9**	**40**	**2**	**2**	**5**	**8**	**13**	**18**	**33**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	218	3.6	8	1	1	3	4	7	9	13
20-34	19	4.9	12	1	1	4	7	10	12	13
35-49	26	4.7	9	1	2	4	7	9	10	12
50-64	22	7.0	28	1	1	5	11	15	19	20
65+	18	8.3	29	1	2	7	12	16	17	17
B. *Operated*										
0-19 YRS	39	7.8	300	<1	<1	2	6	24	42	93
20-34	29	6.7	30	1	2	6	8	14	16	27
35-49	26	7.3	34	1	2	6	10	16	39	99+
50-64	19	7.6	43	<1	1	4	12	19	20	20
65+	15	8.9	70	2	2	8	9	13	31	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	437	5.6	42	1	1	4	7	11	17	37
20-34	84	6.9	41	1	2	5	8	13	18	38
35-49	158	7.5	31	2	3	6	10	13	17	30
50-64	201	8.6	58	2	3	6	10	18	21	45
65+	312	10.4	94	2	3	8	12	20	29	53
B. *Operated*										
0-19 YRS	73	14.3	331	2	2	7	21	63	72	99+
20-34	87	10.0	66	2	3	8	13	21	29	43
35-49	134	13.0	111	3	4	10	16	24	38	54
50-64	181	15.3	190	3	5	11	20	29	51	98
65+	248	17.5	246	3	4	13	22	38	54	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	303	4.3	13	1	1	3	5	9	12	17
B. *Operated*	128	7.6	117	<1	1	5	9	17	26	94
2. MULTIPLE DX										
A. *Not Operated*	1192	7.7	60	1	2	5	9	15	21	40
B. *Operated*	723	14.9	199	2	4	11	19	31	49	94
1. SINGLE DX	431	5.3	46	1	1	4	6	11	15	30
2. MULTIPLE DX	1915	10.4	125	2	2	7	12	22	32	68
A. NOT OPERATED	1495	7.0	53	1	2	5	9	14	19	37
B. OPERATED	851	13.8	193	2	3	9	17	29	46	94
TOTAL 0-19 YRS	767	6.0	81	1	1	4	6	11	21	68
20-34	219	7.9	50	1	2	6	9	15	23	37
35-49	344	9.4	69	2	3	7	12	19	27	48
50-64	423	11.3	124	2	3	8	14	23	29	70
65+	593	13.3	168	3	3	9	16	27	38	72
GRAND TOTAL	**2346**	**9.5**	**114**	**1**	**2**	**6**	**11**	**20**	**29**	**65**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	434	4.9	22	1	1	4	6	10	13	26
20-34	59	4.2	6	1	2	4	6	8	9	12
35-49	30	4.0	4	1	1	4	5	6	8	9
50-64	26	5.4	18	1	2	4	6	10	15	20
65+	31	8.2	26	2	3	7	11	15	16	25
B. *Operated*										
0-19 YRS	244	3.3	8	1	1	2	3	7	9	16
20-34	163	3.3	8	1	1	2	4	7	8	16
35-49	105	3.1	10	1	1	2	3	6	8	21
50-64	88	4.3	19	1	1	2	5	10	16	20
65+	35	3.6	9	<1	1	3	4	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	510	5.6	28	1	1	4	7	11	15	30
20-34	165	5.7	18	1	2	5	7	11	14	21
35-49	176	6.6	32	2	2	5	8	14	17	30
50-64	296	7.8	44	2	2	6	10	15	19	33
65+	486	9.8	70	2	3	8	13	18	24	45
B. *Operated*										
0-19 YRS	234	10.2	199	1	2	5	12	28	37	85
20-34	311	7.5	72	1	1	5	11	16	20	49
35-49	327	7.1	48	1	2	4	9	17	20	34
50-64	376	9.6	125	1	2	5	12	22	36	59
65+	417	12.3	130	2	2	9	16	27	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	580	5.0	20	1	1	4	6	9	13	23
B. *Operated*	635	3.4	10	1	1	2	4	7	9	17
2. MULTIPLE DX										
A. *Not Operated*	1633	7.4	46	1	2	5	10	15	19	33
B. *Operated*	1665	9.4	115	1	2	6	12	21	31	57
1. SINGLE DX	1215	4.2	15	1	1	3	5	8	11	18
2. MULTIPLE DX	3298	8.4	82	1	2	6	11	18	25	49
A. NOT OPERATED	2213	6.7	40	1	2	5	9	14	17	32
B. OPERATED	2300	7.8	93	1	2	4	10	18	27	51
TOTAL 0-19 YRS	1422	5.7	55	1	1	4	7	12	17	45
20-34	698	5.8	42	1	1	4	7	13	16	31
35-49	638	6.2	37	1	2	4	8	14	19	30
50-64	786	8.2	82	1	2	5	10	17	24	51
65+	969	10.6	95	2	2	8	13	21	30	51
GRAND TOTAL	**4513**	**7.3**	**68**	**1**	**2**	**5**	**9**	**16**	**22**	**45**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	4.5	7	1	2	4	6	8	9	15
20-34	24	3.7	6	<1	1	3	5	7	9	10
35-49	11	4.0	3	2	2	4	5	6	8	8
50-64	5	6.2	21	2	2	7	9	13	13	13
65+	5	6.6	9	4	4	6	9	11	11	11
B. *Operated*										
0-19 YRS	24	3.9	7	1	1	3	4	8	10	11
20-34	13	6.2	21	1	1	5	10	12	14	14
35-49	9	3.7	7	1	1	2	5	8	9	9
50-64	6	7.2	63	1	1	3	14	19	20	20
65+	4	4.8	18	2	2	3	7	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	185	5.5	15	1	2	4	7	11	13	17
20-34	54	5.1	8	1	1	5	7	9	10	11
35-49	41	5.8	15	1	2	5	7	9	10	24
50-64	47	7.6	54	2	3	5	9	15	19	44
65+	121	9.0	34	3	3	8	11	17	21	53
B. *Operated*										
0-19 YRS	38	7.4	33	2	2	5	11	16	18	26
20-34	55	8.1	43	1	1	7	12	18	20	27
35-49	45	10.8	142	2	3	8	13	19	26	76
50-64	59	12.9	128	1	2	10	17	29	42	46
65+	79	16.0	130	2	4	13	22	29	40	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	215	4.5	7	1	2	4	6	8	9	14
B. *Operated*	56	4.8	17	1	1	3	6	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	448	6.7	25	1	2	5	9	13	16	28
B. *Operated*	276	11.7	110	1	2	9	16	24	31	50
1. SINGLE DX	271	4.6	9	1	2	4	6	8	11	16
2. MULTIPLE DX	724	8.6	64	1	2	6	11	17	24	43
A. NOT OPERATED	663	6.0	20	1	2	5	7	11	14	26
B. OPERATED	332	10.6	101	1	2	8	15	23	28	47
TOTAL 0-19 YRS	417	5.2	13	1	2	4	6	10	13	17
20-34	146	6.1	24	1	1	5	8	12	18	21
35-49	106	7.6	74	2	2	5	9	14	20	51
50-64	117	10.2	97	2	2	7	13	20	36	46
65+	209	11.5	82	2	3	9	15	23	29	54
GRAND TOTAL	**995**	**7.5**	**52**	**1**	**2**	**5**	**9**	**16**	**21**	**41**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	3.6	28	<1	<1	1	4	10	14	31
20-34	28	3.6	13	<1	1	2	5	7	10	17
35-49	28	3.1	12	<1	<1	2	3	8	12	15
50-64	40	3.0	4	1	1	2	4	6	7	11
65+	36	5.6	33	<1	<1	3	9	14	17	23
B. *Operated*										
0-19 YRS	72	9.5	85	2	2	7	12	20	27	51
20-34	124	6.4	33	1	1	4	10	16	19	23
35-49	137	5.9	37	<1	1	3	8	17	19	25
50-64	165	5.3	34	1	1	3	7	12	15	30
65+	139	5.8	37	1	1	4	7	14	20	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	247	4.9	90	<1	1	2	5	10	14	44
20-34	253	3.7	13	1	1	2	5	8	11	17
35-49	365	5.0	24	1	1	3	6	12	16	21
50-64	656	7.1	57	1	2	5	9	15	20	35
65+	1584	9.7	74	2	3	7	12	19	26	45
B. *Operated*										
0-19 YRS	364	14.3	177	2	3	10	20	30	43	62
20-34	976	11.8	148	1	2	8	16	27	35	67
35-49	1179	11.3	141	1	2	8	15	25	38	67
50-64	1670	11.3	135	2	2	8	15	25	36	60
65+	1883	13.7	175	2	2	10	18	30	42	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	3.8	19	<1	<1	2	4	10	14	21
B. *Operated*	637	6.2	42	1	1	4	9	15	19	30
2. MULTIPLE DX										
A. *Not Operated*	3105	7.7	66	1	1	5	10	16	22	39
B. *Operated*	6072	12.3	154	2	2	8	16	28	38	68
1. SINGLE DX	818	5.7	38	<1	1	3	8	14	18	30
2. MULTIPLE DX	9177	10.8	129	1	2	7	14	24	34	64
A. NOT OPERATED	3286	7.5	64	1	1	5	10	16	21	39
B. OPERATED	6709	11.7	147	1	2	8	16	26	37	67
TOTAL 0-19 YRS	732	9.9	149	1	1	5	13	24	34	54
20-34	1381	9.7	122	1	1	6	13	22	31	65
35-49	1709	9.4	114	1	2	5	13	21	30	61
50-64	2531	9.7	112	1	2	6	12	21	31	57
65+	3642	11.5	130	2	2	8	15	25	34	68
GRAND TOTAL	**9995**	**10.3**	**124**	**1**	**2**	**7**	**14**	**23**	**33**	**62**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.3	67	1	1	3	4	11	26	36
20-34	15	3.7	8	1	1	3	5	7	10	11
35-49	17	4.4	9	<1	1	4	6	9	11	12
50-64	26	6.7	32	1	2	5	8	18	19	20
65+	51	8.2	83	1	1	6	10	17	21	57
B. *Operated*										
0-19 YRS	7	7.9	16	1	2	8	10	13	14	14
20-34	9	5.8	23	1	1	4	9	12	14	14
35-49	11	13.7	452	1	2	9	12	41	73	76
50-64	33	7.6	86	1	1	4	9	21	28	37
65+	32	7.1	50	1	1	5	10	16	24	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	5.8	20	<1	1	4	9	12	15	19
20-34	104	6.6	35	1	2	5	9	13	16	34
35-49	190	8.1	41	1	2	6	10	17	22	30
50-64	573	9.5	47	2	3	8	12	18	22	33
65+	3053	11.1	74	3	4	9	14	21	27	47
B. *Operated*										
0-19 YRS	44	15.3	164	2	3	13	17	32	42	58
20-34	184	14.1	189	2	3	11	18	27	41	99
35-49	261	13.4	115	3	3	11	18	26	32	57
50-64	564	16.9	196	2	3	13	23	36	46	76
65+	1430	19.0	216	4	6	16	24	38	51	88
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	127	6.4	53	1	1	4	9	14	19	41
B. *Operated*	92	8.0	105	1	1	5	10	18	27	60
2. MULTIPLE DX										
A. *Not Operated*	3986	10.5	68	2	3	8	13	20	25	44
B. *Operated*	2483	17.5	202	3	4	14	22	35	48	83
1. SINGLE DX	219	7.1	75	1	1	4	9	16	20	43
2. MULTIPLE DX	6469	13.2	131	2	3	10	17	26	35	68
A. NOT OPERATED	4113	10.4	68	2	3	8	13	20	25	44
B. OPERATED	2575	17.2	202	3	4	14	22	35	48	83
TOTAL 0-19 YRS	135	8.9	91	1	1	6	12	17	30	56
20-34	312	10.9	139	1	2	8	14	22	31	89
35-49	479	11.0	97	2	3	8	14	22	28	52
50-64	1196	12.9	133	2	3	10	16	28	37	58
65+	4566	13.5	132	3	4	10	17	26	36	71
GRAND TOTAL	**6688**	**13.0**	**130**	**2**	**3**	**10**	**16**	**26**	**35**	**67**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1157	3.9	4	1	2	4	5	6	7	10
20-34	1870	4.0	4	1	2	4	5	6	7	9
35-49	527	4.3	4	2	2	4	5	7	8	11
50-64	284	4.8	6	2	2	4	6	8	9	13
65+	220	5.6	13	2	3	5	7	9	11	15
B. *Operated*										
0-19 YRS	62	4.8	8	2	2	4	6	7	9	17
20-34	82	6.0	9	3	3	5	7	11	11	17
35-49	43	5.8	10	1	2	6	8	10	11	16
50-64	19	5.8	14	1	2	5	6	12	15	15
65+	10	11.5	103	2	4	9	11	26	39	39
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1820	4.4	5	2	2	4	5	7	8	12
20-34	3463	4.7	6	2	2	4	6	7	9	13
35-49	1610	5.9	17	2	3	5	7	10	12	18
50-64	1887	6.5	15	2	3	6	8	11	14	21
65+	3961	7.7	28	3	3	7	9	13	16	29
B. *Operated*										
0-19 YRS	247	6.9	25	2	3	6	8	11	19	26
20-34	438	7.8	24	3	3	7	9	14	18	27
35-49	337	9.8	41	3	4	8	12	18	21	31
50-64	427	11.0	68	4	5	9	13	17	23	41
65+	748	13.3	107	4	5	11	16	23	31	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4058	4.2	5	2	2	4	5	7	8	11
B. *Operated*	216	5.8	15	2	2	5	7	10	12	17
2. MULTIPLE DX										
A. *Not Operated*	12741	6.0	17	2	3	5	7	10	13	21
B. *Operated*	2197	10.5	69	3	4	8	13	19	24	47
1. SINGLE DX	4274	4.3	5	2	2	4	5	7	8	11
2. MULTIPLE DX	14938	6.7	27	2	3	5	8	12	15	26
A. NOT OPERATED	16799	5.6	15	2	2	5	7	9	12	19
B. OPERATED	2413	10.1	66	3	4	8	12	18	23	45
TOTAL 0-19 YRS	3286	4.4	7	2	2	4	5	7	8	14
20-34	5853	4.7	8	2	2	4	6	8	9	15
35-49	2517	6.1	20	2	3	5	7	10	14	21
50-64	2617	7.1	26	2	3	6	9	12	15	25
65+	4939	8.5	44	3	3	7	10	15	19	37
GRAND TOTAL	**19212**	**6.1**	**23**	**2**	**2**	**5**	**7**	**11**	**14**	**24**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1031	3.8	4	1	2	3	5	6	7	11
20-34	1446	4.0	4	1	2	4	5	6	7	11
35-49	412	4.4	6	2	2	4	5	7	8	14
50-64	237	4.8	7	2	2	4	6	8	9	14
65+	165	5.1	8	2	2	4	6	9	11	14
B. *Operated*										
0-19 YRS	91	5.0	14	<1	1	4	6	10	12	21
20-34	121	5.6	16	1	2	5	7	10	14	22
35-49	79	7.3	42	1	2	6	9	13	22	32
50-64	71	7.6	28	2	2	6	10	15	19	26
65+	46	8.5	25	1	2	9	12	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1353	4.4	7	2	2	4	5	7	9	13
20-34	2455	4.8	10	2	2	4	6	8	10	15
35-49	1173	5.7	11	2	3	5	7	9	11	18
50-64	1215	6.8	20	2	3	6	8	12	15	25
65+	2365	7.8	27	3	3	7	9	14	17	31
B. *Operated*										
0-19 YRS	299	6.9	28	1	2	6	9	13	17	28
20-34	570	8.8	63	2	3	7	11	15	22	39
35-49	409	10.7	83	2	3	8	13	20	28	47
50-64	575	12.4	117	3	4	9	15	25	31	59
65+	839	14.3	108	3	5	11	19	28	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3291	4.1	5	1	2	4	5	7	8	12
B. *Operated*	408	6.5	25	1	2	5	8	12	16	26
2. MULTIPLE DX										
A. *Not Operated*	8561	6.0	18	2	2	5	7	10	13	23
B. *Operated*	2692	11.4	94	2	3	9	14	23	30	51
1. SINGLE DX	3699	4.3	7	1	2	4	5	7	9	15
2. MULTIPLE DX	11253	7.3	41	2	3	5	9	13	19	33
A. NOT OPERATED	11852	5.4	15	2	2	5	7	9	12	20
B. OPERATED	3100	10.7	88	2	3	8	13	22	28	50
TOTAL 0-19 YRS	2774	4.5	9	1	2	4	5	7	10	16
20-34	4592	5.1	17	2	2	4	6	8	11	19
35-49	2073	6.5	30	2	2	5	8	11	15	30
50-64	2098	8.2	53	2	3	6	10	15	21	40
65+	3415	9.2	55	3	3	7	11	17	24	38
GRAND TOTAL	**14952**	**6.5**	**34**	**2**	**2**	**5**	**8**	**12**	**16**	**31**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	2.2	2	1	1	2	3	4	5	6
20-34	1553	2.0	3	<1	1	2	3	4	5	7
35-49	2073	2.1	2	<1	1	2	3	4	5	8
50-64	1149	2.3	2	<1	1	2	3	4	5	8
65+	387	2.8	5	1	1	2	3	5	7	10
B. *Operated*										
0-19 YRS	87	5.9	16	1	2	5	8	11	13	21
20-34	812	6.3	14	2	2	6	8	11	13	18
35-49	1263	6.5	15	1	2	6	8	11	13	20
50-64	1071	6.7	17	1	2	6	9	11	14	18
65+	478	7.2	18	2	2	7	9	12	14	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	3.1	11	1	1	2	4	5	7	22
20-34	1341	3.0	8	1	1	2	4	6	7	12
35-49	1837	3.0	7	1	1	2	4	6	8	12
50-64	1763	3.4	8	1	1	3	4	7	8	14
65+	1434	4.6	19	1	1	3	6	9	12	22
B. *Operated*										
0-19 YRS	128	9.3	73	1	2	7	11	21	26	40
20-34	999	8.1	43	2	2	7	10	14	20	32
35-49	1604	8.2	40	2	2	7	10	15	19	33
50-64	2096	9.0	42	2	3	8	11	17	21	32
65+	1915	10.5	72	2	3	9	13	20	26	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5384	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	3711	6.6	16	1	2	6	9	11	13	19
2. MULTIPLE DX										
A. *Not Operated*	6553	3.5	11	1	1	3	4	7	9	16
B. *Operated*	6742	9.1	52	2	3	8	11	17	22	38
1. SINGLE DX	9095	4.0	13	1	1	3	6	9	11	16
2. MULTIPLE DX	13295	6.3	39	1	1	5	8	13	17	31
A. NOT OPERATED	11937	2.9	7	1	1	2	4	5	7	13
B. OPERATED	10453	8.2	40	2	2	7	10	15	19	32
TOTAL 0-19 YRS	615	4.5	29	1	1	3	5	9	14	27
20-34	4705	4.3	20	1	1	3	6	9	12	22
35-49	6777	4.6	21	1	1	3	6	10	13	21
50-64	6079	5.7	28	1	1	4	8	12	15	25
65+	4214	7.4	51	1	2	6	9	15	20	37
GRAND TOTAL	**22390**	**5.4**	**30**	**1**	**1**	**4**	**7**	**11**	**15**	**26**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	691	2.0	1	1	1	2	2	4	4	6
20-34	6313	1.9	2	<1	1	2	2	3	4	6
35-49	8034	1.9	2	<1	1	2	2	3	4	6
50-64	4449	2.1	2	1	1	2	3	4	5	7
65+	1241	2.3	2	1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	383	4.4	8	1	2	4	6	8	10	14
20-34	3734	4.7	9	1	2	4	6	9	11	14
35-49	5095	4.9	11	1	2	4	7	9	11	15
50-64	3487	5.3	12	1	2	5	7	10	12	16
65+	1215	5.8	14	1	2	5	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	288	2.6	3	1	1	2	3	5	6	12
20-34	2625	2.4	3	1	1	2	3	4	6	8
35-49	3928	2.4	3	1	1	2	3	5	6	8
50-64	3553	2.8	4	1	1	2	4	5	7	10
65+	2185	3.4	10	1	1	3	4	6	8	13
B. *Operated*										
0-19 YRS	202	5.9	12	2	2	5	8	11	12	17
20-34	2047	6.3	18	2	2	5	8	11	14	21
35-49	3385	6.3	18	2	2	5	8	12	14	21
50-64	4036	7.4	30	2	2	6	9	14	17	26
65+	3283	9.0	45	2	3	8	11	17	21	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20728	2.0	2	<1	1	2	2	3	4	7
B. *Operated*	13914	5.0	11	1	2	4	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	12579	2.7	5	1	1	2	3	5	6	10
B. *Operated*	12953	7.3	30	2	2	6	9	14	17	27
1. SINGLE DX	34642	3.2	8	1	1	2	4	7	9	13
2. MULTIPLE DX	25532	5.0	23	1	1	4	7	11	14	22
A. NOT OPERATED	33307	2.2	3	1	1	2	3	4	5	8
B. OPERATED	26867	6.1	21	1	2	5	8	12	14	22
TOTAL 0-19 YRS	1564	3.2	7	1	1	2	4	6	9	13
20-34	14719	3.3	9	1	1	2	4	7	9	14
35-49	20442	3.5	10	1	1	2	4	8	10	15
50-64	15525	4.4	17	1	1	3	6	9	12	19
65+	7924	5.9	32	1	1	4	8	12	16	28
GRAND TOTAL	**60174**	**4.0**	**15**	**1**	**1**	**3**	**5**	**9**	**11**	**18**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	142	3.2	14	<1	1	2	4	6	8	23
20-34	124	2.6	3	1	1	2	3	4	7	10
35-49	135	2.8	6	1	1	2	3	5	6	12
50-64	120	3.1	6	1	1	2	4	7	8	12
65+	79	3.8	10	1	1	3	4	8	10	17
B. *Operated*										
0-19 YRS	1258	6.0	12	<1	1	6	8	10	11	15
20-34	554	6.2	20	1	1	6	8	11	14	22
35-49	487	5.5	16	1	1	5	8	11	12	17
50-64	463	5.0	21	1	1	3	7	10	13	21
65+	341	5.1	22	<1	1	3	8	11	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	374	4.2	39	1	1	3	5	8	11	17
20-34	397	3.9	16	1	1	3	5	7	10	20
35-49	430	4.8	16	1	1	3	6	10	13	20
50-64	570	5.7	28	1	1	4	7	11	15	26
65+	1501	8.2	54	2	2	6	10	17	22	37
B. *Operated*										
0-19 YRS	1671	7.1	28	1	1	7	9	13	16	27
20-34	1253	7.9	35	1	2	7	10	14	17	26
35-49	1319	8.0	39	1	2	7	10	15	20	32
50-64	2044	8.8	69	1	2	7	11	17	22	43
65+	2698	10.2	78	1	2	8	13	22	28	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	600	3.0	8	1	1	2	4	6	7	14
B *Operated*	3103	5.7	17	1	1	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	3272	6.4	42	1	1	4	8	13	18	33
B. *Operated*	8985	8.7	56	1	2	7	11	17	22	38
1. SINGLE DX	3703	5.3	16	1	1	5	8	10	12	18
2. MULTIPLE DX	12257	8.1	53	1	2	6	10	16	22	37
A. NOT OPERATED	3872	5.8	38	1	1	4	7	12	17	31
B. OPERATED	12088	7.9	48	1	2	7	10	15	21	35
TOTAL 0-19 YRS	3445	6.2	24	1	1	6	8	11	14	23
20-34	2328	6.5	30	1	1	6	9	12	16	24
35-49	2371	6.6	31	1	1	5	9	13	17	28
50-64	3197	7.5	56	1	2	5	10	16	21	37
65+	4619	9.1	68	1	2	7	12	19	25	42
GRAND TOTAL	**15960**	**7.4**	**46**	**1**	**1**	**6**	**9**	**15**	**20**	**34**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	46	2.1	2	1	1	2	3	4	4	8
20-34	327	2.1	2	<1	1	2	3	4	5	8
35-49	377	2.0	2	<1	1	2	2	4	5	7
50-64	233	2.0	2	<1	1	2	3	4	5	8
65+	67	2.8	2	<1	1	3	3	5	6	7
B. ***Operated***										
0-19 YRS	30	4.6	10	1	1	4	6	9	11	13
20-34	145	4.7	14	1	1	3	6	10	13	17
35-49	198	4.7	12	1	1	4	6	10	12	16
50-64	223	4.3	12	1	1	3	6	9	12	14
65+	248	4.4	16	1	1	3	6	9	12	21
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	27	3.8	18	<1	1	2	4	9	12	21
20-34	210	2.9	4	1	1	2	4	5	7	12
35-49	266	2.9	6	1	1	2	4	6	8	12
50-64	286	3.3	6	1	1	3	4	7	9	10
65+	203	4.1	13	1	1	3	5	8	11	19
B. ***Operated***										
0-19 YRS	54	5.5	29	1	1	4	8	11	15	31
20-34	253	6.4	39	1	2	5	8	12	19	37
35-49	293	6.2	26	1	2	5	8	12	17	26
50-64	609	6.1	30	1	2	5	8	12	16	25
65+	1367	7.6	37	2	2	6	10	15	19	28
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	1050	2.1	2	<1	1	2	3	4	5	8
B. ***Operated***	844	4.5	13	1	1	3	6	10	12	17
2. MULTIPLE DX										
A. ***Not Operated***	992	3.3	8	1	1	3	4	6	9	14
B. ***Operated***	2576	6.9	35	1	2	5	9	14	18	28
1. SINGLE DX	1894	3.2	9	1	1	2	4	7	9	14
2. MULTIPLE DX	3568	5.9	30	1	1	4	8	12	16	26
A. NOT OPERATED	2042	2.7	5	1	1	2	3	5	7	11
B. OPERATED	3420	6.3	31	1	2	5	8	13	17	26
TOTAL 0-19 YRS	157	4.0	17	1	1	3	5	10	11	21
20-34	935	3.8	18	1	1	3	5	8	11	20
35-49	1134	3.8	14	1	1	3	5	8	11	19
50-64	1351	4.5	20	1	1	3	6	9	13	21
65+	1885	6.7	33	1	2	5	9	14	18	27
GRAND TOTAL	**5462**	**5.0**	**24**	**1**	**1**	**3**	**6**	**11**	**14**	**24**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	240	2.6	3	1	1	2	3	4	6	9
20-34	236	2.8	3	1	1	3	4	5	6	7
35-49	119	2.8	2	1	1	2	4	5	6	8
50-64	91	3.7	7	1	1	3	5	7	8	15
65+	103	4.1	9	1	2	4	5	7	9	18
B. ***Operated***										
0-19 YRS	229	2.1	3	<1	<1	2	2	4	5	9
20-34	477	2.9	6	<1	<1	2	4	6	7	13
35-49	455	2.7	4	<1	1	2	3	5	7	11
50-64	578	3.0	6	<1	1	2	4	6	7	14
65+	696	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	409	3.3	4	1	1	3	4	6	7	10
20-34	598	4.2	14	1	1	3	5	8	10	17
35-49	445	4.5	8	1	2	4	6	8	10	13
50-64	638	5.3	15	2	2	4	6	10	12	22
65+	2013	7.0	24	2	3	6	9	13	17	25
B. ***Operated***										
0-19 YRS	518	2.8	6	<1	1	2	4	6	7	14
20-34	1144	4.4	20	<1	1	3	6	9	12	22
35-49	1390	4.7	23	1	1	3	6	10	12	24
50-64	2049	5.2	26	1	1	4	7	10	14	24
65+	4403	6.6	46	1	2	5	8	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	789	3.0	4	1	1	3	4	5	6	11
B. ***Operated***	2435	2.8	5	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. ***Not Operated***	4103	5.7	20	1	2	5	7	11	14	23
B. ***Operated***	9504	5.6	34	1	1	4	7	11	15	28
1. SINGLE DX	3224	2.9	5	<1	1	2	4	5	7	12
2. MULTIPLE DX	13607	5.6	30	1	1	4	7	11	15	27
A. NOT OPERATED	4892	5.3	18	1	2	4	7	10	13	22
B. OPERATED	11939	5.0	29	1	1	3	6	10	14	26
TOTAL 0-19 YRS	1396	2.8	5	<1	1	2	4	5	6	11
20-34	2455	3.9	15	<1	1	3	5	8	10	17
35-49	2409	4.2	16	1	1	3	5	8	11	19
50-64	3356	4.8	21	1	1	3	6	10	13	22
65+	7215	6.4	37	1	2	5	8	13	16	29
GRAND TOTAL	**16831**	**5.1**	**26**	**1**	**1**	**4**	**6**	**10**	**14**	**25**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.0	2	<1	1	2	3	3	5	6
20-34	13	1.6	1	<1	<1	1	2	3	4	4
35-49	9	2.0	2	1	1	1	3	4	5	5
50-64	15	2.9	2	<1	1	3	4	5	6	6
65+	26	3.8	16	1	1	3	4	8	14	19
B. *Operated*										
0-19 YRS	1356	1.6	2	<1	<1	1	2	3	4	8
20-34	833	2.6	4	<1	1	2	3	5	6	10
35-49	586	2.7	6	<1	<1	2	3	6	8	12
50-64	559	2.9	8	<1	1	2	4	6	7	13
65+	719	3.4	8	1	1	3	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	2.4	3	<1	<1	2	3	5	6	9
20-34	19	3.4	7	<1	<1	3	5	8	9	10
35-49	34	3.9	12	<1	1	3	5	8	10	18
50-64	58	4.2	20	<1	<1	3	5	8	11	27
65+	219	4.7	12	1	1	4	6	9	13	15
B. *Operated*										
0-19 YRS	1335	2.0	3	<1	<1	1	2	4	5	9
20-34	1290	3.4	9	<1	1	2	4	7	9	16
35-49	1242	3.9	14	<1	1	3	5	8	11	18
50-64	1805	4.4	19	1	1	3	5	9	12	21
65+	3632	5.5	26	1	2	4	7	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.7	7	<1	1	2	3	5	6	17
B. *Operated*	4053	2.5	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	388	4.1	12	<1	1	3	5	9	11	16
B. *Operated*	9304	4.3	19	<1	1	3	5	9	12	21
1. SINGLE DX	4131	2.5	5	<1	<1	2	3	5	6	12
2. MULTIPLE DX	9692	4.3	19	<1	1	3	5	9	12	21
A. NOT OPERATED	466	3.9	12	<1	1	3	5	8	11	16
B. OPERATED	13357	3.7	16	<1	1	3	5	8	11	19
TOTAL 0-19 YRS	2764	1.8	3	<1	<1	1	2	3	5	9
20-34	2155	3.1	7	<1	1	2	4	6	8	14
35-49	1871	3.6	11	<1	1	3	4	7	10	17
50-64	2437	4.0	17	<1	1	3	5	8	11	20
65+	4596	5.1	23	1	2	4	6	10	13	24
GRAND TOTAL	**13823**	**3.7**	**15**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1910	3.0	4	1	1	3	4	5	6	9
20-34	1044	3.1	3	1	1	3	4	5	6	9
35-49	528	3.4	4	1	1	3	4	6	7	11
50-64	472	3.7	5	1	1	3	5	7	8	11
65+	902	4.9	13	1	2	4	6	9	11	17
B. *Operated*										
0-19 YRS	1112	2.4	4	<1	<1	2	3	5	7	10
20-34	999	2.8	6	<1	<1	2	4	6	8	12
35-49	1014	3.1	10	<1	<1	2	4	6	8	14
50-64	1170	3.1	8	<1	1	2	4	6	8	14
65+	1414	3.7	9	1	1	3	5	7	10	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4798	4.0	7	1	2	3	5	7	9	13
20-34	3909	4.5	18	1	1	4	6	8	10	18
35-49	2920	5.5	19	1	2	4	7	10	12	20
50-64	5177	6.3	24	2	2	5	8	11	14	24
65+	23417	8.1	42	2	3	7	10	15	19	36
B. *Operated*										
0-19 YRS	1993	4.1	29	<1	<1	3	5	9	12	24
20-34	2328	5.3	42	1	1	4	6	10	15	32
35-49	2802	5.8	45	1	1	4	7	12	16	34
50-64	4956	6.5	51	1	1	5	8	14	18	35
65+	13504	8.6	73	2	2	6	11	17	24	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4856	3.5	6	1	1	3	4	6	8	12
B *Operated*	5709	3.1	8	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	40221	6.8	34	2	2	5	8	13	16	30
B. *Operated*	25583	7.3	62	1	1	5	9	15	21	41
1. SINGLE DX	10565	3.3	7	<1	1	3	4	6	8	13
2. MULTIPLE DX	65804	7.0	45	1	2	5	9	13	18	35
A. NOT OPERATED	45077	6.5	32	1	2	5	8	12	16	28
B. OPERATED	31292	6.5	55	1	1	4	8	14	19	38
TOTAL 0-19 YRS	9813	3.6	11	<1	1	3	5	7	9	14
20-34	8280	4.4	22	1	1	3	5	8	11	21
35-49	7264	5.1	28	1	1	4	6	10	13	25
50-64	11775	6.0	35	1	2	5	7	11	15	29
65+	39237	8.0	52	2	2	6	10	15	20	40
GRAND TOTAL	**76369**	**6.5**	**41**	**1**	**2**	**5**	**8**	**13**	**17**	**33**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	3.8	8	1	1	3	6	8	8	8
35-49	9	3.8	15	<1	<1	2	6	10	12	12
50-64	53	3.4	10	<1	1	3	4	6	7	21
65+	116	3.6	13	<1	1	2	5	7	10	20
B. *Operated*										
0-19 YRS	15	5.5	7	2	2	6	7	9	9	9
20-34	16	3.1	12	<1	<1	2	4	8	12	14
35-49	367	3.5	6	<1	1	3	5	6	8	11
50-64	6015	4.9	7	1	2	5	6	8	9	13
65+	9743	5.7	10	2	2	5	7	9	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	9	4.1	12	1	1	3	5	10	11	11
35-49	47	3.8	5	1	1	3	5	6	8	11
50-64	504	3.9	10	1	1	3	5	8	10	15
65+	1842	5.3	36	1	1	4	7	11	14	28
B. *Operated*										
0-19 YRS	46	7.3	18	2	3	6	9	14	18	20
20-34	69	4.5	17	1	1	4	5	10	15	85
35-49	714	5.1	17	1	1	4	6	9	12	17
50-64	14092	6.4	18	2	2	5	8	11	14	21
65+	40344	7.9	33	2	3	6	9	14	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	3.5	12	<1	1	2	5	7	9	20
B. *Operated*	16156	5.3	9	1	2	5	7	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	2405	5.0	30	1	1	4	6	10	13	27
B. *Operated*	55265	7.5	29	2	3	6	9	13	17	28
1. SINGLE DX	16340	5.3	9	1	2	5	6	9	10	15
2. MULTIPLE DX	57670	7.4	30	2	3	6	9	13	16	28
A. NOT OPERATED	2589	4.9	29	1	1	4	6	10	13	26
B. OPERATED	71421	7.0	26	2	3	6	8	12	15	26
TOTAL 0-19 YRS	65	6.5	17	1	2	6	8	11	16	20
20-34	99	4.2	16	1	1	3	5	9	13	62
35-49	1137	4.5	13	1	1	4	6	8	11	15
50-64	20664	5.9	15	1	2	5	7	10	12	19
65+	52045	7.4	30	2	3	6	9	13	16	28
GRAND TOTAL	**74010**	**6.9**	**26**	**2**	**3**	**6**	**8**	**12**	**15**	**26**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.6	2	1	1	2	3	4	5	7
20-34	197	3.2	3	1	1	3	4	5	6	8
35-49	196	4.1	26	1	2	3	5	7	9	17
50-64	229	4.1	4	1	2	4	5	7	8	10
65+	84	4.1	4	1	2	4	5	7	8	9
B. *Operated*										
0-19 YRS	27	2.1	3	<1	<1	1	3	5	6	7
20-34	230	2.5	6	<1	<1	2	3	5	7	11
35-49	310	2.5	5	<1	<1	2	3	5	7	10
50-64	257	2.9	6	<1	1	2	3	6	7	12
65+	165	3.4	17	<1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	4.2	6	1	2	3	5	8	10	10
20-34	328	3.9	6	1	2	3	5	7	9	11
35-49	478	4.6	8	2	2	4	6	8	9	13
50-64	822	4.8	7	2	2	4	6	8	9	14
65+	771	5.4	11	2	2	5	7	9	12	19
B. *Operated*										
0-19 YRS	47	3.0	4	<1	1	2	4	5	7	11
20-34	402	3.6	16	<1	1	2	4	7	11	20
35-49	744	4.0	10	<1	1	3	5	8	10	15
50-64	1095	5.1	19	1	1	4	7	10	13	22
65+	1176	6.6	30	1	2	5	9	13	17	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	741	3.8	10	1	2	3	5	6	7	10
B. *Operated*	989	2.7	7	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	2429	4.8	9	2	2	4	6	8	10	15
B. *Operated*	3464	5.2	22	1	1	4	7	10	13	23
1. SINGLE DX	1730	3.2	9	<1	1	3	4	6	7	11
2. MULTIPLE DX	5893	5.0	16	1	2	4	6	9	12	20
A. NOT OPERATED	3170	4.6	9	1	2	4	6	8	9	14
B. OPERATED	4453	4.6	20	<1	1	3	6	9	13	21
TOTAL 0-19 YRS	139	3.0	4	<1	1	2	4	6	7	10
20-34	1157	3.4	9	<1	1	3	4	6	8	13
35-49	1728	3.9	11	<1	1	3	5	7	9	13
50-64	2403	4.7	12	1	1	4	6	9	10	17
65+	2196	5.9	23	1	2	5	7	11	14	23
GRAND TOTAL	**7623**	**4.6**	**15**	**1**	**1**	**4**	**6**	**9**	**11**	**19**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.3		<1	<1	1	1	2	3	3
20-34	7	3.1	6	<1	<1	2	4	7	8	8
35-49	5	4.0	8	<1	<1	5	6	7	7	7
50-64	6	2.3	1	1	1	3	3	3	3	3
65+	4	4.3	5	<1	<1	5	6	6	6	6
B. *Operated*										
0-19 YRS	1006	1.7	1	<1	<1	1	2	3	3	6
20-34	461	2.4	2	1	1	2	3	4	4	7
35-49	520	2.4	2	1	1	2	3	4	5	8
50-64	824	2.6	2	1	1	2	3	4	5	8
65+	542	2.7	3	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	1.5	2	<1	<1	1	1	3	4	7
20-34	10	1.5	1	<1	<1	1	2	3	3	3
35-49	6	4.2	8	1	1	4	6	8	8	8
50-64	25	3.7	10	<1	<1	3	5	9	11	11
65+	36	4.0	10	<1	<1	3	7	8	9	14
B. *Operated*										
0-19 YRS	886	2.0	6	<1	<1	2	2	3	4	8
20-34	258	3.4	12	1	1	3	4	5	8	14
35-49	389	3.1	4	1	1	3	4	5	6	11
50-64	918	3.9	11	1	1	3	5	7	9	17
65+	945	4.3	12	1	2	3	5	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	45	2.3	4	<1	<1	1	3	5	6	8
B. *Operated*	3353	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	152	2.6	6	<1	<1	1	3	7	8	11
B. *Operated*	3396	3.4	10	1	1	3	4	6	8	15
1. SINGLE DX	3398	2.3	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	3548	3.3	10	<1	1	3	4	6	8	15
A. NOT OPERATED	197	2.5	6	<1	<1	1	3	6	8	11
B. OPERATED	6749	2.8	6	<1	1	2	3	5	6	12
TOTAL 0-19 YRS	1990	1.8	3	<1	<1	1	2	3	4	6
20-34	736	2.7	6	1	1	2	3	4	5	10
35-49	920	2.7	3	1	1	2	3	5	6	9
50-64	1773	3.3	7	1	1	3	4	6	7	14
65+	1527	3.7	9	1	1	3	4	7	9	17
GRAND TOTAL	**6946**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	389	3.6	7	1	1	3	5	7	8	12
20-34	818	4.1	6	1	2	4	5	7	8	12
35-49	430	4.5	6	1	2	4	6	8	9	12
50-64	293	5.2	5	2	3	5	7	8	9	11
65+	173	5.7	8	3	3	5	7	9	10	17
B. *Operated*										
0-19 YRS	168	2.8	4	1	1	2	3	6	7	9
20-34	296	3.6	9	1	1	3	5	7	9	16
35-49	222	3.8	10	1	1	3	5	8	10	17
50-64	167	4.1	9	1	1	3	6	9	11	14
65+	110	3.9	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	161	3.9	7	1	1	3	5	8	10	13
20-34	442	4.7	12	1	2	4	6	8	10	15
35-49	434	5.3	8	2	2	5	7	9	11	14
50-64	606	6.0	10	2	3	5	7	10	11	17
65+	766	6.5	12	2	3	6	8	11	14	19
B. *Operated*										
0-19 YRS	121	3.7	7	1	1	3	5	8	9	12
20-34	270	5.0	22	1	1	4	6	9	12	21
35-49	292	5.9	35	1	1	4	8	11	15	32
50-64	440	6.8	30	2	2	6	9	13	16	24
65+	567	8.3	46	2	2	7	11	17	21	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2103	4.4	6	1	2	4	6	8	9	12
B. *Operated*	963	3.6	8	1	1	3	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	2409	5.7	11	2	2	5	7	10	12	17
B. *Operated*	1690	6.6	35	1	2	5	9	13	17	27
1. SINGLE DX	3066	4.2	7	1	1	4	5	8	9	13
2. MULTIPLE DX	4099	6.1	21	1	2	5	8	11	14	22
A. NOT OPERATED	4512	5.1	9	1	2	5	6	9	11	15
B. OPERATED	2653	5.6	27	1	1	4	7	11	15	24
TOTAL 0-19 YRS	839	3.5	7	1	1	3	5	7	9	12
20-34	1826	4.3	10	1	1	4	5	8	10	15
35-49	1378	5.0	14	1	2	4	6	9	11	17
50-64	1506	5.9	15	2	2	5	7	10	12	19
65+	1616	6.9	25	2	3	6	9	13	16	23
GRAND TOTAL	**7165**	**5.3**	**16**	**1**	**2**	**4**	**7**	**10**	**12**	**19**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1354	1.4		<1	<1	1	2	2	2	4
20-34	303	1.7		<1	<1	2	2	2	3	4
35-49	178	1.7	1	<1	<1	2	2	2	3	3
50-64	121	1.8	1	<1	1	2	2	3	3	4
65+	64	1.8		<1	1	2	2	3	3	4
B. *Operated*										
0-19 YRS	1217	1.4		<1	<1	1	2	2	2	3
20-34	311	1.7	1	<1	<1	2	2	3	3	4
35-49	210	1.6	1	<1	<1	1	2	2	3	5
50-64	159	1.7	1	<1	<1	2	2	2	3	6
65+	92	2.1	2	<1	<1	2	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	342	1.5	1	<1	<1	1	2	2	3	8
20-34	139	2.2	3	<1	<1	2	2	4	5	9
35-49	169	2.6	5	<1	1	2	3	5	7	12
50-64	176	2.6	4	<1	1	2	3	5	7	11
65+	191	3.1	17	<1	1	2	3	6	8	15
B. *Operated*										
0-19 YRS	468	1.7	2	<1	<1	1	2	3	4	6
20-34	257	2.1	2	<1	<1	2	2	4	5	9
35-49	366	2.4	3	<1	1	2	3	5	6	10
50-64	419	2.8	15	<1	1	2	3	5	7	12
65+	504	3.9	32	1	1	2	4	8	11	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2020	1.5	1	<1	<1	1	2	2	3	4
B. *Operated*	1989	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	1017	2.3	6	<1	<1	2	2	4	6	11
B. *Operated*	2014	2.6	13	<1	<1	2	3	5	7	13
1. SINGLE DX	4009	1.5	1	<1	<1	1	2	2	3	4
2. MULTIPLE DX	3031	2.5	11	<1	<1	2	3	5	7	12
A. NOT OPERATED	3037	1.8	2	<1	<1	1	2	3	4	8
B. OPERATED	4003	2.1	7	<1	<1	2	2	3	5	10
TOTAL 0-19 YRS	3381	1.4	1	<1	<1	1	2	2	3	5
20-34	1010	1.9	1	<1	<1	2	2	3	4	7
35-49	923	2.1	3	<1	<1	2	2	4	5	10
50-64	875	2.4	9	<1	1	2	3	4	6	11
65+	851	3.4	24	<1	1	2	3	7	9	21
GRAND TOTAL	**7040**	**1.9**	**5**	**<1**	**<1**	**2**	**2**	**3**	**4**	**10**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	2.4	39	<1	<1	1	2	4	5	10
20-34	183	2.2	3	<1	1	2	3	4	5	9
35-49	129	2.3	2	<1	<1	2	3	4	5	8
50-64	89	2.2	3	<1	1	2	3	4	5	10
65+	47	2.6	4	<1	1	2	3	4	7	11
B. *Operated*										
0-19 YRS	2351	1.8	2	<1	1	1	2	3	4	7
20-34	1459	2.2	4	<1	1	2	3	4	5	9
35-49	988	2.7	6	<1	1	2	3	5	6	13
50-64	1149	3.1	5	1	1	3	4	5	6	9
65+	506	3.2	6	1	1	3	4	6	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	205	3.0	32	<1	<1	2	3	5	8	22
20-34	201	3.8	15	<1	1	2	5	7	10	23
35-49	233	3.5	11	<1	1	2	4	7	9	12
50-64	259	3.8	10	<1	1	3	5	8	10	17
65+	260	5.9	30	1	1	5	8	12	16	28
B. *Operated*										
0-19 YRS	1006	2.6	9	<1	1	2	3	5	6	14
20-34	1102	3.4	11	1	1	2	4	6	9	18
35-49	1254	4.3	24	1	1	3	5	8	11	24
50-64	2085	4.6	23	1	2	4	5	8	10	20
65+	1426	5.7	59	1	2	4	6	11	17	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	679	2.3	15	<1	<1	2	3	4	5	10
B. *Operated*	6453	2.4	4	<1	1	2	3	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	1158	4.1	20	<1	1	3	5	9	11	21
B. *Operated*	6873	4.3	28	1	1	3	5	8	11	24
1. SINGLE DX	7132	2.4	5	<1	1	2	3	4	5	9
2. MULTIPLE DX	8031	4.3	27	1	1	3	5	8	11	24
A. NOT OPERATED	1837	3.4	19	<1	1	2	4	7	9	19
B. OPERATED	13326	3.4	17	1	1	2	4	6	9	18
TOTAL 0-19 YRS	3793	2.1	8	<1	1	2	2	4	5	10
20-34	2945	2.8	8	<1	1	2	3	5	7	14
35-49	2604	3.5	15	<1	1	2	4	7	9	18
50-64	3582	4.0	16	1	1	3	5	7	9	17
65+	2239	5.1	44	1	1	3	6	10	14	32
GRAND TOTAL	**15163**	**3.4**	**17**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	22	2.0	2	<1	<1	2	2	4	5	5
35-49	47	1.8	4	<1	<1	1	2	3	5	13
50-64	21	1.8	2	<1	<1	1	2	4	5	6
65+	4	3.0	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	228	1.7	1	<1	<1	2	2	3	4	4
20-34	1995	2.1	2	<1	<1	2	2	4	5	7
35-49	5696	2.1	2	<1	<1	2	2	3	5	7
50-64	3111	2.1	1	<1	<1	2	2	3	4	7
65+	1224	2.1	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	3	1	1	4	5	5	5	5
20-34	38	2.8	4	<1	1	2	4	6	7	7
35-49	99	3.1	7	<1	<1	2	4	6	8	13
50-64	64	3.0	10	<1	<1	2	4	6	9	17
65+	50	3.5	9	1	1	3	4	8	12	12
B. *Operated*										
0-19 YRS	71	2.4	2	<1	1	2	3	4	6	8
20-34	1188	3.0	7	<1	1	2	4	6	7	13
35-49	3875	3.0	5	<1	1	2	4	6	7	11
50-64	3022	3.0	5	1	1	2	3	6	7	12
65+	1976	3.2	7	1	1	2	4	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	1.9	3	<1	<1	1	2	4	5	10
B. *Operated*	12254	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	256	3.1	7	<1	1	2	4	6	9	13
B. *Operated*	10132	3.0	6	<1	1	2	4	6	7	12
1. SINGLE DX	12353	2.1	2	<1	<1	2	2	3	4	7
2. MULTIPLE DX	10388	3.0	6	<1	1	2	4	6	7	12
A. NOT OPERATED	355	2.8	6	<1	<1	2	4	6	7	13
B. OPERATED	22386	2.5	4	<1	<1	2	3	5	6	10
TOTAL 0-19 YRS	309	1.9	1	<1	<1	2	2	4	4	6
20-34	3243	2.4	4	<1	<1	2	3	4	6	9
35-49	9717	2.5	3	<1	<1	2	3	5	6	9
50-64	6218	2.5	4	<1	1	2	3	4	6	10
65+	3254	2.8	5	<1	1	2	3	5	7	12
GRAND TOTAL	**22741**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**6**	**10**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	77	3.8	5	1	2	3	5	6	8	13
20-34	172	3.3	4	1	1	3	4	6	7	10
35-49	79	3.9	8	1	1	3	5	8	10	13
50-64	43	3.1	5	<1	<1	2	5	6	7	10
65+	23	1.9	2	<1	<1	1	2	4	6	6
B. *Operated*										
0-19 YRS	1343	2.6	2	<1	1	2	3	4	5	7
20-34	2290	2.8	2	<1	1	3	4	5	5	8
35-49	1580	2.7	3	<1	1	2	4	5	6	8
50-64	1072	2.7	3	<1	1	2	3	5	5	9
65+	502	2.4	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.4	6	<1	<1	3	5	7	8	12
20-34	180	3.8	8	<1	1	3	5	7	9	14
35-49	203	4.0	19	<1	<1	3	5	8	9	18
50-64	153	3.8	14	<1	<1	2	5	9	10	18
65+	143	4.3	13	<1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	352	2.9	2	1	1	3	4	4	5	9
20-34	1284	3.4	7	1	1	3	4	5	7	14
35-49	1760	3.7	7	1	1	3	4	6	9	14
50-64	1447	3.8	9	1	1	3	5	7	9	16
65+	1026	4.0	17	1	2	3	5	8	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	394	3.4	5	<1	1	3	5	6	8	11
B. *Operated*	6787	2.7	2	<1	1	2	3	5	5	8
2. MULTIPLE DX										
A. *Not Operated*	744	3.9	13	<1	<1	3	5	8	10	17
B. *Operated*	5869	3.7	9	1	1	3	4	6	9	15
1. SINGLE DX	7181	2.7	3	<1	1	2	3	5	5	8
2. MULTIPLE DX	6613	3.7	10	1	1	3	4	7	9	16
A. NOT OPERATED	1138	3.7	10	<1	1	3	5	7	9	14
B. OPERATED	12656	3.1	6	<1	1	3	4	5	7	12
TOTAL 0-19 YRS	1837	2.8	3	<1	1	3	3	4	5	8
20-34	3926	3.0	4	<1	1	3	4	5	6	10
35-49	3622	3.3	6	<1	1	3	4	6	8	12
50-64	2715	3.4	7	<1	1	3	4	6	8	14
65+	1694	3.5	13	<1	1	3	4	7	9	17
GRAND TOTAL	**13794**	**3.2**	**6**	**<1**	**1**	**3**	**4**	**5**	**7**	**12**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1410	2.3	3	1	1	2	3	4	5	7
20-34	2461	2.2	2	1	1	2	3	4	5	7
35-49	523	2.5	2	1	1	2	3	4	5	8
50-64	33	2.2	2	1	1	2	3	4	5	6
65+	8	3.6	9	1	1	3	5	9	10	10
B. *Operated*										
0-19 YRS	1612	3.8	4	1	1	4	5	6	7	10
20-34	5021	4.1	5	1	1	4	5	7	8	11
35-49	1383	5.0	6	1	2	5	6	8	9	13
50-64	236	6.1	6	1	3	6	7	9	9	15
65+	81	7.5	8	4	5	7	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	929	2.8	3	1	1	2	4	5	6	9
20-34	2021	2.9	4	1	1	2	4	6	7	9
35-49	555	3.4	6	1	1	3	4	6	8	11
50-64	60	4.1	5	1	1	4	5	7	9	12
65+	40	5.0	10	1	2	4	6	9	12	15
B. *Operated*										
0-19 YRS	1685	4.7	7	1	2	4	6	8	9	13
20-34	10917	5.2	9	1	2	5	6	8	10	15
35-49	5447	6.5	12	2	3	6	7	10	12	18
50-64	723	7.2	15	2	4	7	8	11	14	21
65+	466	9.6	39	4	5	8	11	15	20	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4435	2.3	2	1	1	2	3	4	5	7
B. *Operated*	8333	4.3	6	1	1	4	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	3605	3.0	4	1	1	2	4	6	7	10
B. *Operated*	19238	5.7	11	1	2	5	7	9	11	17
1. SINGLE DX	12768	3.6	5	1	1	3	5	6	8	11
2. MULTIPLE DX	22843	5.3	11	1	2	5	7	9	11	16
A. NOT OPERATED	8040	2.6	3	1	1	2	3	5	6	9
B. OPERATED	27571	5.3	10	1	2	5	7	8	10	16
TOTAL 0-19 YRS	5636	3.5	5	1	1	3	5	6	8	11
20-34	20420	4.3	8	1	1	4	6	7	9	13
35-49	7908	5.7	11	1	2	6	7	9	11	17
50-64	1052	6.6	13	2	3	6	8	10	12	19
65+	595	8.9	35	3	5	8	10	14	19	34
GRAND TOTAL	**35611**	**4.7**	**10**	**1**	**1**	**4**	**6**	**8**	**10**	**15**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3224	4.0	4	1	2	4	5	7	8	11
20-34	8032	4.2	5	1	2	4	5	7	8	12
35-49	959	4.8	6	2	2	4	6	8	10	13
50-64	64	5.0	8	1	2	5	6	9	11	14
65+	26	5.7	21	1	2	4	7	14	16	18
B. *Operated*										
0-19 YRS	692	4.9	9	1	2	4	6	8	11	15
20-34	3762	4.5	9	<1	1	4	6	8	10	13
35-49	1034	5.1	11	<1	1	5	7	9	12	15
50-64	137	5.7	15	1	1	5	7	11	14	18
65+	34	6.6	31	<1	2	5	8	12	22	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2300	4.6	6	2	2	4	6	8	9	13
20-34	6699	4.7	7	2	2	4	6	8	9	14
35-49	1361	5.7	10	2	3	5	7	10	12	17
50-64	164	6.3	11	2	3	5	8	11	13	22
65+	94	9.2	70	2	3	7	11	17	21	51
B. *Operated*										
0-19 YRS	1456	6.1	14	1	2	6	8	10	13	18
20-34	14011	5.5	12	1	2	5	7	9	11	17
35-49	5263	6.9	20	1	2	6	8	12	14	23
50-64	574	9.1	58	2	3	7	10	17	21	44
65+	234	12.9	108	3	5	9	16	25	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12305	4.2	5	1	2	4	5	7	8	12
B. *Operated*	5659	4.7	10	<1	1	4	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	10618	4.9	8	2	2	4	6	8	10	14
B. *Operated*	21538	6.1	17	1	2	6	7	10	13	21
1. SINGLE DX	17964	4.3	7	1	2	4	6	7	9	13
2. MULTIPLE DX	32156	5.7	15	1	2	5	7	9	12	19
A. NOT OPERATED	22923	4.5	6	2	2	4	6	7	9	13
B. OPERATED	27197	5.8	16	1	2	5	7	10	12	20
TOTAL 0-19 YRS	7672	4.7	8	1	2	4	6	8	10	14
20-34	32504	4.9	9	1	2	5	6	8	10	15
35-49	8617	6.3	17	1	2	6	8	11	13	20
50-64	939	7.9	43	2	2	7	9	14	19	34
65+	388	11.0	93	2	3	8	14	22	27	56
GRAND TOTAL	**50120**	**5.2**	**12**	**1**	**2**	**5**	**6**	**9**	**11**	**17**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	3.5	4	1	1	3	5	5	8	9
20-34	176	2.7	3	<1	1	2	3	6	7	9
35-49	48	2.6	3	<1	1	2	3	5	6	8
50-64	4	4.5	4	2	2	5	6	6	6	6
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS	170	3.1	4	<1	<1	2	4	6	7	10
20-34	3185	4.1	6	<1	1	4	6	7	8	9
35-49	1824	5.2	5	<1	2	6	6	7	8	11
50-64	101	5.8	7	1	2	6	7	9	10	15
65+	11	5.2	6	2	2	5	7	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	3.7	10	<1	1	3	4	6	13	14
20-34	336	3.3	6	<1	1	3	5	6	8	13
35-49	135	3.7	9	<1	<1	3	5	8	9	14
50-64	5	4.0	1	3	3	4	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	266	4.0	6	1	1	4	6	7	8	11
20-34	12987	5.3	7	1	2	5	6	8	9	13
35-49	14305	6.2	7	2	4	6	7	8	10	14
50-64	1440	6.9	13	4	5	7	8	9	11	17
65+	167	8.6	22	4	5	7	10	15	18	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	266	2.8	3	<1	1	2	4	6	7	9
B. *Operated*	5291	4.5	6	<1	1	5	6	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	516	3.5	7	<1	1	3	5	6	8	13
B. *Operated*	29165	5.8	7	1	2	6	7	8	10	14
1. SINGLE DX	5557	4.4	6	<1	1	5	6	7	8	10
2. MULTIPLE DX	29681	5.8	8	1	2	6	7	8	10	14
A. NOT OPERATED	782	3.2	6	<1	1	3	4	6	8	13
B. OPERATED	34456	5.6	7	1	2	6	7	8	9	14
TOTAL 0-19 YRS	511	3.6	6	<1	1	3	5	7	8	11
20-34	16684	5.0	7	1	1	5	6	8	9	12
35-49	16312	6.1	7	2	4	6	7	8	10	14
50-64	1550	6.8	12	3	4	6	8	9	11	17
65+	181	8.3	22	3	5	7	9	15	18	26
GRAND TOTAL	**35238**	**5.6**	**7**	**1**	**2**	**6**	**7**	**8**	**9**	**14**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	3	1	1	3	5	6	6	6
20-34	13	2.6	2	1	1	2	4	5	5	5
35-49	7	3.9	9	1	1	3	5	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	15	2.1	1	<1	<1	2	2	3	5	5
20-34	287	2.6	4	<1	<1	2	3	5	7	10
35-49	210	2.4	3	<1	<1	2	3	5	7	8
50-64	84	2.0	2	<1	<1	2	2	3	6	8
65+	31	2.3	3	<1	1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.9	6	2	2	5	7	8	9	10
20-34	47	3.8	5	1	1	3	5	8	8	9
35-49	23	3.3	4	<1	1	3	5	6	7	7
50-64	9	3.6	11	1	1	2	5	9	11	11
65+	6	4.0	7	1	1	3	6	8	8	8
B. *Operated*										
0-19 YRS	56	2.8	4	<1	1	2	3	6	7	10
20-34	1559	4.2	7	<1	1	4	6	7	9	12
35-49	1691	4.6	10	<1	1	5	7	8	9	14
50-64	533	4.1	11	<1	1	3	6	8	9	15
65+	195	4.7	16	1	2	3	6	10	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	3.1	4	1	1	2	5	5	7	10
B. *Operated*	627	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	100	3.9	6	1	1	3	5	7	8	10
B. *Operated*	4034	4.4	9	<1	1	4	6	8	9	14
1. SINGLE DX	654	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX	4134	4.4	9	<1	1	4	6	8	9	14
A. NOT OPERATED	127	3.7	5	1	1	3	5	7	8	10
B. OPERATED	4661	4.1	9	<1	1	3	6	8	9	14
TOTAL 0-19 YRS	93	3.1	4	<1	1	2	4	6	7	10
20-34	1906	3.9	7	<1	1	3	6	7	8	12
35-49	1931	4.4	10	<1	1	4	6	8	9	14
50-64	626	3.8	10	<1	1	2	6	8	9	15
65+	232	4.4	14	1	1	3	6	9	11	20
GRAND TOTAL	**4788**	**4.1**	**9**	**<1**	**1**	**3**	**6**	**8**	**9**	**14**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	197	3.0	4	1	1	3	4	5	7	11
20-34	456	3.4	4	1	1	3	4	6	7	10
35-49	110	3.9	6	1	1	3	5	7	10	12
50-64	24	4.0	9	<1	1	3	5	8	10	13
65+	13	4.4	8	1	1	4	6	8	10	10
B. *Operated*										
0-19 YRS	268	2.1	2	<1	1	2	3	4	5	7
20-34	1671	2.1	2	<1	<1	2	3	4	5	7
35-49	84[illegible]	2.1	2	<1	<1	2	2	4	5	8
50-64	[illegible]	2.1	3	<1	<1	2	3	3	5	7
65+	[illegible]	2.8	4	1	1	2	3	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	252	4.0	7	1	1	3	5	7	8	15
20-34	708	4.3	6	1	2	4	5	7	9	12
35-49	220	4.9	14	1	2	4	6	8	11	15
50-64	90	6.6	25	2	2	5	8	12	16	27
65+	141	6.9	19	2	2	6	9	13	15	22
B. *Operated*										
0-19 YRS	178	3.7	10	1	1	3	5	7	10	17
20-34	1281	3.9	10	<1	1	3	5	7	9	15
35-49	842	4.2	23	<1	1	3	6	8	10	18
50-64	334	4.7	47	<1	1	3	5	10	15	44
65+	287	6.4	45	1	1	4	8	14	18	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	800	3.4	5	1	1	3	4	6	7	11
B. *Operated*	3115	2.1	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1411	4.8	11	1	2	4	6	8	10	16
B. *Operated*	2922	4.3	22	<1	1	3	6	8	11	22
1. SINGLE DX	3915	2.4	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	4333	4.4	18	1	1	3	6	8	11	20
A. NOT OPERATED	2211	4.3	9	1	1	4	5	7	9	15
B. OPERATED	6037	3.2	13	<1	1	2	4	6	8	16
TOTAL 0-19 YRS	895	3.1	6	1	1	2	4	6	7	13
20-34	4116	3.2	6	<1	1	2	4	6	7	12
35-49	2015	3.4	14	<1	1	2	4	7	9	14
50-64	705	4.0	29	<1	1	2	4	8	11	27
65+	517	5.9	33	1	1	4	8	12	16	32
GRAND TOTAL	**8248**	**3.5**	**12**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	3.7	9	<1	<1	2	7	8	8	8
35-49	19	3.6	8	<1	<1	4	5	8	9	9
50-64	13	2.9	4	<1	<1	3	5	6	6	6
65+	15	3.3	6	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	15	6.4	13	2	2	5	9	11	13	14
20-34	1093	5.5	4	2	3	5	6	8	9	12
35-49	2021	5.9	5	3	3	6	7	9	10	12
50-64	2916	6.5	6	3	4	6	8	9	11	14
65+	2435	6.8	6	4	4	7	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	56	2.6	8	<1	<1	1	3	5	10	15
35-49	148	2.6	6	<1	<1	1	4	6	8	12
50-64	162	3.1	8	<1	<1	2	4	7	9	11
65+	317	4.3	20	<1	1	3	5	9	12	26
B. *Operated*										
0-19 YRS	38	6.0	6	2	3	6	8	9	9	13
20-34	4964	6.1	5	3	4	6	7	8	10	14
35-49	10394	6.7	7	4	4	6	8	10	11	16
50-64	9035	7.3	9	4	5	7	8	10	12	18
65+	9206	8.0	16	4	5	7	9	12	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	3.4	6	<1	1	3	5	7	9	9
B. *Operated*	8480	6.3	6	3	4	6	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	684	3.5	13	<1	<1	2	5	8	10	17
B. *Operated*	33637	7.1	10	4	4	7	8	10	12	18
1. SINGLE DX	8533	6.3	6	3	4	6	7	9	10	14
2. MULTIPLE DX	34321	7.1	10	3	4	7	8	10	12	18
A. NOT OPERATED	737	3.5	13	<1	<1	2	5	8	10	16
B. OPERATED	42117	7.0	9	4	4	7	8	10	12	17
TOTAL 0-19 YRS	54	6.0	8	2	2	6	8	9	11	14
20-34	6119	5.9	5	3	4	6	7	8	10	13
35-49	12582	6.6	7	3	4	6	8	9	11	15
50-64	12126	7.1	8	3	4	7	8	10	12	17
65+	11973	7.7	15	4	4	7	9	11	14	21
GRAND TOTAL	**42854**	**6.9**	**10**	**3**	**4**	**7**	**8**	**10**	**12**	**17**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	32	1.8	1	<1	<1	1	2	4	5	5
35-49	7	3.4	27	1	1	1	3	13	15	15
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.9	2	<1	1	1	2	3	4	7
20-34	252	1.8	2	<1	<1	1	2	3	5	7
35-49	363	1.7	2	<1	<1	1	2	3	4	7
50-64	51	1.7	1	<1	<1	2	2	2	3	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.5	1	1	1	3	3	4	5	5
20-34	37	2.3	2	<1	1	2	3	4	5	5
35-49	29	3.6	69	<1	<1	2	3	5	9	46
50-64	3	1.0		<1	<1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	26	2.9	3	1	1	2	4	6	6	6
20-34	484	3.4	7	<1	1	2	5	7	8	12
35-49	809	3.8	10	<1	1	2	6	8	9	13
50-64	99	4.1	11	<1	1	2	6	9	11	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	2.0	5	<1	<1	1	2	4	5	15
B. *Operated*	690	1.7	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	84	2.8	25	<1	1	2	3	5	5	33
B. *Operated*	1418	3.7	9	<1	1	2	6	7	9	13
1. SINGLE DX	734	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	1502	3.6	10	<1	1	2	6	7	9	13
A. NOT OPERATED	128	2.5	18	<1	<1	2	3	4	5	22
B. OPERATED	2108	3.0	7	<1	<1	2	5	7	8	12
TOTAL 0-19 YRS	70	2.4	2	1	1	2	3	5	6	7
20-34	805	2.8	5	<1	<1	2	4	6	7	10
35-49	1208	3.1	10	<1	<1	2	5	7	8	13
50-64	153	3.2	8	<1	<1	2	5	8	9	12
65+										
GRAND TOTAL	**2236**	**3.0**	**8**	**<1**	**<1**	**2**	**5**	**7**	**8**	**12**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	317	1.9	2	<1	1	1	3	3	5	7
20-34	690	1.8	1	<1	<1	1	2	3	4	6
35-49	239	1.8	2	<1	<1	1	2	3	4	7
50-64	26	2.1	6	<1	<1	1	2	3	5	13
65+										
B. *Operated*										
0-19 YRS	577	1.8	1	<1	<1	1	2	3	4	6
20-34	6161	2.0	3	<1	<1	1	2	4	6	7
35-49	7237	2.0	3	<1	<1	1	2	5	6	8
50-64	889	1.7	2	<1	<1	1	2	3	5	7
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	443	2.6	3	1	1	2	3	5	6	9
20-34	1109	2.6	5	<1	1	2	3	5	7	11
35-49	729	2.5	6	<1	<1	2	3	5	7	11
50-64	81	2.6	5	<1	<1	2	3	5	7	14
65+										
B. *Operated*										
0-19 YRS	637	2.7	4	<1	1	2	4	5	7	9
20-34	12190	4.0	8	<1	1	4	6	7	8	12
35-49	19734	4.4	9	<1	1	5	6	8	9	13
50-64	2135	3.9	9	<1	1	3	6	8	9	13
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1272	1.8	2	<1	<1	1	2	3	4	6
B. *Operated*	14864	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	2362	2.6	5	<1	1	2	3	5	7	10
B. *Operated*	34696	4.2	9	<1	1	4	6	8	9	12
1. SINGLE DX	16136	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	37058	4.1	9	<1	1	4	6	7	9	12
A. NOT OPERATED	3634	2.3	4	<1	1	2	3	4	6	10
B. OPERATED	49560	3.5	8	<1	<1	2	6	7	8	12
TOTAL 0-19 YRS	1974	2.3	3	<1	1	2	3	4	6	9
20-34	20150	3.2	7	<1	<1	2	5	7	8	11
35-49	27939	3.7	8	<1	<1	2	6	7	8	12
50-64	3131	3.3	8	<1	<1	2	5	7	8	12
65+										
GRAND TOTAL	**53194**	**3.4**	**8**	**<1**	**<1**	**2**	**5**	**7**	**8**	**12**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	25	2.8	4	<1	1	3	3	6	7	9
50-64	30	2.2	3	<1	<1	2	2	4	5	9
65+	24	2.6	4	<1	1	2	3	6	7	8
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	24	2.6	4	<1	<1	2	4	6	7	8
35-49	738	1.5	1	<1	<1	1	2	2	3	6
50-64	2712	1.6	1	<1	<1	1	2	2	3	6
65+	883	1.9	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	7	3.0	4	1	1	2	4	6	7	7
35-49	88	3.6	9	<1	1	3	5	8	10	15
50-64	176	3.4	13	<1	1	2	4	7	9	18
65+	201	4.5	19	<1	1	3	6	9	14	28
B. *Operated*										
0-19 YRS	6	2.7	4	1	1	2	4	6	6	6
20-34	82	4.5	6	<1	1	5	6	7	9	12
35-49	1019	3.2	7	<1	<1	2	5	7	8	12
50-64	4431	3.0	9	<1	<1	2	3	7	9	14
65+	2453	3.6	18	1	1	2	4	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	2.5	3	<1	1	2	3	5	7	9
B. *Operated*	4358	1.6	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	473	3.9	15	<1	1	3	5	8	11	20
B. *Operated*	7991	3.2	11	<1	1	2	4	7	9	15
1. SINGLE DX	4439	1.7	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	8464	3.3	12	<1	1	2	4	7	9	15
A. NOT OPERATED	554	3.7	13	<1	1	3	5	8	10	20
B. OPERATED	12349	2.7	8	<1	<1	2	3	6	8	13
TOTAL 0-19 YRS	8	2.8	3	1	1	2	4	5	6	6
20-34	115	4.0	6	<1	1	4	6	7	8	12
35-49	1870	2.6	5	<1	<1	2	3	6	7	11
50-64	7349	2.5	7	<1	<1	2	2	6	8	12
65+	3561	3.2	14	<1	1	2	3	7	9	16
GRAND TOTAL	**12903**	**2.7**	**9**	**<1**	**<1**	**2**	**3**	**6**	**8**	**13**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.3	3	<1	<1	2	3	5	5	9
20-34	349	2.4	4	<1	<1	2	3	5	5	11
35-49	109	2.7	4	<1	1	2	4	6	7	10
50-64	27	3.0	4	<1	1	2	4	6	7	9
65+	32	4.7	37	<1	1	3	5	12	17	31
B. *Operated*										
0-19 YRS	441	2.8	6	<1	<1	2	4	5	7	14
20-34	4462	2.8	5	<1	<1	2	4	6	7	9
35-49	3064	2.9	6	<1	<1	2	4	6	8	11
50-64	1619	2.8	7	<1	<1	2	3	7	8	12
65+	547	3.1	9	<1	1	2	3	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	3.0	8	<1	1	2	4	6	7	14
20-34	449	2.9	9	<1	<1	2	3	6	8	15
35-49	283	3.2	8	<1	<1	2	4	7	8	12
50-64	156	4.2	41	<1	1	3	5	8	12	27
65+	288	6.1	33	1	2	4	8	12	16	27
B. *Operated*										
0-19 YRS	512	4.0	9	<1	1	3	5	7	9	16
20-34	6942	4.2	9	<1	1	4	6	7	9	13
35-49	9670	4.6	11	<1	1	5	6	8	9	15
50-64	5482	4.9	21	<1	1	4	7	9	11	21
65+	2833	6.4	51	1	1	4	8	14	19	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	684	2.5	5	<1	<1	2	3	5	6	12
B. *Operated*	10133	2.8	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1349	3.8	19	<1	1	3	5	8	10	21
B. *Operated*	25439	4.7	17	<1	1	4	6	8	11	20
1. SINGLE DX	10817	2.8	6	<1	<1	2	4	6	7	11
2. MULTIPLE DX	26788	4.7	18	<1	1	4	6	8	11	20
A. NOT OPERATED	2033	3.4	15	<1	1	2	4	7	9	19
B. OPERATED	35572	4.2	15	<1	1	3	6	8	10	18
TOTAL 0-19 YRS	1293	3.2	7	<1	1	2	4	6	8	14
20-34	12202	3.6	8	<1	1	3	5	7	8	12
35-49	13126	4.2	10	<1	<1	4	6	8	9	14
50-64	7284	4.4	19	<1	1	3	6	8	11	19
65+	3700	5.9	44	1	1	4	7	13	17	33
GRAND TOTAL	**37605**	**4.2**	**15**	**<1**	**1**	**3**	**6**	**8**	**10**	**18**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	716	1.9	2	<1	1	2	2	3	4	7
20-34	1016	2.2	3	<1	<1	2	3	4	6	10
35-49	201	2.4	4	<1	1	2	3	5	7	10
50-64	23	2.7	5	<1	<1	2	4	7	8	8
65+	9	4.0	23	1	1	2	4	12	16	16
B. *Operated*										
0-19 YRS	383	2.5	4	<1	<1	2	3	5	7	10
20-34	3415	3.0	5	<1	<1	2	5	6	7	10
35-49	2091	5.4	9	<1	1	5	7	9	10	13
50-64	1242	6.6	8	2	4	7	8	10	11	16
65+	538	7.3	8	3	4	7	9	11	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	531	2.2	2	<1	1	2	3	4	5	8
20-34	1407	2.5	4	<1	1	2	3	5	7	9
35-49	446	2.9	8	<1	1	2	4	6	8	14
50-64	108	4.2	18	<1	1	3	5	10	13	59
65+	129	4.9	16	<1	1	4	6	10	13	19
B. *Operated*										
0-19 YRS	438	3.2	6	<1	1	2	5	6	8	11
20-34	10129	4.6	7	<1	1	5	6	7	9	13
35-49	6719	6.1	9	1	2	6	7	9	10	15
50-64	2541	7.5	14	3	4	7	9	11	13	19
65+	1611	8.4	20	3	4	8	10	13	17	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1965	2.1	3	<1	1	2	3	4	5	9
B. *Operated*	7669	4.6	10	<1	1	4	7	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	2621	2.7	6	<1	1	2	3	5	7	12
B. *Operated*	21438	5.6	11	1	1	6	7	9	11	16
1. SINGLE DX	9634	4.1	9	<1	1	3	6	8	9	13
2. MULTIPLE DX	24059	5.3	11	1	1	5	7	9	11	16
A. NOT OPERATED	4586	2.5	5	<1	1	2	3	5	7	11
B. OPERATED	29107	5.4	11	<1	1	5	7	9	10	16
TOTAL 0-19 YRS	2068	2.4	3	<1	1	2	3	5	6	9
20-34	15967	3.9	7	<1	1	4	6	7	8	12
35-49	9457	5.7	10	1	2	6	7	9	10	15
50-64	3914	7.1	13	2	3	7	9	11	13	18
65+	2287	7.9	18	3	4	7	9	12	16	23
GRAND TOTAL	**33693**	**5.0**	**11**	**<1**	**1**	**5**	**7**	**9**	**10**	**15**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.9	2	<1	<1	1	3	4	4	4
20-34	147	2.0	2	<1	1	2	2	4	5	7
35-49	12	2.9	6	<1	<1	2	5	26	86	99+
50-64										
65+										
B. *Operated*										
0-19 YRS	466	4.4	3	2	3	4	5	6	7	9
20-34	6682	4.6	3	2	3	4	5	6	7	9
35-49	718	4.8	3	3	3	5	6	7	8	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	2.2	1	<1	<1	2	3	4	4	4
20-34	86	2.7	4	<1	1	2	3	6	7	8
35-49	13	2.8	7	<1	<1	2	4	8	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	424	5.0	3	3	3	5	6	7	8	11
20-34	6671	5.0	4	3	3	5	6	7	8	12
35-49	1044	5.4	5	3	3	5	6	8	9	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	179	2.1	2	<1	<1	2	3	4	5	8
B. *Operated*	7866	4.6	3	2	3	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	108	2.7	4	<1	1	2	3	6	8	8
B. *Operated*	8139	5.0	4	3	3	5	6	7	8	12
1. SINGLE DX	8045	4.5	3	2	3	4	5	6	7	9
2. MULTIPLE DX	8247	5.0	4	3	3	5	6	7	8	12
A. NOT OPERATED	287	2.3	3	<1	<1	2	3	5	7	8
B. OPERATED	16005	4.8	3	3	3	5	6	7	8	11
TOTAL 0-19 YRS	919	4.6	3	2	3	4	5	6	7	11
20-34	13586	4.7	3	2	3	5	6	7	8	10
35-49	1787	5.1	5	3	3	5	6	7	8	12
50-64										
65+										
GRAND TOTAL	**16292**	**4.8**	**3**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	1.6	1	<1	1	1	2	3	4	6
20-34	187	1.5	1	<1	1	1	2	3	3	5
35-49	31	1.6	3	<1	<1	1	2	2	2	10
50-64										
65+										
B. *Operated*										
0-19 YRS	4069	1.3	1	<1	<1	1	1	2	2	4
20-34	10981	1.2		<1	<1	<1	1	2	2	4
35-49	1275	1.2		<1	<1	<1	1	2	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	86	1.6	2	<1	<1	<1	2	3	4	9
20-34	276	1.8	3	<1	<1	1	2	3	5	12
35-49	61	1.7	4	<1	<1	1	2	3	4	14
50-64										
65+										
B. *Operated*										
0-19 YRS	1267	1.5	2	<1	<1	<1	1	2	4	8
20-34	4534	1.8	3	<1	<1	<1	2	3	5	9
35-49	1121	2.0	3	<1	<1	1	2	4	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	342	1.6	1	<1	1	1	2	3	4	6
B. *Operated*	16325	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	423	1.7	3	<1	<1	1	2	3	5	12
B. *Operated*	6922	1.8	3	<1	<1	<1	2	3	5	9
1. SINGLE DX	16667	1.2		<1	<1	<1	1	2	2	4
2. MULTIPLE DX	7345	1.8	3	<1	<1	<1	2	3	5	9
A. NOT OPERATED	765	1.6	2	<1	<1	1	2	3	4	9
B. OPERATED	23247	1.4	1	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	5546	1.4	1	<1	<1	<1	1	2	3	5
20-34	15978	1.4	1	<1	<1	<1	1	2	3	6
35-49	2488	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**24012**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**6**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	10	1.9	2	1	1	2	2	4	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	10	3.5	11	1	1	2	6	9	11	11
35-49	2	4.0	8	2	2	4	6	6	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	14	1.8	1	<1	1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	12	3.6	9	1	1	2	6	8	11	11
1. SINGLE DX	15	1.9	2	<1	1	2	2	4	5	5
2. MULTIPLE DX	13	3.8	9	1	1	2	6	7	10	11
A. NOT OPERATED	2	5.0	2	4	4	5	6	6	6	6
B. OPERATED	26	2.6	6	<1	1	2	3	6	7	11
TOTAL 0-19 YRS	5	3.0	4	1	1	2	4	6	6	6
20-34	20	2.7	6	1	1	2	3	6	9	11
35-49	3	3.0	7	<1	<1	2	5	6	6	6
50-64										
65+										
GRAND TOTAL	**28**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**6**	**7**	**11**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	808	1.5	1	<1	<1	1	2	3	3	5
20-34	2875	1.5	1	<1	<1	1	2	3	3	5
35-49	292	1.5	1	<1	<1	1	2	2	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	5590	1.4	1	<1	<1	1	2	2	3	5
20-34	31977	1.4	1	<1	<1	1	1	2	3	5
35-49	4701	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	173	2.0	10	<1	<1	1	2	4	5	8
20-34	688	2.3	4	<1	1	2	3	5	6	9
35-49	98	2.4	3	<1	1	2	3	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	925	2.1	3	<1	1	2	3	4	5	8
20-34	5799	2.1	4	<1	1	1	2	4	6	10
35-49	1305	2.1	4	<1	<1	1	2	5	6	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3975	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*	42268	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	959	2.3	5	<1	1	2	3	4	6	9
B. *Operated*	8029	2.1	4	<1	1	1	2	4	6	10
1. SINGLE DX	46243	1.4	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	8988	2.1	4	<1	1	1	2	4	6	10
A. NOT OPERATED	4934	1.7	2	<1	<1	1	2	3	4	7
B. OPERATED	50297	1.5	2	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	7496	1.5	1	<1	<1	1	2	3	3	6
20-34	41339	1.5	2	<1	<1	1	2	2	3	6
35-49	6396	1.5	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	55231	1.5	2	<1	<1	1	2	2	3	6

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	261	2.7	3	<1	1	2	4	5	6	9
20-34	966	2.2	3	<1	1	2	3	4	6	10
35-49	118	2.1	2	<1	<1	2	2	4	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	631	1.9	2	<1	<1	1	2	3	5	9
20-34	5819	1.5	1	<1	<1	1	2	2	3	6
35-49	809	1.5	1	<1	<1	1	2	2	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	3.3	7	1	1	2	5	6	8	14
20-34	393	3.1	7	1	1	2	4	6	8	14
35-49	53	3.3	7	<1	1	2	4	8	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	238	3.1	7	1	1	2	4	7	9	14
20-34	1678	2.7	12	<1	<1	2	3	6	7	13
35-49	363	2.5	6	<1	<1	2	3	5	7	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1345	2.3	3	<1	1	2	3	4	6	9
B. *Operated*	7259	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	546	3.1	7	1	1	2	4	6	8	14
B. *Operated*	2279	2.7	10	<1	1	2	3	6	8	13
1. SINGLE DX	8604	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX	2825	2.8	10	<1	1	2	3	6	8	13
A. NOT OPERATED	1891	2.5	4	<1	1	2	3	5	6	11
B. OPERATED	9538	1.8	4	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	1230	2.4	4	<1	1	2	3	5	6	11
20-34	8856	1.9	4	<1	<1	1	2	3	5	9
35-49	1343	1.9	3	<1	<1	1	2	4	5	10
50-64										
65+										
GRAND TOTAL	11429	1.9	4	<1	<1	1	2	4	5	9

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	743	2.0	2	<1	1	2	2	4	4	6
20-34	4525	2.1	2	<1	1	2	3	4	5	7
35-49	354	2.3	2	<1	1	2	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	26	2.6	6	<1	1	2	3	4	7	13
20-34	125	1.9	2	<1	<1	1	2	4	4	8
35-49	11	2.2	5	1	1	2	2	5	9	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	203	3.0	4	1	1	3	4	5	6	12
20-34	1291	3.0	8	1	1	2	4	5	7	12
35-49	112	2.8	5	1	1	2	4	5	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.5	2	1	1	2	3	5	6	6
20-34	103	3.5	9	<1	1	3	5	8	10	14
35-49	9	2.7	3	1	1	3	3	5	6	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5622	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	162	2.0	3	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	1606	3.0	7	1	1	2	4	5	7	12
B. *Operated*	124	3.3	8	<1	1	3	4	7	9	13
1. SINGLE DX	5784	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	1730	3.0	7	1	1	2	4	6	7	12
A. NOT OPERATED	7228	2.3	3	<1	1	2	3	4	5	8
B. OPERATED	286	2.6	5	<1	1	2	3	6	8	12
TOTAL 0-19 YRS	984	2.2	2	<1	1	2	3	4	5	7
20-34	6044	2.3	3	<1	1	2	3	4	5	9
35-49	486	2.4	3	<1	1	2	3	4	5	9
50-64										
65+										
GRAND TOTAL	7514	2.3	3	<1	1	2	3	4	5	9

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.0	2	<1	<1	2	3	3	4	8
20-34	236	2.0	2	<1	1	2	3	3	4	8
35-49	10	1.6		<1	<1	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	9	1.7	1	1	1	1	2	3	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.1	1	1	1	2	3	3	4	4
20-34	120	2.7	4	1	1	2	3	6	7	9
35-49	6	2.0	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	10	6.1	36	1	1	4	8	16	18	18
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	293	2.0	2	<1	<1	2	3	3	4	8
B. *Operated*	12	1.8	1	<1	<1	2	2	3	4	4
2. MULTIPLE DX										
A. *Not Operated*	141	2.6	4	1	1	2	3	5	7	9
B. *Operated*	12	5.5	32	1	1	3	7	16	18	18
1. SINGLE DX	305	2.0	2	<1	<1	2	3	3	4	8
2. MULTIPLE DX	153	2.8	6	1	1	2	3	6	8	15
A. NOT OPERATED	434	2.2	2	<1	1	2	3	4	6	9
B. OPERATED	24	3.6	19	<1	1	2	4	9	16	18
TOTAL 0-19 YRS	67	2.0	1	<1	<1	2	3	3	4	7
20-34	375	2.3	4	<1	1	2	3	4	6	9
35-49	16	1.8		<1	1	2	2	3	3	3
50-64										
65+										
GRAND TOTAL	458	2.3	3	<1	1	2	3	4	6	9

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	917	3.0	4	1	1	2	4	5	7	11
20-34	4709	3.1	4	1	1	3	4	5	7	11
35-49	399	3.4	6	<1	1	3	4	6	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	115	3.6	13	<1	<1	3	4	8	10	19
20-34	457	3.4	6	<1	1	3	4	6	9	13
35-49	41	2.9	3	<1	1	3	3	6	6	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	290	3.2	5	<1	1	3	4	6	8	11
20-34	1499	3.5	7	1	1	3	4	6	8	14
35-49	216	4.4	12	<1	1	3	6	9	12	18
50-64										
65+										
B. *Operated*										
0-19 YRS	64	3.7	9	<1	<1	3	5	7	9	15
20-34	407	3.3	10	<1	<1	2	4	8	10	15
35-49	53	4.0	9	<1	<1	3	6	8	9	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6025	3.1	4	1	1	3	4	5	7	11
B. *Operated*	613	3.4	7	<1	1	3	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	2005	3.5	7	1	1	3	4	7	9	14
B. *Operated*	524	3.4	10	<1	<1	2	5	8	10	15
1. SINGLE DX	6638	3.1	5	1	1	3	4	6	7	12
2. MULTIPLE DX	2529	3.5	8	<1	1	3	4	7	9	14
A. NOT OPERATED	8030	3.2	5	1	1	3	4	6	7	12
B. OPERATED	1137	3.4	9	<1	<1	3	4	7	9	14
TOTAL 0-19 YRS	1386	3.1	5	<1	1	3	4	6	7	12
20-34	7072	3.2	5	1	1	3	4	6	8	13
35-49	709	3.7	8	<1	1	3	5	7	9	14
50-64										
65+										
GRAND TOTAL	9167	3.2	6	1	1	3	4	6	8	13

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1357	3.2	4	1	1	3	4	5	7	11
20-34	7625	3.7	6	1	2	3	4	6	8	13
35-49	273	4.0	5	1	2	4	5	7	9	12
50-64										
65+										
B. *Operated*										
0-19 YRS	12	3.1	8	<1	<1	2	4	8	9	9
20-34	40	5.6	58	<1	<1	3	6	12	28	32
35-49	4	8.0	102	1	1	4	14	23	23	23
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	674	3.6	7	1	1	3	4	6	9	14
20-34	3122	4.1	14	1	2	3	5	7	9	16
35-49	145	4.3	5	1	2	4	6	8	8	12
50-64										
65+										
B. *Operated*										
0-19 YRS	27	3.9	10	1	1	3	5	9	11	14
20-34	121	7.4	57	1	2	5	8	18	23	38
35-49	6	5.3	15	1	1	5	9	10	10	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9255	3.6	6	1	2	3	4	6	8	13
B. *Operated*	56	5.3	50	<1	<1	3	6	11	25	32
2. MULTIPLE DX										
A. *Not Operated*	3941	4.0	12	1	2	3	5	7	9	15
B. *Operated*	154	6.7	49	1	2	5	7	14	22	37
1. SINGLE DX	9311	3.7	6	1	2	3	4	6	8	13
2. MULTIPLE DX	4095	4.1	14	1	2	3	5	7	10	17
A. NOT OPERATED	13196	3.7	8	1	2	3	4	6	8	14
B. OPERATED	210	6.3	50	<1	1	4	7	14	23	35
TOTAL 0-19 YRS	2070	3.3	5	1	1	3	4	6	8	13
20-34	10908	3.9	9	1	2	3	5	7	8	15
35-49	428	4.2	6	1	2	4	5	7	9	12
50-64										
65+										
GRAND TOTAL	13406	3.8	9	1	2	3	4	7	8	14

INTEN

BL

TIONA

ANK

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4779	1.1		<1	<1	<1	1	1	2	4
20-34	18933	1.1	1	<1	<1	<1	1	1	2	4
35-49	1067	1.2	1	<1	<1	1	1	1	2	4
50-64										
65+										
B. *Operated*										
0-19 YRS	605	1.2	1	<1	<1	<1	1	1	2	5
20-34	2337	1.1	1	<1	<1	<1	1	1	2	4
35-49	146	1.2	4	<1	<1	<1	1	1	1	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	549	1.5	1	<1	<1	1	2	3	4	6
20-34	2084	1.6	4	<1	<1	1	2	3	4	8
35-49	147	1.3	1	<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	92	1.8	3	<1	<1	1	2	3	5	11
20-34	383	2.0	6	<1	<1	1	2	4	6	15
35-49	30	1.2		<1	<1	1	1	2	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24779	1.1	1	<1	<1	<1	1	1	2	4
B. *Operated*	3088	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	2780	1.6	3	<1	<1	1	2	3	4	7
B. *Operated*	505	1.9	5	<1	<1	1	2	4	5	13
1. SINGLE DX	27867	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	3285	1.6	4	<1	<1	1	2	3	4	9
A. NOT OPERATED	27559	1.2	1	<1	<1	<1	1	1	2	4
B. OPERATED	3593	1.3	1	<1	<1	<1	1	2	3	6
TOTAL 0-19 YRS	6025	1.2	1	<1	<1	<1	1	1	2	4
20-34	23737	1.2	1	<1	<1	<1	1	1	2	5
35-49	1390	1.2	1	<1	<1	1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**31152**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**1**	**2**	**5**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	2.6	4	<1	1	2	3	5	6	13
20-34	1737	3.1	12	<1	1	2	4	5	8	19
35-49	193	3.2	18	<1	1	2	4	6	7	22
50-64										
65+										
B. *Operated*										
0-19 YRS	10	1.5	1	<1	<1	1	2	3	4	4
20-34	159	2.9	9	<1	1	2	3	6	10	16
35-49	22	3.8	13	<1	1	3	5	7	13	16
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	3.3	14	<1	<1	3	4	6	9	21
20-34	513	4.3	20	1	1	3	5	8	12	27
35-49	86	5.5	64	1	1	3	6	12	18	49
50-64										
65+										
B. *Operated*										
0-19 YRS	8	6.1	21	1	2	5	8	13	15	15
20-34	78	5.0	33	1	1	3	5	10	18	30
35-49	11	5.6	44	1	1	4	6	14	24	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2104	3.1	12	<1	1	2	4	5	7	18
B. *Operated*	191	3.0	9	<1	1	2	3	6	11	16
2. MULTIPLE DX										
A. *Not Operated*	665	4.3	25	<1	1	3	5	8	12	28
B. *Operated*	97	5.1	32	1	1	3	6	10	18	29
1. SINGLE DX	2295	3.1	12	<1	1	2	4	6	8	18
2. MULTIPLE DX	762	4.4	26	<1	1	3	5	9	13	28
A. NOT OPERATED	2769	3.4	16	<1	1	2	4	6	9	22
B. OPERATED	288	3.7	18	<1	1	2	4	7	13	25
TOTAL 0-19 YRS	258	2.9	8	<1	<1	2	4	6	7	15
20-34	2487	3.4	15	<1	1	2	4	6	9	22
35-49	312	4.0	32	<1	1	2	4	7	11	32
50-64										
65+										
GRAND TOTAL	**3057**	**3.4**	**16**	**<1**	**1**	**2**	**4**	**6**	**9**	**22**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	471	1.8	2	<1	<1	1	2	3	4	7
20-34	2299	2.1	4	<1	<1	1	2	4	5	10
35-49	168	2.2	4	<1	<1	1	3	4	7	11
50-64										
65+										
B. *Operated*										
0-19 YRS	47	1.3		<1	<1	1	1	2	3	4
20-34	232	2.0	3	<1	<1	1	2	4	5	10
35-49	23	1.6	1	<1	<1	1	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	186	2.4	4	<1	<1	2	3	4	6	13
20-34	790	2.8	9	<1	1	2	3	5	8	14
35-49	62	2.9	8	<1	<1	2	3	6	8	18
50-64										
65+										
B. *Operated*										
0-19 YRS	17	2.8	7	1	1	2	3	6	10	11
20-34	122	3.9	23	<1	<1	2	4	8	15	28
35-49	14	2.9	13	<1	<1	2	3	6	13	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2938	2.0	4	<1	<1	1	2	4	5	10
B. *Operated*	302	1.9	3	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	1038	2.7	8	<1	<1	2	3	5	7	14
B. *Operated*	153	3.7	21	<1	<1	2	4	7	14	27
1. SINGLE DX	3240	2.0	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	1191	2.9	10	<1	<1	2	3	5	8	17
A. NOT OPERATED	3976	2.2	5	<1	<1	2	3	4	6	11
B. OPERATED	455	2.5	9	<1	<1	2	3	5	7	18
TOTAL 0-19 YRS	721	1.9	2	<1	<1	1	2	4	5	8
20-34	3443	2.3	6	<1	<1	2	3	4	6	13
35-49	267	2.4	5	<1	<1	2	3	5	7	13
50-64										
65+										
GRAND TOTAL	**4431**	**2.2**	**5**	**<1**	**<1**	**2**	**3**	**4**	**6**	**12**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1093	3.0	3	<1	1	3	4	5	6	8
20-34	2429	2.9	3	<1	1	3	4	5	6	8
35-49	81	3.0	3	<1	<1	3	4	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	127	1.7	3	<1	<1	<1	2	4	6	8
20-34	251	2.3	5	<1	<1	1	3	5	7	11
35-49	5	3.6	8	<1	<1	4	5	8	8	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1456	3.5	4	<1	1	3	5	6	7	10
20-34	3044	3.4	5	<1	1	3	4	6	7	11
35-49	126	3.5	4	<1	1	3	5	6	7	10
50-64										
65+										
B. *Operated*										
0-19 YRS	121	3.4	11	<1	<1	2	5	7	10	17
20-34	313	3.6	8	<1	<1	3	5	7	9	13
35-49	13	3.4	5	<1	<1	3	5	6	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3603	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	383	2.2	4	<1	<1	1	3	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	4626	3.5	5	<1	1	3	4	6	7	11
B. *Operated*	447	3.5	9	<1	<1	3	5	7	9	14
1. SINGLE DX	3986	2.9	3	<1	<1	3	4	5	6	8
2. MULTIPLE DX	5073	3.5	5	<1	1	3	4	6	7	11
A. NOT OPERATED	8229	3.2	4	<1	1	3	4	6	7	10
B. OPERATED	830	2.9	7	<1	<1	2	4	6	8	12
TOTAL 0-19 YRS	2797	3.3	4	<1	<1	3	4	6	7	10
20-34	6037	3.2	4	<1	1	3	4	6	7	10
35-49	225	3.3	4	<1	1	3	4	6	7	9
50-64										
65+										
GRAND TOTAL	**9059**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**6**	**7**	**10**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	313	3.1	10	<1	1	2	4	6	8	21
20-34	2192	3.7	11	1	1	3	4	7	9	16
35-49	282	4.4	9	1	1	4	6	9	10	15
50-64										
65+										
B. *Operated*										
0-19 YRS	30	3.0	4	<1	<1	3	4	6	6	9
20-34	147	3.8	12	<1	<1	3	5	9	10	15
35-49	24	4.8	24	<1	<1	3	6	12	18	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1086	3.3	14	<1	<1	2	4	7	8	17
20-34	6223	3.7	13	<1	1	3	5	7	9	17
35-49	660	4.2	10	1	1	3	5	8	11	16
50-64										
65+										
B. *Operated*										
0-19 YRS	136	4.0	34	<1	<1	3	5	9	10	23
20-34	805	4.4	20	<1	<1	3	6	9	11	25
35-49	70	5.1	14	<1	<1	4	7	11	11	18
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2787	3.7	11	1	1	3	4	7	9	16
B. *Operated*	201	3.8	12	<1	<1	3	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	7969	3.7	13	<1	1	3	5	7	9	17
B. *Operated*	1011	4.4	22	<1	<1	3	6	9	11	24
1. SINGLE DX	2988	3.7	11	<1	1	3	4	7	9	16
2. MULTIPLE DX	8980	3.8	14	<1	1	3	5	7	10	18
A. NOT OPERATED	10756	3.7	12	<1	1	3	5	7	9	17
B. OPERATED	1212	4.3	20	<1	<1	3	6	9	11	23
TOTAL 0-19 YRS	1565	3.3	15	<1	<1	2	4	7	8	18
20-34	9367	3.8	13	<1	1	3	5	7	10	18
35-49	1036	4.3	11	1	1	3	6	9	11	16
50-64										
65+										
GRAND TOTAL	**11968**	**3.8**	**13**	**<1**	**1**	**3**	**5**	**7**	**10**	**18**

268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3418	2.1	5	<1	<1	1	3	4	5	12
20-34	13839	2.3	9	<1	<1	1	3	4	6	13
35-49	768	2.6	11	<1	<1	1	3	5	7	14
50-64										
65+										
B. *Operated*										
0-19 YRS	828	2.2	5	<1	<1	1	3	5	6	10
20-34	5888	2.4	7	<1	<1	2	3	4	6	13
35-49	519	2.3	4	<1	<1	2	3	4	6	11
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1580	2.8	9	<1	<1	2	3	5	7	18
20-34	7121	3.1	17	<1	<1	2	3	6	8	20
35-49	531	3.9	40	<1	<1	2	4	8	11	31
50-64										
65+										
B. *Operated*										
0-19 YRS	485	3.0	12	<1	<1	2	4	6	9	19
20-34	3330	3.2	20	<1	<1	2	4	7	9	21
35-49	661	2.2	15	<1	<1	<1	2	5	7	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18025	2.3	9	<1	<1	1	3	4	6	13
B. *Operated*	7235	2.4	7	<1	<1	2	3	4	6	13
2. MULTIPLE DX										
A. *Not Operated*	9232	3.1	17	<1	<1	2	3	6	8	20
B. *Operated*	4476	3.0	19	<1	<1	2	4	6	9	19
1. SINGLE DX	25260	2.3	8	<1	<1	1	3	4	6	13
2. MULTIPLE DX	13708	3.1	17	<1	<1	2	4	6	8	20
A. NOT OPERATED	27257	2.5	12	<1	<1	1	3	5	7	15
B. OPERATED	11711	2.6	11	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	6311	2.4	7	<1	<1	1	3	5	6	13
20-34	30178	2.6	12	<1	<1	2	3	5	7	16
35-49	2479	2.7	17	<1	<1	1	3	5	8	15
50-64										
65+										
GRAND TOTAL	**38968**	**2.6**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**15**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	382	2.8	1	1	2	3	3	4	4	6
20-34	1942	2.8	2	1	2	3	3	4	4	7
35-49	144	2.9	1	1	2	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	180	3.5	5	2	2	3	4	6	7	16
20-34	1144	3.8	9	2	2	3	4	6	7	12
35-49	112	4.4	14	1	2	4	5	7	7	27
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	530	3.0	2	1	2	3	3	4	5	10
20-34	2636	3.1	6	1	2	3	3	4	5	11
35-49	213	3.3	3	1	2	3	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	657	5.0	47	2	2	3	5	7	12	38
20-34	5875	5.1	28	2	2	4	5	7	11	33
35-49	810	5.3	27	2	2	4	6	8	12	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2468	2.8	2	1	2	3	3	4	4	7
B. *Operated*	1436	3.8	9	2	2	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*	3379	3.1	5	1	2	3	3	4	5	10
B. *Operated*	7342	5.1	29	2	2	4	5	8	11	33
1. SINGLE DX	3904	3.2	5	1	2	3	4	5	6	9
2. MULTIPLE DX	10721	4.5	23	2	2	3	5	7	9	27
A. NOT OPERATED	5847	3.0	4	1	2	3	3	4	5	8
B. OPERATED	8778	4.9	26	2	2	4	5	7	10	30
TOTAL 0-19 YRS	1749	3.8	20	1	2	3	4	6	7	24
20-34	11597	4.1	18	1	2	3	4	6	8	23
35-49	1279	4.6	20	2	2	4	5	7	10	21
50-64										
65+										
GRAND TOTAL	**14625**	**4.1**	**18**	**1**	**2**	**3**	**4**	**6**	**8**	**23**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27111	2.5	1	1	1	3	3	4	4	5
20-34	162379	2.6	1	1	1	3	3	4	4	5
35-49	9143	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	5800	2.6	1	1	1	3	3	4	4	5
20-34	38366	2.6	1	1	1	3	3	4	4	5
35-49	2265	2.7	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1027	2.8	1	1	2	3	3	4	5	6
20-34	5141	2.9	2	1	1	3	3	4	5	7
35-49	417	2.9	2	1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	614	2.9	1	1	2	3	3	4	5	6
20-34	21607	3.2	1	2	2	3	4	4	5	6
35-49	2714	3.3	2	2	2	3	4	5	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	198633	2.6	1	1	1	3	3	4	4	5
B. *Operated*	46431	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	6585	2.8	2	1	1	3	3	4	5	7
B. *Operated*	24935	3.2	1	2	2	3	4	4	5	6
1. SINGLE DX	245064	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	31520	3.1	1	2	2	3	4	4	5	6
A. NOT OPERATED	205218	2.6	1	1	1	3	3	4	4	5
B. OPERATED	71366	2.8	1	1	2	3	3	4	4	6
TOTAL 0-19 YRS	34552	2.5	1	1	1	3	3	4	4	5
20-34	227493	2.6	1	1	1	3	3	4	4	5
35-49	14539	2.8	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**276584**	**2.6**	**1**	**1**	**1**	**3**	**3**	**4**	**4**	**5**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.6	3	1	1	2	3	4	7	8
20-34	107	2.8	2	1	1	3	3	4	5	9
35-49	8	3.0	17	1	1	2	3	10	13	13
50-64										
65+										
B. *Operated*										
0-19 YRS	50	4.7	7	2	2	5	5	7	8	19
20-34	690	7.1	66	3	3	5	6	10	20	52
35-49	95	7.8	61	3	3	5	7	18	23	43
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.8	3	1	1	3	3	5	7	8
20-34	113	4.7	46	1	1	3	4	8	14	42
35-49	11	5.2	39	1	1	3	5	14	22	23
50-64										
65+										
B. *Operated*										
0-19 YRS	116	6.2	32	2	3	5	7	10	13	38
20-34	1659	8.8	116	3	3	5	8	17	31	65
35-49	341	9.4	135	3	4	6	8	17	37	68
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	132	2.8	3	1	1	3	3	4	5	11
B. *Operated*	835	7.1	62	3	3	5	6	10	20	49
2. MULTIPLE DX										
A. *Not Operated*	145	4.5	39	1	1	3	4	8	13	37
B. *Operated*	2116	8.8	115	3	3	5	8	17	31	64
1. SINGLE DX	967	6.5	56	2	3	5	6	9	17	46
2. MULTIPLE DX	2261	8.5	111	2	3	5	7	16	30	63
A. NOT OPERATED	277	3.7	23	1	1	3	4	5	8	30
B. OPERATED	2951	8.3	100	3	3	5	7	15	29	61
TOTAL 0-19 YRS	204	5.2	22	1	2	4	6	8	11	26
20-34	2569	7.9	97	2	3	5	7	14	28	61
35-49	455	8.8	116	3	3	6	7	17	33	61
50-64										
65+										
GRAND TOTAL	**3228**	**7.9**	**95**	**2**	**3**	**5**	**7**	**14**	**28**	**59**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	141	2.2	1	<1	1	2	3	4	4	5
20-34	812	2.7	3	1	1	3	3	4	5	8
35-49	48	2.7	2	1	1	3	4	5	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	141	4.1	5	1	2	4	5	7	8	12
20-34	857	4.1	5	1	2	4	5	6	7	9
35-49	53	4.3	7	1	2	4	5	6	7	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	123	2.6	2	1	1	2	3	4	6	7
20-34	697	3.0	8	1	1	3	3	5	6	13
35-49	67	2.8	2	1	1	3	3	5	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	406	4.5	10	1	2	4	5	7	8	13
20-34	2755	4.8	17	2	2	4	6	7	9	20
35-49	329	5.4	23	2	2	5	6	8	11	26
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1001	2.6	3	1	1	3	3	4	5	8
B. *Operated*	1051	4.1	5	1	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	887	3.0	7	1	1	3	3	5	6	12
B. *Operated*	3490	4.8	17	2	2	4	6	7	9	20
1. SINGLE DX	2052	3.4	4	1	1	3	4	6	6	9
2. MULTIPLE DX	4377	4.5	16	1	2	4	5	7	8	19
A. NOT OPERATED	1888	2.8	5	1	1	3	3	4	5	10
B. OPERATED	4541	4.7	14	1	2	4	5	7	8	18
TOTAL 0-19 YRS	811	3.7	7	1	1	3	5	6	7	11
20-34	5121	4.1	12	1	2	4	5	6	8	16
35-49	497	4.7	18	1	2	4	6	7	9	23
50-64										
65+										
GRAND TOTAL	**6429**	**4.1**	**12**	**1**	**2**	**4**	**5**	**6**	**8**	**16**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	2.9	7	1	1	2	3	4	8	14
20-34	176	2.5	1	1	1	2	3	4	4	5
35-49	9	2.9		2	2	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	285	2.4	1	1	1	2	3	3	4	5
20-34	2042	2.6	1	1	1	3	3	4	4	6
35-49	135	2.8	1	1	1	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	2.6	1	1	1	2	3	4	5	5
20-34	58	2.8	2	1	1	2	4	5	6	7
35-49	5	2.0	2	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	160	2.9	2	1	1	3	3	4	5	8
20-34	1432	3.1	4	1	2	3	4	5	6	9
35-49	148	3.3	3	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	207	2.5	2	1	1	2	3	4	4	6
B. *Operated*	2462	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	79	2.7	2	1	1	2	3	4	5	7
B. *Operated*	1740	3.1	4	1	1	3	4	5	6	9
1. SINGLE DX	2669	2.6	1	1	1	3	3	4	4	6
2. MULTIPLE DX	1819	3.1	4	1	1	3	4	5	6	9
A. NOT OPERATED	286	2.6	2	1	1	2	3	4	4	6
B. OPERATED	4202	2.8	2	1	1	3	3	4	5	8
TOTAL 0-19 YRS	483	2.6	1	1	1	3	3	4	4	6
20-34	3708	2.8	2	1	1	3	3	4	5	8
35-49	297	3.0	2	1	1	3	4	5	5	8
50-64										
65+										
GRAND TOTAL	**4488**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.6	1	1	1	3	3	4	4	5
20-34	852	2.6	1	1	1	3	3	4	4	5
35-49	39	2.7	1	1	1	3	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	88	2.7	1	1	2	3	3	4	4	5
20-34	502	2.8	2	1	1	3	3	4	5	6
35-49	27	3.3	2	1	1	3	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	3.0	2	1	2	3	4	4	5	7
20-34	537	2.9	3	1	1	3	3	4	5	6
35-49	34	2.9	2	1	2	3	3	4	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	141	3.0	1	1	2	3	4	4	5	6
20-34	806	3.3	3	1	2	3	4	5	6	10
35-49	62	3.3	5	1	1	3	4	5	6	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1040	2.6	1	1	1	3	3	4	4	5
B. *Operated*	617	2.8	2	1	1	3	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	669	2.9	3	1	1	3	3	4	5	7
B. *Operated*	1009	3.2	3	1	2	3	4	5	5	10
1. SINGLE DX	1657	2.7	1	1	1	3	3	4	4	5
2. MULTIPLE DX	1678	3.1	3	1	2	3	4	4	5	8
A. NOT OPERATED	1709	2.7	2	1	1	3	3	4	4	6
B. OPERATED	1626	3.1	3	1	2	3	4	5	5	8
TOTAL 0-19 YRS	476	2.8	1	1	2	3	3	4	5	5
20-34	2697	2.9	2	1	1	3	3	4	5	7
35-49	162	3.1	3	1	1	3	4	4	5	10
50-64										
65+										
GRAND TOTAL	**3335**	**2.9**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	40	2.9	1	1	1	3	3	4	4	5
20-34	442	3.3	3	1	2	3	4	5	5	9
35-49	26	3.5	3	1	1	4	4	5	6	10
50-64										
65+										
B. *Operated*										
0-19 YRS	30	3.8	6	1	1	3	5	6	7	14
20-34	317	4.3	3	2	2	4	5	7	7	10
35-49	30	4.0	3	2	2	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.3	10	1	1	3	4	5	7	21
20-34	438	4.0	9	1	2	3	5	6	9	18
35-49	38	3.3	1	2	2	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	229	5.9	23	2	2	5	6	10	15	30
20-34	2719	5.6	27	2	3	5	6	8	10	28
35-49	279	5.9	41	2	3	5	6	8	12	39
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	508	3.3	3	1	2	3	4	5	5	9
B. *Operated*	377	4.2	3	2	2	4	5	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	517	3.9	8	1	2	3	4	5	8	19
B. *Operated*	3227	5.7	28	2	3	5	6	8	11	29
1. SINGLE DX	885	3.7	3	2	2	3	4	6	7	10
2. MULTIPLE DX	3744	5.4	26	2	2	5	6	8	10	27
A. NOT OPERATED	1025	3.6	6	1	2	3	4	5	6	14
B. OPERATED	3604	5.5	26	2	3	5	6	8	10	27
TOTAL 0-19 YRS	340	5.0	19	1	2	4	6	8	12	27
20-34	3916	5.1	21	2	2	4	6	7	9	24
35-49	373	5.3	33	2	2	4	6	7	10	31
50-64										
65+										
GRAND TOTAL	**4629**	**5.1**	**22**	**2**	**2**	**4**	**6**	**7**	**10**	**25**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.2	1	1	1	2	3	3	4	5
20-34	645	2.6	1	1	1	3	3	4	4	6
35-49	52	2.6	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	899	4.5	2	2	3		5	6	7	9
20-34	6644	4.5	2	2	3		5	6	7	7
35-49	415	4.6	2	2	3		6	6	7	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	47	2.6	3	1	1	2	3	5	6	9
20-34	294	2.8	2	1	1	3	3	4	5	9
35-49	20	2.9	2	<1	1	3	4	5	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	967	5.0	5	2	3	5	6	7	9	13
20-34	8265	5.0	5	2	3	5	6	7	8	12
35-49	877	5.1	4	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	773	2.6	1	1	1	3	3	4	4	6
B. *Operated*	7958	4.5	2	2	3	5	5	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	361	2.8	2	1	1	3	3	5	5	9
B. *Operated*	10109	5.0	5	2	3	5	6	7	8	13
1. SINGLE DX	8731	4.3	2	2	3	4	5	6	7	8
2. MULTIPLE DX	10470	4.9	5	2	3	5	6	7	8	12
A. NOT OPERATED	1134	2.6	2	1	1	3	3	4	5	7
B. OPERATED	18067	4.8	4	2	3	5	6	7	7	11
TOTAL 0-19 YRS	1989	4.6	4	2	2	5	5	7	8	11
20-34	15848	4.6	4	2	3	5	5	6	7	10
35-49	1364	4.8	4	2	3	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**19201**	**4.6**	**4**	**2**	**3**	**5**	**5**	**6**	**7**	**10**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	227	2.9	32	1	1	3	3	4	4	4
20-34	1850	2.5	1	1	1	3	3	4	4	5
35-49	137	2.6	1	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	561	3.6	2	2	2	3	4	6	6	8
20-34	3924	3.7	2	2	2	3	5	6	6	8
35-49	275	4.0	3	1	2	4	5	7	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	135	3.0	9	1	1	3	3	4	6	12
20-34	1200	2.7	2	1	1	3	3	4	5	7
35-49	82	3.0	2	1	1	3	4	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	1819	4.2	4	2	2	4	5	6	7	11
20-34	13512	4.2	5	2	2	4	5	6	7	10
35-49	1277	4.8	5	2	3	5	6	7	8	13
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2214	2.6	4	1	1	3	3	4	4	5
B. *Operated*	4760	3.7	2	2	2	3	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	1417	2.8	2	1	1	3	3	4	5	7
B. *Operated*	16608	4.3	5	2	2	4	5	6	7	10
1. SINGLE DX	6974	3.3	3	1	2	3	4	5	6	8
2. MULTIPLE DX	18025	4.2	5	2	2	4	5	6	7	10
A. NOT OPERATED	3631	2.7	3	1	1	3	3	4	4	6
B. OPERATED	21368	4.2	4	2	2	4	5	6	7	10
TOTAL 0-19 YRS	2742	3.9	6	2	2	3	5	6	7	11
20-34	20486	3.9	4	1	2	4	5	6	7	9
35-49	1771	4.5	5	2	2	4	6	7	8	12
50-64										
65+										
GRAND TOTAL	**24999**	**3.9**	**4**	**1**	**2**	**4**	**5**	**6**	**7**	**9**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES						
				5th	10th	50th	75th	90th	95th	99th
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	3.0	3	<1	1	3	3	5	7	9
20-34	168	3.1	2	1	2	3	4	4	5	7
35-49	15	3.3	2	1	2	3	4	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1573	5.0	2	3	4	5	6	7	7	10
20-34	8279	5.1	2	3	4	5	6	7	7	8
35-49	374	5.4	2	3	4	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	4.2	5	1	2	4	6	7	8	9
20-34	102	3.7	4	1	2	3	4	5	6	13
35-49	7	3.4	2	2	2	3	4	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	3764	5.6	4	3	4	5	6	8	9	13
20-34	20325	5.3	4	3	4	5	6	7	8	11
35-49	1426	5.7	5	3	4	5	6	7	8	14
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	3.1	2	1	2	3	4	4	5	8
B. *Operated*	10226	5.1	2	3	4	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*	132	3.8	4	1	2	4	5	6	7	11
B. *Operated*	25515	5.4	4	3	4	5	6	7	8	12
1. SINGLE DX	10436	5.0	2	3	4	5	6	7	7	9
2. MULTIPLE DX	25647	5.4	4	3	4	5	6	7	8	12
A. NOT OPERATED	342	3.3	3	1	2	3	4	5	6	9
B. OPERATED	35741	5.3	3	3	4	5	6	7	8	11
TOTAL 0-19 YRS	5387	5.4	4	3	4	5	6	7	9	13
20-34	28874	5.2	3	3	4	5	6	7	8	10
35-49	1822	5.6	5	3	4	5	6	7	8	13
50-64										
65+										
GRAND TOTAL	**36083**	**5.3**	**3**	**3**	**4**	**5**	**6**	**7**	**8**	**11**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	446	2.8	1	1	2	3	3	4	4	5
20-34	2677	2.8	1	1	1	3	3	4	4	5
35-49	157	2.8	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	692	3.7	3	1	2	4	5	6	6	8
20-34	4903	3.8	2	2	2	4	5	6	6	8
35-49	291	4.0	4	2	2	4	5	6	7	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	291	3.0	2	1	2	3	4	4	5	8
20-34	1820	3.0	1	1	2	3	4	4	5	7
35-49	106	2.8	1	1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1923	4.1	4	2	2	4	5	6	8	11
20-34	12438	4.1	3	2	2	4	5	6	7	9
35-49	1014	4.5	6	2	2	4	6	7	8	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3280	2.8	1	1	1	3	3	4	4	5
B. *Operated*	5886	3.8	3	2	2	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	2217	3.0	1	1	2	3	4	4	5	7
B. *Operated*	15375	4.1	4	2	2	4	5	6	7	10
1. SINGLE DX	9166	3.5	2	1	2	3	4	5	6	7
2. MULTIPLE DX	17592	4.0	4	2	2	4	5	6	7	10
A. NOT OPERATED	5497	2.9	1	1	2	3	3	4	5	6
B. OPERATED	21261	4.1	3	2	2	4	5	6	7	9
TOTAL 0-19 YRS	3352	3.8	4	1	2	3	5	6	7	10
20-34	21838	3.8	3	1	2	4	5	6	7	9
35-49	1568	4.2	5	1	2	4	5	6	7	10
50-64										
65+										
GRAND TOTAL	26758	3.8	3	1	2	4	5	6	7	9

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	49	2.6	1	1	1	2	3	4	4	7
20-34	471	2.9	9	1	1	3	3	4	4	6
35-49	59	2.8	1	<1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	160	4.1	3	2	2	4	5	6	7	9
20-34	1607	4.2	3	2	2	4	5	6	7	8
35-49	116	5.2	58	1	2	5	6	7	8	35
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	2.9	3	1	1	3	3	4	5	11
20-34	318	3.2	16	1	1	3	4	4	5	10
35-49	31	3.1	2	1	1	3	4	5	6	8
50-64										
65+										
B. *Operated*										
0-19 YRS	438	4.9	6	2	2	5	6	7	8	14
20-34	4156	5.1	13	2	3	5	6	7	8	14
35-49	522	5.3	19	2	3	5	6	7	9	19
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	579	2.9	7	1	1	3	3	4	4	6
B. *Operated*	1883	4.3	6	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	384	3.2	14	1	1	3	4	4	5	10
B. *Operated*	5116	5.1	13	2	3	5	6	7	8	14
1. SINGLE DX	2462	3.9	7	1	2	4	5	6	7	8
2. MULTIPLE DX	5500	4.9	13	2	2	5	6	7	8	14
A. NOT OPERATED	963	3.0	10	1	1	3	3	4	5	7
B. OPERATED	6999	4.9	11	2	2	5	6	7	8	13
TOTAL 0-19 YRS	682	4.5	5	2	2	4	6	7	8	13
20-34	6552	4.6	11	2	2	4	6	7	8	12
35-49	728	5.0	23	2	2	5	6	7	8	16
50-64										
65+										
GRAND TOTAL	7962	4.6	12	2	2	4	6	7	8	13

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	2.6	2	1	1	2	3	5	6	8
20-34	530	2.6	2	1	1	2	3	4	5	7
35-49	45	2.7	2	<1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1442	5.0	2	3	4	5	6	7	7	8
20-34	26383	5.1	2	3	4	5	6	7	7	8
35-49	1766	5.4	4	3	4	5	6	7	8	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.6	2	1	1	3	3	4	5	6
20-34	299	3.2	7	1	1	3	4	5	6	8
35-49	30	2.8	2	1	1	3	4	4	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1051	5.3	7	3	3	5	6	7	8	12
20-34	32119	5.3	4	3	4	5	6	7	8	11
35-49	3842	5.7	5	3	4	6	6	7	8	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	606	2.6	2	1	1	2	3	4	5	7
B. *Operated*	29591	5.1	2	3	4	5	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*	349	3.1	6	1	1	3	4	5	6	7
B. *Operated*	37012	5.3	4	3	4	5	6	7	8	11
1. SINGLE DX	30197	5.1	2	3	3	5	6	7	7	8
2. MULTIPLE DX	37361	5.3	4	3	4	5	6	7	8	11
A. NOT OPERATED	955	2.8	3	1	1	3	3	5	5	7
B. OPERATED	66603	5.2	3	3	4	5	6	7	7	10
TOTAL 0-19 YRS	2544	5.1	4	3	3	5	6	7	7	10
20-34	59331	5.2	3	3	3	5	6	7	7	9
35-49	5683	5.6	4	3	4	5	6	7	8	11
50-64										
65+										
GRAND TOTAL	**67558**	**5.2**	**3**	**3**	**3**	**5**	**6**	**7**	**7**	**10**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	751	3.0	2	1	2	3	4	4	5	7
20-34	4753	3.0	2	1	2	3	4	4	5	7
35-49	288	3.2	7	1	2	3	4	5	5	10
50-64										
65+										
B. *Operated*										
0-19 YRS	522	3.3	3	2	2	3	4	5	6	8
20-34	3879	3.2	2	1	2	3	4	5	6	8
35-49	251	3.4	6	1	2	3	4	5	7	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	593	3.4	5	1	2	3	4	5	6	11
20-34	3403	3.3	4	1	2	3	4	5	6	10
35-49	260	3.6	6	1	2	3	4	6	7	17
50-64										
65+										
B. *Operated*										
0-19 YRS	1803	4.4	12	2	2	4	5	7	9	16
20-34	13558	4.3	8	2	2	4	5	6	8	13
35-49	1392	4.7	11	2	2	4	6	7	9	16
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5792	3.0	3	1	2	3	4	4	5	7
B. *Operated*	4652	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	4256	3.4	4	1	2	3	4	5	6	10
B. *Operated*	16753	4.3	9	2	2	4	5	7	8	14
1. SINGLE DX	10444	3.1	3	1	2	3	4	4	5	8
2. MULTIPLE DX	21009	4.1	8	2	2	4	5	6	8	13
A. NOT OPERATED	10048	3.2	3	1	2	3	4	4	5	9
B. OPERATED	21405	4.1	8	2	2	4	5	6	7	13
TOTAL 0-19 YRS	3669	3.8	8	2	2	3	4	6	7	13
20-34	25593	3.7	6	1	2	3	4	6	7	11
35-49	2191	4.2	10	1	2	4	5	7	8	15
50-64										
65+										
GRAND TOTAL	**31453**	**3.8**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2339	2.5	1	1	1	3	3	4	4	5
20-34	18546	2.6	2	1	1	3	3	4	4	5
35-49	1078	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1190	2.6	1	1	1	3	3	4	4	6
20-34	9121	2.7	1	1	1	3	3	4	4	6
35-49	517	2.9	1	1	2	3	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	634	2.7	1	1	1	3	3	4	4	6
20-34	4451	2.7	1	1	1	3	3	4	4	6
35-49	350	2.7	3	1	1	3	3	4	5	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1385	3.0	5	1	1	3	3	4	5	8
20-34	12490	3.1	3	1	2	3	4	5	5	7
35-49	1138	3.4	3	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21963	2.6	2	1	1	3	3	4	4	5
B. *Operated*	10828	2.7	1	1	2	3	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	5435	2.7	2	1	1	3	3	4	4	6
B. *Operated*	15013	3.1	3	1	2	3	4	5	5	7
1. SINGLE DX	32791	2.6	2	1	1	3	3	4	4	5
2. MULTIPLE DX	20448	3.0	3	1	2	3	4	4	5	7
A. NOT OPERATED	27398	2.6	2	1	1	3	3	4	4	5
B. OPERATED	25841	2.9	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	5548	2.7	2	1	1	3	3	4	4	6
20-34	44608	2.8	2	1	1	3	3	4	5	6
35-49	3083	3.0	2	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**53239**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**6**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	521	2.2	1	1	1	2	3	3	4	4
20-34	3247	2.3	1	1	1	2	3	3	4	5
35-49	235	2.3	1	<1	1	2	3	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	4196	2.4	1	1	1	2	3	3	4	5
20-34	33246	2.4	1	1	1	2	3	4	4	5
35-49	2675	2.5	1	1	1	3	3	4	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	172	2.6	1	1	1	2	3	4	4	7
20-34	1024	2.6	2	1	1	2	3	4	4	7
35-49	80	2.7	2	1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	2081	2.7	2	1	1	3	3	4	5	7
20-34	20011	2.8	3	1	1	3	3	4	5	6
35-49	2210	3.0	2	1	2	3	4	4	5	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4003	2.3	1	1	1	2	3	3	4	5
B. *Operated*	40117	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	1276	2.6	2	1	1	2	3	4	4	7
B. *Operated*	24302	2.8	2	1	1	3	3	4	5	7
1. SINGLE DX	44120	2.4	1	1	1	2	3	4	4	5
2. MULTIPLE DX	25578	2.8	2	1	1	3	3	4	5	7
A. NOT OPERATED	5279	2.4	1	1	1	2	3	3	4	5
B. OPERATED	64419	2.6	2	1	1	3	3	4	4	6
TOTAL 0-19 YRS	6970	2.5	1	1	1	2	3	4	4	5
20-34	57528	2.5	2	1	1	3	3	4	4	5
35-49	5200	2.7	1	1	1	3	3	4	4	6
50-64										
65+										
GRAND TOTAL	**69698**	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**4**	**6**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	329	2.6	1	1	1	3	3	4	4	6
20-34	1521	2.7	1	1	1	3	3	4	4	5
35-49	51	2.8	1	1	1	3	3	4	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4011	2.7	1	1	2	3	3	4	4	5
20-34	16675	2.8	1	1	2	3	3	4	4	5
35-49	589	2.8	1	1	2	3	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	109	3.0	2	1	2	3	4	4	6	8
20-34	402	2.9	2	1	1	3	3	4	5	8
35-49	18	2.9	2	1	2	3	3	5	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	2700	3.1	3	1	2	3	3	4	5	8
20-34	12312	3.1	2	1	2	3	4	4	5	7
35-49	590	3.3	2	2	2	3	4	5	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1901	2.7	1	1	1	3	3	4	4	5
B. *Operated*	21275	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	529	2.9	2	1	2	3	3	4	5	8
B. *Operated*	15602	3.1	2	1	2	3	4	4	5	7
1. SINGLE DX	23176	2.8	1	1	2	3	3	4	4	5
2. MULTIPLE DX	16131	3.1	2	1	2	3	4	4	5	7
A. NOT OPERATED	2430	2.7	1	1	1	3	3	4	4	6
B. OPERATED	36877	2.9	2	1	2	3	3	4	5	6
TOTAL 0-19 YRS	7149	2.8	2	1	2	3	3	4	4	6
20-34	30910	2.9	1	1	2	3	3	4	5	6
35-49	1248	3.1	2	1	2	3	4	4	5	7
50-64										
65+										
GRAND TOTAL	**39307**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**5**	**6**

286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	275	2.4	1	1	1	2	3	3	4	5
20-34	1248	2.5	2	1	1	2	3	4	4	6
35-49	53	2.7	1	1	1	3	3	4	5	6
50-64										
65+										
B. *Operated*										
0-19 YRS	1570	2.6	1	1	2	3	3	4	4	5
20-34	6862	2.6	1	1	1	3	3	4	4	5
35-49	290	2.8	1	1	1	3	3	4	4	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	2.7	1	1	2	3	3	4	4	7
20-34	521	2.7	2	1	1	3	3	4	5	7
35-49	19	2.4	1	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1220	2.9	2	1	2	3	3	4	5	8
20-34	6537	3.0	2	1	2	3	4	4	5	8
35-49	378	3.4	3	1	2	3	4	5	7	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1576	2.5	1	1	1	2	3	4	4	6
B. *Operated*	8722	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	665	2.7	1	1	1	3	3	4	5	7
B. *Operated*	8135	3.0	2	1	2	3	4	4	5	8
1. SINGLE DX	10298	2.6	1	1	1	3	3	4	4	5
2. MULTIPLE DX	8800	3.0	2	1	2	3	3	4	5	8
A. NOT OPERATED	2241	2.6	1	1	1	3	3	4	4	6
B. OPERATED	16857	2.8	2	1	2	3	3	4	5	7
TOTAL 0-19 YRS	3190	2.7	1	1	2	3	3	4	4	6
20-34	15168	2.8	2	1	1	3	3	4	5	7
35-49	740	3.1	2	1	2	3	4	4	6	9
50-64										
65+										
GRAND TOTAL	**19098**	**2.8**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	**7**

287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4425	2.7	2	1	1	3	3	4	5	8
20-34	22576	2.7	2	1	1	3	3	4	5	7
35-49	1537	2.8	3	1	1	3	3	4	5	8
50-64										
65+										
B. *Operated*										
0-19 YRS	8973	3.1	3	1	2	3	4	5	6	9
20-34	48146	3.2	3	1	2	3	4	5	6	8
35-49	2805	3.5	4	1	2	3	4	5	6	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3053	3.0	4	1	1	3	3	5	6	10
20-34	14416	2.9	4	1	1	3	3	5	6	10
35-49	1142	3.2	11	1	1	3	4	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	12606	4.1	9	1	2	3	5	7	9	15
20-34	76116	4.1	10	1	2	3	5	7	8	16
35-49	7287	4.7	15	2	2	4	5	7	9	20
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28538	2.7	2	1	1	3	3	4	5	7
B. *Operated*	59924	3.2	3	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	18611	3.0	4	1	1	3	3	5	6	10
B. *Operated*	96009	4.2	10	1	2	3	5	7	8	16
1. SINGLE DX	88462	3.0	3	1	2	3	4	5	5	8
2. MULTIPLE DX	114620	4.0	9	1	2	3	5	6	8	15
A. NOT OPERATED	47149	2.8	3	1	1	3	3	4	5	8
B. OPERATED	155933	3.8	7	1	2	3	4	6	7	13
TOTAL 0-19 YRS	29057	3.5	6	1	2	3	4	6	7	12
20-34	161254	3.5	6	1	2	3	4	6	7	12
35-49	12771	4.1	11	1	2	3	5	7	8	16
50-64										
65+										
GRAND TOTAL	**203082**	**3.6**	**7**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.4	2	1	2	3	4	6	6	8
20-34	623	3.7	3	2	2	3	4	6	7	10
35-49	38	4.5	6	1	2	4	5	8	10	11
50-64										
65+										
B. *Operated*										
0-19 YRS	7	3.3	7	2	2	2	3	8	9	9
20-34	59	4.8	11	1	1	4	7	9	12	17
35-49	2	8.0	32	4	4	8	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	94	4.3	9	2	2	4	5	7	8	20
20-34	333	4.4	8	2	2	4	5	7	10	13
35-49	21	4.6	6	2	2	4	6	8	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	23	5.1	13	1	2	4	6	8	13	18
20-34	103	6.8	64	1	2	5	9	13	20	46
35-49	7	6.4	28	2	2	6	8	15	17	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	826	3.6	3	2	2	3	4	6	7	10
B. *Operated*	68	4.7	11	1	1	4	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	448	4.4	8	2	2	4	5	7	10	13
B. *Operated*	133	6.5	53	1	2	5	8	12	18	32
1. SINGLE DX	894	3.7	4	1	2	3	4	6	7	11
2. MULTIPLE DX	581	4.9	19	2	2	4	5	8	11	23
A. NOT OPERATED	1274	3.9	5	2	2	3	5	6	8	12
B. OPERATED	201	5.9	40	1	2	4	7	11	16	24
TOTAL 0-19 YRS	289	3.8	6	2	2	3	5	6	7	12
20-34	1118	4.2	11	1	2	4	5	7	9	15
35-49	68	4.8	8	2	2	4	6	9	10	16
50-64										
65+										
GRAND TOTAL	**1475**	**4.2**	**10**	**2**	**2**	**4**	**5**	**7**	**9**	**15**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	56	1.6	1	<1	1	1	2	3	3	4
20-34	273	1.6	1	<1	<1	1	2	3	3	6
35-49	14	1.9	1	<1	<1	2	2	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	133	1.6	1	<1	1	1	2	3	3	5
20-34	1033	1.6	1	<1	<1	1	2	3	4	6
35-49	49	1.6	1	<1	<1	1	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	2.3	3	<1	1	2	3	4	6	9
20-34	201	2.1	2	<1	1	2	3	4	5	7
35-49	12	2.8	4	1	1	2	3	5	8	8
50-64										
65+										
B. *Operated*										
0-19 YRS	105	2.5	4	1	1	2	3	4	7	13
20-34	691	2.5	4	1	1	2	3	5	6	11
35-49	47	2.8	4	<1	1	2	4	5	6	11
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	343	1.6	1	<1	<1	1	2	3	3	5
B. *Operated*	1215	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	251	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	843	2.5	4	1	1	2	3	5	6	11
1. SINGLE DX	1558	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1094	2.4	4	1	1	2	3	4	6	11
A. NOT OPERATED	594	1.9	1	<1	1	2	2	3	4	7
B. OPERATED	2058	2.0	3	<1	<1	1	2	4	5	8
TOTAL 0-19 YRS	332	2.0	2	<1	1	2	2	3	4	8
20-34	2198	1.9	2	<1	<1	1	2	4	5	8
35-49	122	2.2	3	<1	<1	2	3	4	6	9
50-64										
65+										
GRAND TOTAL	**2652**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**	**8**

290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	3.5	6	1	1	3	4	6	9	11
20-34	401	4.1	10	1	1	3	5	9	12	15
35-49	32	5.0	13	1	2	4	6	12	13	14
50-64										
65+										
B. *Operated*										
0-19 YRS	126	3.5	13	1	1	3	3	7	10	21
20-34	632	3.2	9	<1	1	2	3	7	9	18
35-49	64	2.3	2	<1	<1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	4.3	18	1	1	3	5	9	16	21
20-34	296	4.5	17	1	1	3	5	9	13	20
35-49	37	6.1	30	1	1	5	8	12	18	28
50-64										
65+										
B. *Operated*										
0-19 YRS	94	4.0	20	1	1	3	4	9	12	28
20-34	533	4.5	22	1	1	3	5	10	14	21
35-49	70	6.6	46	1	1	4	8	14	20	38
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	506	4.1	10	1	1	3	5	9	11	15
B. *Operated*	822	3.2	9	<1	1	2	3	6	9	18
2. MULTIPLE DX										
A. *Not Operated*	386	4.6	18	1	1	3	5	10	13	21
B. *Operated*	697	4.6	25	1	1	3	5	10	15	25
1. SINGLE DX	1328	3.5	10	1	1	3	4	7	10	16
2. MULTIPLE DX	1083	4.6	22	1	1	3	5	10	14	23
A. NOT OPERATED	892	4.3	13	1	1	3	5	9	12	18
B. OPERATED	1519	3.9	17	1	1	3	4	8	12	20
TOTAL 0-19 YRS	346	3.8	14	1	1	3	4	7	10	18
20-34	1862	4.0	15	1	1	3	4	8	12	18
35-49	203	4.9	27	<1	1	3	5	11	14	27
50-64										
65+										
GRAND TOTAL	**2411**	**4.0**	**16**	**1**	**1**	**3**	**4**	**9**	**12**	**19**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2720	3.9	5	1	2	3	5	7	8	11
20-34	2462	4.1	6	1	2	4	5	7	8	12
35-49	1752	4.8	9	2	2	4	6	8	10	16
50-64	1279	5.4	14	2	2	5	7	9	12	20
65+	1132	6.4	20	2	3	5	8	11	14	21
B. *Operated*										
0-19 YRS	1218	4.6	15	1	1	4	6	9	11	20
20-34	1392	5.1	19	1	1	4	6	10	13	24
35-49	865	5.8	22	1	2	4	7	11	14	23
50-64	552	6.4	26	1	2	5	8	12	15	23
65+	359	7.5	49	1	2	6	9	15	21	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3310	4.5	10	2	2	4	5	8	10	16
20-34	3924	5.5	17	2	2	4	7	10	13	22
35-49	4347	6.6	23	2	3	5	8	12	15	25
50-64	6149	7.6	30	2	3	6	9	14	17	29
65+	10970	8.8	45	3	3	7	11	16	20	37
B. *Operated*										
0-19 YRS	1282	6.4	34	1	2	5	7	12	17	29
20-34	2493	8.6	67	2	2	6	10	17	24	43
35-49	2506	10.2	98	2	3	8	12	20	30	54
50-64	3126	12.2	120	2	3	9	15	25	35	59
65+	4300	14.3	152	3	4	11	18	29	40	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9345	4.6	10	2	2	4	6	8	10	15
B. *Operated*	4386	5.4	23	1	1	4	7	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	28700	7.3	33	2	3	6	9	13	17	30
B. *Operated*	13707	11.3	115	2	3	8	14	23	33	63
1. SINGLE DX	13731	4.9	14	1	2	4	6	9	11	19
2. MULTIPLE DX	42407	8.6	63	2	3	6	10	16	23	44
A. NOT OPERATED	38045	6.6	29	2	2	5	8	12	16	27
B. OPERATED	18093	9.9	99	2	2	7	12	21	29	56
TOTAL 0-19 YRS	8530	4.6	13	1	2	4	6	8	10	19
20-34	10271	5.9	30	1	2	4	7	11	15	29
35-49	9470	7.1	44	2	2	5	9	13	18	35
50-64	11106	8.6	59	2	3	7	10	16	22	42
65+	16761	10.0	78	3	3	8	12	19	26	54
GRAND TOTAL	**56138**	**7.7**	**54**	**2**	**2**	**6**	**9**	**15**	**20**	**40**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	935	3.9	6	1	2	3	5	7	8	12
20-34	449	4.0	6	2	2	3	5	7	9	15
35-49	251	4.4	9	1	2	3	6	8	11	16
50-64	168	4.8	8	2	2	4	6	9	10	14
65+	106	6.0	18	2	2	5	7	12	14	23
B. *Operated*										
0-19 YRS	666	3.5	8	<1	<1	3	5	8	9	14
20-34	505	4.3	15	<1	1	3	5	9	10	22
35-49	339	4.3	17	<1	<1	3	5	9	13	22
50-64	239	5.3	37	<1	1	4	6	11	16	33
65+	142	5.7	41	<1	1	4	7	12	20	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1273	4.4	7	1	2	4	6	8	9	14
20-34	691	4.9	19	1	2	4	6	8	11	27
35-49	617	6.0	26	2	2	5	7	10	14	31
50-64	871	7.5	41	2	3	6	9	13	16	34
65+	1339	8.1	35	2	3	7	10	14	18	36
B. *Operated*										
0-19 YRS	616	5.4	25	1	1	4	7	10	14	24
20-34	674	7.2	66	1	2	5	8	14	24	43
35-49	675	8.0	57	1	2	6	10	17	24	41
50-64	911	10.4	98	2	2	8	13	22	30	52
65+	941	11.5	117	2	3	9	14	22	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1909	4.2	7	1	2	4	5	7	9	14
B. *Operated*	1891	4.2	18	<1	1	3	5	9	11	23
2. MULTIPLE DX										
A. *Not Operated*	4791	6.3	28	2	2	5	8	11	15	28
B. *Operated*	3817	8.9	83	1	2	6	11	18	26	49
1. SINGLE DX	3800	4.2	13	<1	1	3	5	8	10	19
2. MULTIPLE DX	8608	7.4	54	2	2	5	9	15	20	42
A. NOT OPERATED	6700	5.7	23	2	2	4	7	10	14	25
B. OPERATED	5708	7.3	66	1	1	5	9	15	22	43
TOTAL 0-19 YRS	3490	4.3	10	1	1	4	5	8	10	15
20-34	2319	5.3	31	1	2	4	6	10	13	30
35-49	1882	6.2	35	1	2	5	7	12	17	33
50-64	2189	8.2	66	2	2	6	10	16	23	47
65+	2528	9.2	69	2	3	7	11	17	23	48
GRAND TOTAL	**12408**	**6.4**	**43**	**1**	**2**	**5**	**8**	**12**	**17**	**37**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	3.6	14	<1	1	2	4	5	14	19
20-34	56	3.1	4	<1	<1	3	4	5	7	11
35-49	9	2.2	1	<1	<1	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	2901	3.1	6	1	1	3	4	5	6	9
20-34	5129	3.1	3	1	1	3	4	5	6	9
35-49	736	3.2	4	1	1	3	4	5	6	10
50-64	152	3.4	5	1	1	3	4	6	9	13
65+	37	3.7	4	1	2	3	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.1	5	<1	<1	3	4	6	8	8
20-34	59	3.4	10	<1	<1	2	5	9	9	15
35-49	13	5.3	14	<1	1	4	9	11	11	11
50-64	12	5.1	8	1	2	5	7	9	9	9
65+	6	8.3	12	3	3	8	12	12	12	12
B. *Operated*										
0-19 YRS	386	4.1	10	1	2	3	5	7	9	16
20-34	927	4.2	10	1	1	3	5	7	9	16
35-49	335	4.3	14	1	1	4	5	8	10	20
50-64	134	6.1	41	1	2	4	7	12	17	34
65+	64	6.7	32	2	3	5	9	12	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	97	3.2	7	<1	<1	3	4	5	7	17
B. *Operated*	8955	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	115	4.0	11	<1	<1	3	6	9	11	13
B. *Operated*	1846	4.4	14	1	2	4	5	8	11	20
1. SINGLE DX	9052	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX	1961	4.4	14	1	1	4	5	8	11	20
A. NOT OPERATED	212	3.6	9	<1	<1	3	5	8	9	14
B. OPERATED	10801	3.4	6	1	1	3	4	6	7	11
TOTAL 0-19 YRS	3343	3.2	7	1	1	3	4	5	7	10
20-34	6171	3.3	4	1	1	3	4	5	7	11
35-49	1093	3.6	7	1	1	3	4	6	8	12
50-64	299	4.7	23	1	1	3	6	9	12	21
65+	107	5.8	24	1	2	4	7	11	14	29
GRAND TOTAL	**11013**	**3.4**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.2	5	<1	<1	1	3	6	8	8
20-34	9	2.0	4	1	1	1	2	5	7	7
35-49	4	1.5		1	1	1	2	2	2	2
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	3	2.7	2	<1	<1	3	4	4	4	4
B. *Operated*										
0-19 YRS	476	1.5	1	<1	<1	1	2	2	3	5
20-34	637	1.7	2	<1	<1	1	2	3	4	7
35-49	500	1.6	2	<1	<1	1	2	3	4	6
50-64	415	1.6	1	<1	<1	1	2	3	3	6
65+	205	2.1	4	<1	<1	1	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	2.2	4	<1	<1	1	3	5	6	8
20-34	16	3.4	4	<1	<1	3	5	5	8	9
35-49	17	3.7	7	<1	<1	3	5	8	9	10
50-64	18	2.9	5	<1	<1	2	4	6	8	9
65+	14	3.5	9	<1	<1	2	5	8	10	10
B. *Operated*										
0-19 YRS	94	2.2	3	<1	<1	2	3	5	6	9
20-34	214	2.8	9	<1	<1	2	3	6	9	14
35-49	278	3.2	11	<1	<1	2	4	6	8	15
50-64	307	3.3	10	<1	<1	2	4	7	9	17
65+	241	4.4	24	<1	1	3	5	9	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	2.1	3	<1	<1	1	3	4	7	8
B. *Operated*	2233	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	85	3.1	6	<1	<1	3	4	7	8	10
B. *Operated*	1134	3.3	13	<1	<1	2	4	7	9	20
1. SINGLE DX	2264	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1219	3.3	12	<1	<1	2	4	7	9	18
A. NOT OPERATED	116	2.8	5	<1	<1	2	4	6	8	10
B. OPERATED	3367	2.2	6	<1	<1	1	2	4	6	12
TOTAL 0-19 YRS	603	1.6	1	<1	<1	1	2	3	4	7
20-34	876	2.0	4	<1	<1	1	2	4	5	10
35-49	799	2.2	6	<1	<1	1	2	4	6	12
50-64	742	2.4	6	<1	<1	2	3	5	6	12
65+	463	3.3	16	<1	<1	2	4	7	10	24
GRAND TOTAL	**3483**	**2.2**	**6**	**<1**	**<1**	**1**	**2**	**4**	**6**	**12**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1403	3.7	14	1	1	3	4	7	10	21
20-34	785	6.1	56	1	1	4	7	14	21	39
35-49	639	6.8	80	1	1	4	7	17	26	49
50-64	500	7.3	63	1	1	4	8	18	24	37
65+	470	7.8	57	2	2	5	9	18	22	40
B. *Operated*										
0-19 YRS	1838	2.9	20	<1	<1	2	3	5	9	21
20-34	2192	4.0	39	<1	<1	2	4	8	13	31
35-49	1711	4.3	45	<1	<1	2	4	9	14	39
50-64	1513	3.9	30	<1	<1	2	4	9	13	27
65+	1116	6.5	88	<1	<1	3	8	17	24	56
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1934	4.8	28	1	1	3	5	9	13	26
20-34	1521	7.3	71	1	1	5	8	17	24	43
35-49	1845	8.2	76	1	2	5	10	18	24	46
50-64	2592	9.2	74	2	2	6	11	20	26	44
65+	6977	11.3	101	2	3	8	14	22	31	63
B. *Operated*										
0-19 YRS	1506	7.2	130	<1	1	3	8	17	31	61
20-34	2843	11.3	228	1	1	5	14	31	47	81
35-49	3258	10.8	204	1	1	5	13	29	43	86
50-64	4244	12.0	232	1	1	6	15	32	49	94
65+	7494	16.8	260	2	3	12	23	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3797	5.7	48	1	1	3	6	13	20	37
B. *Operated*	8370	4.1	42	<1	<1	2	4	9	14	35
2. MULTIPLE DX										
A. *Not Operated*	14869	9.3	86	1	2	7	11	20	27	51
B. *Operated*	19345	13.2	239	1	2	8	18	34	50	95
1. SINGLE DX	12167	4.6	44	<1	<1	2	5	10	16	36
2. MULTIPLE DX	34214	11.5	176	1	2	7	14	28	40	82
A. NOT OPERATED	18666	8.5	80	1	2	6	11	19	26	48
B. OPERATED	27715	10.5	197	<1	1	5	13	28	42	86
TOTAL 0-19 YRS	6681	4.6	48	<1	1	3	5	9	15	39
20-34	7341	7.7	130	<1	1	4	8	20	31	66
35-49	7453	8.3	132	1	1	4	9	21	32	69
50-64	8849	9.5	150	1	1	5	12	23	35	72
65+	16057	13.4	185	2	2	9	17	30	43	91
GRAND TOTAL	**46381**	**9.7**	**151**	**1**	**1**	**5**	**12**	**24**	**35**	**74**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	5.0	18	<1	1	4	7	11	14	22
20-34	213	5.8	25	1	2	5	7	10	16	26
35-49	179	6.7	68	2	2	5	8	11	13	41
50-64	113	6.6	18	2	2	6	8	11	14	23
65+	43	9.3	59	2	3	7	13	19	23	40
B. *Operated*										
0-19 YRS	76	4.5	16	1	2	3	6	11	12	21
20-34	112	6.3	33	1	1	4	9	14	16	29
35-49	92	5.8	30	1	1	4	8	13	16	28
50-64	66	6.7	24	1	1	6	9	12	14	27
65+	35	8.2	82	1	2	5	11	17	18	52
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	7.5	58	1	2	5	9	16	20	35
20-34	666	7.5	39	2	2	6	9	15	19	31
35-49	739	8.1	49	1	2	6	10	16	22	36
50-64	799	8.5	53	2	3	7	10	17	21	38
65+	694	9.7	53	2	3	8	12	19	25	38
B. *Operated*										
0-19 YRS	134	13.2	233	2	2	8	17	30	57	99+
20-34	367	13.0	176	2	2	9	17	29	43	84
35-49	401	13.9	168	2	3	11	17	28	41	87
50-64	448	13.6	166	2	3	10	17	31	40	78
65+	405	14.5	124	2	3	12	19	28	39	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	685	6.2	37	1	2	5	7	11	16	28
B. *Operated*	381	6.1	32	1	1	4	9	13	15	29
2. MULTIPLE DX										
A. *Not Operated*	3182	8.4	50	2	2	7	10	17	22	36
B. *Operated*	1755	13.7	164	2	3	10	18	29	41	79
1. SINGLE DX	1066	6.2	35	1	2	4	8	12	16	28
2. MULTIPLE DX	4937	10.3	97	2	2	7	13	21	29	54
A. NOT OPERATED	3867	8.0	49	2	2	6	10	16	21	35
B. OPERATED	2136	12.3	149	2	2	9	16	27	37	77
TOTAL 0-19 YRS	631	7.8	91	1	2	5	9	17	24	61
20-34	1358	8.6	81	1	2	6	10	18	25	51
35-49	1411	9.4	92	1	2	7	12	19	27	54
50-64	1426	9.8	91	2	3	7	12	20	29	48
65+	1177	11.3	84	2	3	9	14	23	29	47
GRAND TOTAL	**6003**	**9.5**	**89**	**2**	**2**	**7**	**12**	**20**	**27**	**52**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	346	5.5	18	1	2	4	7	10	13	24
20-34	201	5.9	20	1	2	5	8	11	13	18
35-49	339	6.1	13	2	2	5	8	11	12	19
50-64	534	6.7	20	2	2	6	8	12	17	22
65+	429	7.1	20	2	3	6	9	13	16	22
B. *Operated*										
0-19 YRS	83	6.6	52	1	1	4	9	15	21	38
20-34	231	5.9	27	1	1	4	8	13	15	27
35-49	580	7.1	32	1	2	5	10	14	17	28
50-64	1211	7.9	43	1	2	6	11	16	19	32
65+	745	9.5	51	2	2	8	13	18	21	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	301	7.6	58	1	2	5	9	16	23	36
20-34	299	6.9	29	2	2	5	9	14	16	25
35-49	718	6.8	29	2	2	5	8	13	16	30
50-64	1894	8.0	39	2	3	7	10	14	18	31
65+	2926	8.9	44	2	3	7	11	16	20	38
B. *Operated*										
0-19 YRS	95	10.4	109	1	2	7	14	25	30	53
20-34	279	8.9	91	1	2	6	12	17	22	48
35-49	799	8.3	56	2	2	6	11	17	21	40
50-64	2124	9.9	83	2	2	8	13	20	25	44
65+	2257	12.5	107	2	3	10	16	24	33	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1849	6.4	19	2	2	5	8	12	15	21
B. *Operated*	2850	8.0	43	1	2	6	11	16	19	32
2. MULTIPLE DX										
A. *Not Operated*	6138	8.2	41	2	3	7	10	15	19	33
B. *Operated*	5554	10.7	92	2	3	9	14	21	28	52
1. SINGLE DX	4699	7.3	34	1	2	6	10	15	18	28
2. MULTIPLE DX	11692	9.4	67	2	3	7	12	18	23	44
A. NOT OPERATED	7987	7.8	36	2	3	6	10	14	18	31
B. OPERATED	8404	9.8	77	2	2	8	13	19	25	46
TOTAL 0-19 YRS	825	6.9	49	1	2	5	8	14	22	35
20-34	1010	7.0	45	1	2	5	9	14	17	31
35-49	2436	7.3	37	2	2	6	9	14	18	31
50-64	5763	8.6	55	2	2	6	11	16	21	37
65+	6357	10.1	69	2	3	8	13	19	25	47
GRAND TOTAL	**16391**	**8.8**	**58**	**2**	**2**	**7**	**11**	**17**	**21**	**41**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	5	1	1	3	6	6	6	6
20-34	32	4.1	5	1	1	4	6	8	8	9
35-49	86	5.1	37	1	1	4	6	10	11	40
50-64	201	4.8	12	1	1	4	6	9	12	15
65+	437	5.5	23	1	1	4	7	11	14	21
B. *Operated*										
0-19 YRS	56	3.4	9	1	1	2	4	8	10	16
20-34	645	3.9	14	<1	1	3	5	9	12	18
35-49	1612	5.1	20	1	1	3	8	12	14	19
50-64	5384	8.6	33	1	2	9	12	16	18	24
65+	7549	12.0	31	2	5	12	15	18	20	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	7.1	38	1	1	5	8	18	22	23
20-34	64	5.4	32	<1	<1	4	7	14	17	30
35-49	367	6.0	22	1	2	5	8	12	15	24
50-64	1362	5.9	22	1	1	5	8	11	15	23
65+	5404	7.2	42	1	2	6	9	14	18	32
B. *Operated*										
0-19 YRS	86	6.5	56	1	1	4	9	14	17	44
20-34	642	5.1	29	1	1	3	6	11	15	26
35-49	1799	6.4	40	1	1	4	9	14	17	32
50-64	7488	10.2	64	1	2	10	14	18	23	39
65+	17572	14.2	70	3	6	13	17	23	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	761	5.2	21	1	1	4	7	10	13	20
B. *Operated*	15246	9.7	37	1	2	10	14	17	19	26
2. MULTIPLE DX										
A. *Not Operated*	7213	6.9	38	1	2	5	9	13	17	30
B. *Operated*	27587	12.4	72	2	3	12	16	21	26	43
1. SINGLE DX	16007	9.5	37	1	2	10	13	17	19	26
2. MULTIPLE DX	34800	11.3	70	2	2	10	15	20	25	42
A. NOT OPERATED	7974	6.7	36	1	2	5	8	13	17	29
B. OPERATED	42833	11.4	61	2	2	11	15	19	24	38
TOTAL 0-19 YRS	163	5.4	38	1	1	3	7	13	16	23
20-34	1383	4.5	22	<1	1	3	5	10	14	22
35-49	3864	5.8	30	1	1	4	8	12	16	25
50-64	14435	9.1	50	1	2	9	13	17	20	32
65+	30962	12.3	62	2	3	12	16	20	25	41
GRAND TOTAL	**50807**	**10.7**	**60**	**1**	**2**	**10**	**15**	**19**	**23**	**37**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	412	6.9	27	1	2	5	9	15	18	23
20-34	313	5.6	21	2	2	4	7	11	14	25
35-49	203	6.0	26	1	2	4	8	12	16	27
50-64	197	6.1	30	1	2	4	7	11	17	32
65+	200	6.3	50	2	2	5	7	11	15	57
B. *Operated*										
0-19 YRS	353	10.7	55	2	2	9	14	22	25	32
20-34	655	4.9	24	1	1	3	6	10	14	25
35-49	681	4.9	22	1	1	4	6	10	13	23
50-64	724	6.2	30	1	2	4	9	14	17	24
65+	363	10.3	59	2	2	10	14	19	22	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	450	8.4	44	2	2	7	11	17	22	29
20-34	488	6.8	34	2	2	5	8	13	18	32
35-49	544	6.8	32	2	2	5	8	12	17	32
50-64	782	7.2	33	1	2	6	9	14	18	30
65+	1636	8.5	61	2	2	6	10	17	25	42
B. *Operated*										
0-19 YRS	418	14.1	76	3	4	13	20	27	31	42
20-34	712	8.8	111	1	2	5	10	19	28	56
35-49	868	8.9	101	1	2	6	11	20	28	53
50-64	1131	10.7	120	1	2	7	14	23	32	56
65+	1300	16.0	180	2	3	13	21	34	45	72
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1325	6.3	29	1	2	5	8	13	16	26
B. Operated	2776	6.7	39	1	2	4	9	15	19	28
2. MULTIPLE DX										
A. Not Operated	3900	7.8	47	2	2	6	9	15	21	36
B. Operated	4429	11.9	137	2	2	8	16	26	36	61
1. SINGLE DX	4101	6.5	36	1	2	5	8	14	18	27
2. MULTIPLE DX	8329	10.0	99	2	2	7	13	22	29	53
A. NOT OPERATED	5225	7.4	43	2	2	6	9	15	20	34
B. OPERATED	7205	9.9	106	1	2	7	13	22	29	53
TOTAL 0-19 YRS	1633	10.0	58	2	2	8	14	21	25	37
20-34	2168	6.7	57	1	2	4	8	14	19	44
35-49	2296	6.9	57	1	2	5	8	15	21	38
50-64	2834	8.3	71	1	2	6	11	18	23	43
65+	3499	11.4	118	2	3	8	14	24	33	60
GRAND TOTAL	**12430**	**8.8**	**81**	**1**	**2**	**6**	**11**	**19**	**26**	**47**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	2.6	4	<1	1	2	3	6	7	9
20-34	78	2.9	6	<1	1	2	4	6	8	12
35-49	37	2.5	6	<1	<1	2	3	4	9	12
50-64	21	3.0	5	<1	<1	2	5	6	7	7
65+	12	2.9	3	<1	<1	3	5	5	5	5
B. *Operated*										
0-19 YRS	2214	2.3	2	<1	<1	2	3	4	5	8
20-34	5150	2.5	3	<1	<1	2	3	5	6	9
35-49	2762	2.5	4	<1	<1	2	3	5	6	10
50-64	1414	2.6	4	<1	1	2	3	5	6	11
65+	387	2.8	4	1	1	2	4	5	6	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	2.1	4	<1	<1	1	2	5	8	10
20-34	150	2.2	5	<1	<1	1	3	5	7	11
35-49	108	2.7	6	<1	<1	2	3	6	9	12
50-64	108	3.4	15	<1	<1	2	4	8	10	21
65+	72	5.7	37	1	1	4	7	11	15	39
B. *Operated*										
0-19 YRS	1784	2.6	3	<1	1	2	4	5	6	9
20-34	5418	2.9	7	<1	1	2	4	5	7	11
35-49	3842	2.9	8	<1	1	2	3	6	7	14
50-64	3483	3.1	10	<1	1	2	4	6	8	17
65+	1693	3.6	13	1	1	3	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	196	2.8	5	<1	1	2	4	6	7	12
B. Operated	11927	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. Not Operated	510	3.1	13	<1	<1	2	4	7	9	17
B. Operated	16220	3.0	8	<1	1	2	4	5	7	14
1. SINGLE DX	12123	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX	16730	3.0	8	<1	1	2	4	6	7	14
A. NOT OPERATED	706	3.0	11	<1	<1	2	4	7	9	15
B. OPERATED	28147	2.8	6	<1	1	2	3	5	7	12
TOTAL 0-19 YRS	4118	2.5	3	<1	<1	2	3	5	6	8
20-34	10796	2.7	5	<1	<1	2	3	5	6	10
35-49	6749	2.7	6	<1	1	2	3	5	7	12
50-64	5026	3.0	9	<1	1	2	3	5	7	16
65+	2164	3.5	12	1	1	3	4	6	10	18
GRAND TOTAL	**28853**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**12**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	549	3.4	8	1	1	3	4	7	8	13
20-34	277	3.6	10	<1	1	3	4	6	9	16
35-49	238	4.6	15	<1	1	3	6	10	12	19
50-64	176	4.2	9	1	1	4	5	8	10	15
65+	218	5.4	23	1	1	4	7	12	15	23
B. Operated										
0-19 YRS	3609	2.9	3	1	1	3	4	5	6	9
20-34	5940	3.1	4	1	1	3	4	5	6	10
35-49	2062	3.3	7	<1	1	3	4	6	8	14
50-64	859	3.7	11	1	1	3	4	7	10	17
65+	333	5.8	32	1	1	4	8	14	18	27
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	567	3.9	15	<1	1	3	5	8	11	18
20-34	586	4.4	26	<1	1	3	5	9	13	24
35-49	601	4.7	20	1	1	3	6	10	13	24
50-64	726	5.6	31	1	1	4	7	11	15	26
65+	1678	7.4	55	1	2	5	9	14	19	35
B. Operated										
0-19 YRS	2286	4.3	25	1	1	3	5	8	11	24
20-34	3421	3.9	14	1	1	3	5	7	10	19
35-49	1999	4.6	26	1	1	3	5	9	13	28
50-64	1494	5.8	41	1	1	4	7	13	17	33
65+	1216	9.6	111	1	2	6	12	21	28	55
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1458	4.0	12	1	1	3	5	8	11	19
B. Operated	12803	3.2	6	1	1	3	4	5	7	13
2. MULTIPLE DX										
A. Not Operated	4158	5.8	38	1	1	4	7	12	16	30
B. Operated	10416	5.1	37	1	1	3	5	10	16	30
1. SINGLE DX	14261	3.3	6	1	1	3	4	6	7	14
2. MULTIPLE DX	14574	5.3	37	1	1	3	6	11	16	30
A. NOT OPERATED	5616	5.4	32	1	1	4	7	11	15	28
B. OPERATED	23219	4.0	20	1	1	3	4	7	11	23
TOTAL 0-19 YRS	7011	3.5	12	1	1	3	4	6	8	18
20-34	10224	3.5	9	1	1	3	4	6	8	15
35-49	4900	4.1	17	1	1	3	5	8	11	21
50-64	3255	5.1	30	1	1	3	6	11	15	27
65+	3445	7.9	73	1	2	5	10	16	22	43
GRAND TOTAL	**28835**	**4.3**	**23**	**1**	**1**	**3**	**5**	**8**	**12**	**24**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	7	4.4	8	2	2	3	7	9	9	9
20-34	19	4.9	8	2	3	4	6	8	11	14
35-49	30	6.2	29	2	2	4	9	11	16	26
50-64	11	6.1	34	2	2	4	7	14	22	23
65+	6	5.2	18	2	2	3	7	12	13	13
B. Operated										
0-19 YRS	2	6.5	13	4	4	6	9	9	9	9
20-34	5	8.4	88	1	1	2	17	21	21	21
35-49	10	6.8	56	2	2	4	8	18	27	27
50-64	3	9.0	28	5	5	7	13	15	15	15
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	12	8.2	63	1	1	7	10	20	28	29
20-34	39	5.6	20	1	2	4	8	11	13	25
35-49	60	7.2	23	2	2	5	9	13	17	24
50-64	65	8.3	125	2	3	5	9	15	16	72
65+	74	9.0	96	2	3	7	10	15	17	68
B. Operated										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	19	10.5	107	2	3	6	9	30	37	38
35-49	28	13.3	99	2	3	12	17	35	43	99+
50-64	33	17.6	339	3	3	10	24	43	53	82
65+	28	13.9	186	2	3	12	17	25	32	73
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	73	5.6	21	2	2	4	7	11	14	25
B. Operated	21	7.8	49	1	2	5	10	18	24	27
2. MULTIPLE DX										
A. Not Operated	250	7.8	73	2	3	6	9	14	17	58
B. Operated	109	14.2	197	2	3	9	17	37	42	89
1. SINGLE DX	94	6.1	27	2	2	4	8	13	16	27
2. MULTIPLE DX	359	9.7	119	2	3	7	11	17	28	75
A. NOT OPERATED	323	7.3	62	2	2	5	9	13	16	37
B. OPERATED	130	13.1	178	2	3	9	16	29	40	85
TOTAL 0-19 YRS	22	6.6	39	1	2	4	9	12	21	29
20-34	82	6.7	44	1	2	4	8	13	20	37
35-49	128	8.2	49	2	2	6	11	17	25	53
50-64	112	10.9	193	3	3	6	11	23	42	78
65+	109	10.1	119	2	3	8	13	17	22	76
GRAND TOTAL	**453**	**9.0**	**102**	**2**	**2**	**6**	**10**	**17**	**26**	**72**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.1	3	1	1	3	4	5	6	6
20-34	121	4.9	15	1	1	4	7	9	11	21
35-49	442	5.7	27	1	2	4	7	10	13	31
50-64	589	5.5	14	1	2	5	7	10	13	19
65+	577	6.2	21	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	14	4.1	7	1	1	3	6	8	9	10
20-34	271	4.9	24	1	1	3	7	10	13	25
35-49	1346	5.6	21	1	1	4	8	11	14	22
50-64	1704	6.0	25	1	1	5	8	12	15	23
65+	639	7.2	38	1	1	6	10	16	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	7.4	73	1	2	4	8	20	27	38
20-34	234	6.7	30	2	2	5	9	12	15	42
35-49	1346	6.4	19	2	2	5	8	12	15	22
50-64	3192	6.9	22	2	2	6	9	12	15	25
65+	6865	7.6	35	2	3	6	9	14	17	31
B. *Operated*										
0-19 YRS	16	7.4	79	2	2	4	8	16	31	37
20-34	334	7.4	36	1	2	6	9	14	18	33
35-49	1679	7.3	38	1	2	6	10	14	18	28
50-64	3039	8.5	54	1	2	7	11	17	21	36
65+	2980	11.6	106	2	2	9	15	24	31	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1740	5.8	20	1	2	5	7	11	13	25
B. *Operated*	3974	5.9	26	1	1	5	8	12	15	25
2. MULTIPLE DX										
A. *Not Operated*	11661	7.2	30	2	3	6	9	13	17	27
B. *Operated*	8048	9.4	72	1	2	7	12	19	25	43
1. SINGLE DX	5714	5.9	24	1	1	5	8	11	15	25
2. MULTIPLE DX	19709	8.1	48	2	2	6	10	15	20	37
A. NOT OPERATED	13401	7.0	29	2	2	6	9	13	16	27
B. OPERATED	12022	8.2	60	1	2	6	11	17	22	39
TOTAL 0-19 YRS	65	6.0	50	1	2	4	6	11	20	38
20-34	960	6.2	30	1	2	5	8	12	15	31
35-49	4813	6.4	28	1	2	5	8	12	16	26
50-64	8524	7.2	35	1	2	6	9	14	17	29
65+	11061	8.6	57	2	2	7	10	16	22	40
GRAND TOTAL	**25423**	**7.6**	**44**	**1**	**2**	**6**	**10**	**15**	**19**	**34**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	6.6	22	1	1	6	9	12	14	22
20-34	3670	6.3	16	1	2	6	8	11	14	19
35-49	5264	6.7	19	1	2	6	9	12	14	21
50-64	2887	7.1	19	1	2	6	9	13	15	21
65+	810	7.0	21	1	2	6	9	13	15	21
B. *Operated*										
0-19 YRS	625	5.8	23	1	1	5	8	12	16	22
20-34	15016	6.3	25	1	1	5	8	12	15	24
35-49	21042	6.7	26	1	2	6	9	13	16	24
50-64	9091	7.2	30	1	2	6	10	14	17	25
65+	1836	7.9	40	1	1	7	11	16	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	7.0	30	1	2	6	9	12	18	32
20-34	2070	7.1	26	1	2	6	9	13	16	25
35-49	4447	7.7	25	2	2	7	10	14	17	25
50-64	4738	8.2	28	2	3	7	10	14	18	26
65+	4307	8.8	36	2	3	8	11	15	19	31
B. *Operated*										
0-19 YRS	161	7.7	45	1	2	6	11	15	18	33
20-34	4981	8.6	43	1	2	7	11	16	21	33
35-49	10050	9.2	47	2	2	8	12	17	22	33
50-64	8269	10.1	59	2	2	9	13	19	24	38
65+	4457	12.2	80	2	3	10	16	23	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12796	6.7	18	1	2	6	9	12	15	20
B. *Operated*	47610	6.7	27	1	1	6	9	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	15643	8.1	29	2	3	7	10	14	18	27
B. *Operated*	27918	9.8	57	2	2	8	13	19	24	36
1. SINGLE DX	60406	6.7	25	1	2	6	9	13	16	24
2. MULTIPLE DX	43561	9.2	48	2	2	8	12	17	22	34
A. NOT OPERATED	28439	7.5	25	1	2	7	10	13	16	25
B. OPERATED	75528	7.9	40	1	2	7	10	15	20	30
TOTAL 0-19 YRS	1032	6.3	27	1	1	5	8	13	17	24
20-34	25737	6.8	28	1	2	6	9	13	16	26
35-49	40803	7.5	31	1	2	6	10	14	18	27
50-64	24985	8.3	40	1	2	7	11	16	20	31
65+	11410	9.8	57	2	3	8	13	19	24	36
GRAND TOTAL	**103967**	**7.8**	**36**	**1**	**2**	**7**	**10**	**15**	**19**	**29**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	4.5	7	1	1	4	6	7	9	13
20-34	517	6.1	19	1	2	5	8	11	14	22
35-49	924	6.2	15	1	2	6	8	11	13	19
50-64	538	6.5	16	1	2	6	9	12	14	18
65+	150	6.4	18	1	2	6	8	11	13	28
B. *Operated*										
0-19 YRS	42	5.7	22	1	1	5	8	10	14	26
20-34	1429	6.0	23	1	1	5	8	12	15	24
35-49	3731	6.1	20	1	1	5	8	12	14	21
50-64	1725	6.4	24	1	1	5	9	12	15	23
65+	212	7.3	41	1	1	6	9	14	19	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	6.6	67	1	1	4	6	21	27	29
20-34	349	6.5	20	1	2	6	9	11	15	22
35-49	1146	6.7	23	1	2	6	9	12	15	22
50-64	1336	7.1	20	2	2	6	9	13	15	22
65+	1212	7.8	40	2	3	7	10	14	18	34
B. *Operated*										
0-19 YRS	17	6.5	53	1	1	4	8	15	25	30
20-34	640	7.8	45	1	2	6	10	15	20	30
35-49	2408	7.9	39	1	2	6	10	15	20	30
50-64	2053	8.6	50	1	2	7	11	16	21	35
65+	611	10.7	85	2	2	8	13	22	29	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2172	6.2	16	1	2	6	8	11	14	19
B. *Operated*	7139	6.2	22	1	1	5	8	12	15	22
2. MULTIPLE DX										
A. *Not Operated*	4056	7.1	27	2	2	6	9	13	16	25
B. *Operated*	5729	8.4	49	1	2	7	11	16	21	35
1. SINGLE DX	9311	6.2	21	1	1	5	8	12	15	22
2. MULTIPLE DX	9785	7.9	40	1	2	7	10	15	19	32
A. NOT OPERATED	6228	6.8	24	1	2	6	9	12	15	23
B. OPERATED	12868	7.2	35	1	2	6	9	14	18	29
TOTAL 0-19 YRS	115	5.5	26	1	1	4	7	10	15	29
20-34	2935	6.5	27	1	1	5	9	12	16	26
35-49	8209	6.7	26	1	2	6	9	13	16	24
50-64	5652	7.4	32	1	2	6	10	14	17	27
65+	2185	8.5	53	2	2	7	10	16	22	41
GRAND TOTAL	**19096**	**7.1**	**32**	**1**	**2**	**6**	**9**	**13**	**17**	**27**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	5.5	23	1	1	4	7	13	15	20
20-34	368	5.9	15	1	1	5	8	10	13	19
35-49	451	6.2	18	1	1	5	8	11	14	20
50-64	187	6.4	16	1	2	5	9	12	15	18
65+	55	5.7	27	1	1	5	7	9	12	31
B. *Operated*										
0-19 YRS	11	4.4	21	1	1	3	5	10	16	17
20-34	357	4.9	19	1	1	3	7	11	14	20
35-49	391	5.3	20	1	1	4	8	11	14	21
50-64	110	5.6	25	1	1	3	9	13	15	22
65+	10	7.4	72	1	1	4	9	21	28	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	8.8	37	2	2	8	12	16	21	28
20-34	477	7.1	19	2	3	7	9	12	14	21
35-49	776	7.3	17	2	3	7	9	12	15	23
50-64	531	7.9	21	2	3	7	10	14	15	23
65+	328	7.5	26	2	2	7	9	13	15	27
B. *Operated*										
0-19 YRS	13	6.2	32	1	2	5	8	13	21	23
20-34	328	8.2	41	2	2	7	10	15	18	32
35-49	492	8.7	48	1	2	8	11	16	20	39
50-64	232	9.3	52	1	2	9	12	18	22	40
65+	64	11.0	49	2	3	10	15	19	23	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1087	6.1	17	1	1	5	8	11	14	20
B. *Operated*	879	5.2	21	1	1	3	8	11	15	21
2. MULTIPLE DX										
A. *Not Operated*	2141	7.5	20	2	3	7	9	13	15	23
B. *Operated*	1129	8.8	47	1	2	8	11	17	20	38
1. SINGLE DX	1966	5.7	19	1	1	5	8	11	14	21
2. MULTIPLE DX	3270	7.9	30	2	3	7	10	14	18	27
A. NOT OPERATED	3228	7.0	19	2	2	6	9	12	15	22
B. OPERATED	2008	7.2	39	1	1	6	10	14	18	30
TOTAL 0-19 YRS	79	6.7	31	1	2	5	9	14	19	27
20-34	1530	6.5	24	1	2	6	9	12	15	24
35-49	2110	7.0	26	1	2	6	9	13	16	24
50-64	1060	7.7	29	1	2	7	10	14	17	25
65+	457	7.7	32	1	2	7	10	14	18	30
GRAND TOTAL	**5236**	**7.1**	**27**	**1**	**2**	**6**	**9**	**13**	**16**	**25**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	27	5.1	8	1	2	5	6	10	11	13
20-34	326	6.0	14	1	2	5	8	11	13	17
35-49	475	6.5	17	1	2	6	8	12	14	23
50-64	286	6.9	17	1	2	6	9	12	14	21
65+	162	7.0	33	1	2	6	9	13	15	30
B. Operated										
0-19 YRS	14	2.4	1	1	1	2	3	4	5	5
20-34	306	4.6	23	1	1	3	6	12	14	22
35-49	349	4.5	18	1	1	3	6	11	14	19
50-64	196	4.6	22	1	1	3	5	11	13	22
65+	49	5.4	29	1	1	3	8	14	17	24
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	27	6.2	23	1	1	5	9	11	14	23
20-34	385	6.9	16	2	3	6	9	12	15	20
35-49	656	7.6	24	2	3	7	9	14	16	27
50-64	851	8.0	25	2	3	7	10	14	17	26
65+	1234	8.6	33	3	3	7	11	15	19	26
B. Operated										
0-19 YRS	9	5.1	16	1	1	3	8	11	12	12
20-34	184	7.4	35	1	1	6	11	15	20	27
35-49	278	8.4	42	1	2	7	12	17	21	28
50-64	258	9.5	59	1	2	8	13	18	21	35
65+	189	11.5	88	1	3	9	15	21	25	42
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	1276	6.5	19	1	2	6	8	12	14	21
B. Operated	914	4.6	21	1	1	3	6	11	14	22
2. MULTIPLE DX										
A. Not Operated	3153	8.0	27	2	3	7	10	14	17	25
B. Operated	918	9.1	57	1	2	8	12	19	22	32
1. SINGLE DX	2190	5.7	20	1	1	5	8	12	14	22
2. MULTIPLE DX	4071	8.2	34	2	3	7	10	15	19	27
A. NOT OPERATED	4429	7.6	25	2	3	7	10	13	16	25
B. OPERATED	1832	6.8	44	1	1	5	10	15	19	28
TOTAL 0-19 YRS	77	5.0	14	1	1	4	7	10	12	20
20-34	1201	6.2	21	1	1	5	8	12	15	23
35-49	1758	6.8	26	1	2	6	9	13	16	25
50-64	1591	7.6	30	1	2	6	10	14	18	27
65+	1634	8.7	41	2	3	7	11	16	20	29
GRAND TOTAL	**6261**	**7.4**	**31**	**1**	**2**	**6**	**10**	**14**	**17**	**26**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	420	3.8	12	1	1	3	6	8	9	12
20-34	3734	5.7	19	1	1	5	7	11	13	20
35-49	5071	6.1	20	1	2	5	8	11	14	22
50-64	2565	6.1	19	1	1	5	8	11	14	22
65+	1009	6.0	23	1	1	5	8	12	15	22
B. Operated										
0-19 YRS	242	3.7	13	1	1	2	4	8	12	17
20-34	3616	4.2	15	1	1	3	6	9	12	18
35-49	5046	4.8	20	1	1	3	7	10	13	21
50-64	3223	5.6	27	1	1	4	8	12	15	23
65+	1373	7.2	34	1	1	6	10	14	18	29
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	479	4.8	17	<1	1	4	6	10	13	22
20-34	4455	6.4	25	1	2	5	8	12	16	23
35-49	7253	7.2	29	1	2	6	9	14	18	26
50-64	6397	7.3	27	2	2	6	9	13	17	26
65+	6780	7.6	32	2	2	6	10	14	18	28
B. Operated										
0-19 YRS	202	6.3	71	1	1	4	8	12	17	51
20-34	3084	6.6	45	1	1	5	9	14	18	34
35-49	5406	7.3	45	1	2	6	10	15	19	33
50-64	5593	8.7	59	1	2	7	11	17	22	39
65+	4779	12.0	96	2	2	10	15	23	29	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	12799	5.9	20	1	1	5	8	11	14	22
B. Operated	13500	5.0	22	1	1	3	7	11	14	22
2. MULTIPLE DX										
A. Not Operated	25364	7.2	29	1	2	6	9	13	17	26
B. Operated	19064	8.8	66	1	2	7	11	18	23	40
1. SINGLE DX	26299	5.4	21	1	1	4	8	11	14	22
2. MULTIPLE DX	44428	7.8	45	1	2	6	10	15	19	33
A. NOT OPERATED	38163	6.7	26	1	2	6	9	13	16	25
B. OPERATED	32564	7.2	51	1	1	5	10	15	20	34
TOTAL 0-19 YRS	1343	4.5	23	1	1	3	6	9	12	23
20-34	14889	5.7	26	1	1	4	8	11	15	23
35-49	22776	6.5	30	1	2	5	9	13	16	26
50-64	17778	7.3	37	1	2	6	9	14	18	30
65+	13941	8.9	59	1	2	7	11	17	23	38
GRAND TOTAL	**70727**	**7.0**	**38**	**1**	**2**	**5**	**9**	**14**	**18**	**30**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	650	3.5	8	1	1	3	4	6	8	14
20-34	392	3.8	6	1	1	3	5	7	8	11
35-49	424	4.4	10	1	2	4	6	8	10	16
50-64	382	4.6	20	1	2	4	5	8	11	16
65+	216	4.8	15	1	1	4	6	10	13	19
B. *Operated*										
0-19 YRS	964	2.4	3	<1	<1	2	3	4	6	10
20-34	2682	2.6	4	<1	<1	2	3	5	6	11
35-49	4006	2.7	5	<1	1	2	3	5	6	11
50-64	3305	2.9	5	<1	<1	2	4	5	7	12
65+	900	3.1	7	<1	<1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	386	4.1	9	1	1	3	5	8	9	16
20-34	462	4.9	14	1	1	4	6	9	11	19
35-49	812	5.3	16	1	2	4	7	10	12	19
50-64	1131	5.7	17	1	2	5	7	10	13	21
65+	1432	6.7	29	2	2	5	8	12	16	28
B. *Operated*										
0-19 YRS	451	3.5	17	<1	1	2	4	7	10	18
20-34	1754	3.5	12	<1	1	3	4	7	9	16
35-49	2923	3.9	14	1	1	3	5	7	10	18
50-64	3434	4.1	14	1	1	3	5	8	11	20
65+	1705	5.6	41	1	2	4	6	11	16	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2064	4.1	11	1	1	3	5	8	10	15
B. *Operated*	11857	2.7	5	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	4223	5.7	20	1	2	5	7	11	14	22
B. *Operated*	10267	4.2	19	1	1	3	5	8	11	21
1. SINGLE DX	13921	2.9	6	<1	1	2	4	5	7	12
2. MULTIPLE DX	14490	4.6	20	1	1	3	6	9	12	22
A. NOT OPERATED	6287	5.2	18	1	2	4	7	10	12	20
B. OPERATED	22124	3.4	12	<1	1	3	4	6	9	17
TOTAL 0-19 YRS	2451	3.1	8	<1	1	2	4	6	8	14
20-34	5290	3.2	8	<1	1	2	4	6	8	14
35-49	8165	3.5	10	<1	1	3	4	6	9	15
50-64	8252	3.9	12	<1	1	3	5	7	10	17
65+	4253	5.4	30	1	1	4	7	11	14	28
GRAND TOTAL	**28411**	**3.8**	**14**	**<1**	**1**	**3**	**4**	**7**	**10**	**18**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	15	2.3	5	<1	<1	1	3	4	8	9
35-49	12	3.5	17	<1	<1	2	4	8	15	16
50-64	11	3.0	9	<1	<1	2	4	7	11	11
65+	6	6.0	36	2	2	4	5	17	18	18
B. *Operated*										
0-19 YRS	939	2.9	2	1	1	3	4	4	5	7
20-34	2025	2.9	3	1	1	3	4	5	6	7
35-49	2268	3.1	3	1	1	3	4	5	6	8
50-64	2650	3.2	6	1	1	3	4	5	6	9
65+	1265	3.2	4	1	1	3	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	1.4	2	<1	<1	1	1	2	6	7
20-34	63	1.4	1	<1	<1	1	1	3	4	5
35-49	91	1.5	1	<1	<1	1	1	3	4	7
50-64	129	2.0	3	<1	<1	1	2	4	6	9
65+	104	3.2	10	<1	<1	2	4	8	10	14
B. *Operated*										
0-19 YRS	1043	3.3	3	1	1	3	4	5	6	9
20-34	3207	3.4	7	1	1	3	4	5	6	9
35-49	4644	3.5	4	1	2	3	4	6	7	10
50-64	7740	3.9	6	1	2	4	5	6	7	11
65+	5516	4.2	8	1	2	4	5	7	8	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	3.0	12	<1	<1	2	4	5	11	18
B. *Operated*	9147	3.1	4	1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	415	2.1	5	<1	<1	1	2	4	7	11
B. *Operated*	22150	3.8	6	1	2	3	5	6	7	12
1. SINGLE DX	9199	3.1	4	1	1	3	4	5	6	8
2. MULTIPLE DX	22565	3.7	6	1	2	3	5	6	7	12
A. NOT OPERATED	467	2.2	5	<1	<1	1	2	5	7	11
B. OPERATED	31297	3.6	6	1	1	3	4	6	7	11
TOTAL 0-19 YRS	2018	3.0	2	1	1	3	4	5	6	8
20-34	5310	3.2	5	1	1	3	4	5	6	9
35-49	7015	3.4	4	1	1	3	4	5	6	9
50-64	10530	3.7	6	1	2	3	5	6	7	11
65+	6891	4.0	8	1	2	3	5	7	8	14
GRAND TOTAL	**31764**	**3.6**	**6**	**1**	**1**	**3**	**4**	**6**	**7**	**11**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	1.5		<1	<1	1	2	2	3	3
20-34	29	1.9	1	<1	<1	1	3	4	4	4
35-49	19	1.6	1	<1	<1	1	2	3	4	5
50-64	28	2.6	5	<1	1	2	3	6	7	10
65+	11	3.2	3	1	1	3	5	6	6	6
B. *Operated*										
0-19 YRS	1189	1.6	1	<1	<1	1	2	2	3	4
20-34	2108	1.7	1	<1	<1	1	2	3	3	5
35-49	1480	1.9	2	<1	<1	2	2	3	4	6
50-64	922	2.2	2	<1	<1	2	3	4	5	8
65+	356	2.4	4	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	1.8	7	<1	<1	1	1	3	7	14
20-34	44	2.4	8	<1	<1	1	3	5	7	17
35-49	37	3.0	13	<1	<1	2	4	6	7	21
50-64	46	4.5	25	<1	1	3	5	10	14	29
65+	69	5.0	15	<1	1	4	6	9	12	21
B. *Operated*										
0-19 YRS	151	2.0	1	<1	<1	2	2	3	4	6
20-34	533	2.6	6	<1	<1	2	3	5	7	11
35-49	666	2.9	5	<1	1	2	3	5	7	13
50-64	721	3.4	8	<1	1	3	4	6	8	14
65+	491	4.3	19	<1	1	3	5	9	11	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	104	2.1	2	<1	<1	2	3	4	5	8
B. *Operated*	6055	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	225	3.6	16	<1	<1	2	5	7	12	21
B. *Operated*	2562	3.2	9	<1	1	2	4	6	8	14
1. SINGLE DX	6159	1.9	2	<1	<1	2	2	3	4	6
2. MULTIPLE DX	2787	3.2	9	<1	<1	2	4	6	8	14
A. NOT OPERATED	329	3.1	12	<1	<1	2	4	7	9	18
B. OPERATED	8617	2.2	4	<1	<1	2	3	4	5	10
TOTAL 0-19 YRS	1386	1.6	1	<1	<1	1	2	3	3	5
20-34	2714	1.9	3	<1	<1	2	2	3	4	8
35-49	2202	2.2	3	<1	<1	2	3	4	5	9
50-64	1717	2.8	5	<1	<1	2	3	5	7	13
65+	927	3.6	13	<1	1	3	4	7	10	15
GRAND TOTAL	**8946**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**6**	**11**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	341	12.6	75	2	3	11	17	24	29	40
20-34	120	10.1	71	1	2	7	14	23	29	35
35-49	104	11.5	111	2	3	8	14	24	38	49
50-64	108	11.3	107	2	3	8	13	27	31	53
65+	97	11.7	74	3	3	10	15	22	27	44
B. *Operated*										
0-19 YRS	345	13.7	118	2	2	11	19	29	34	47
20-34	336	12.2	137	1	2	8	15	28	41	54
35-49	259	11.8	128	1	2	9	15	26	32	53
50-64	288	11.9	129	2	2	8	15	28	36	56
65+	226	11.1	88	2	3	9	15	23	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	312	14.9	105	2	4	13	22	29	34	45
20-34	247	12.9	148	1	2	9	17	30	39	51
35-49	317	13.9	132	2	3	11	17	30	42	50
50-64	466	15.0	149	2	3	11	19	33	42	58
65+	717	15.5	176	3	4	12	19	32	42	70
B. *Operated*										
0-19 YRS	512	19.2	179	3	5	16	26	39	46	58
20-34	819	19.1	272	2	4	14	28	44	54	81
35-49	940	19.1	244	3	4	15	27	41	52	77
50-64	1374	19.6	245	3	4	15	27	42	51	79
65+	1771	21.4	291	3	5	17	29	47	59	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	770	11.8	84	2	3	9	16	24	29	43
B. *Operated*	1454	12.3	122	1	2	9	16	28	36	53
2. MULTIPLE DX										
A. *Not Operated*	2059	14.7	149	2	3	11	19	31	42	59
B. *Operated*	5416	20.0	258	3	4	15	28	44	54	87
1. SINGLE DX	2224	12.1	109	2	2	9	16	26	33	49
2. MULTIPLE DX	7475	18.5	234	3	4	14	25	42	50	80
A. NOT OPERATED	2829	13.9	133	2	3	11	18	29	39	56
B. OPERATED	6870	18.3	240	2	4	14	25	42	51	82
TOTAL 0-19 YRS	1510	15.6	133	2	4	13	22	30	39	50
20-34	1522	15.8	218	2	3	11	22	39	46	73
35-49	1620	16.4	205	2	3	12	22	37	46	69
50-64	2236	17.2	213	2	4	13	23	38	47	75
65+	2811	18.7	252	3	4	14	25	43	54	94
GRAND TOTAL	**9699**	**17.1**	**213**	**2**	**4**	**13**	**23**	**38**	**47**	**76**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	512	5.0	29	<1	1	3	7	11	15	26
20-34	400	3.7	13	1	1	3	4	7	10	18
35-49	573	3.6	8	1	1	3	4	7	8	13
50-64	438	4.4	14	1	1	3	5	9	12	17
65+	751	6.8	27	1	2	6	9	12	15	24
B. *Operated*										
0-19 YRS	3460	4.3	17	1	1	3	5	9	11	21
20-34	3164	3.8	9	1	1	3	5	7	9	16
35-49	1804	5.0	21	1	1	4	6	10	12	21
50-64	1305	6.0	29	1	1	4	8	13	15	24
65+	878	9.1	51	1	2	8	13	17	21	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	423	6.1	75	1	1	4	7	12	23	85
20-34	857	4.4	22	1	1	3	5	8	11	23
35-49	1715	4.8	18	1	1	4	6	9	12	23
50-64	2978	6.7	41	1	2	5	8	13	18	31
65+	12560	9.3	54	2	3	8	12	17	22	39
B. *Operated*										
0-19 YRS	1455	5.6	48	1	1	3	6	12	19	36
20-34	2407	5.9	50	1	1	4	7	12	18	37
35-49	2149	8.1	85	1	2	5	10	16	22	48
50-64	2917	10.5	100	2	2	8	14	21	28	57
65+	4879	15.2	143	3	4	13	19	29	39	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2674	4.9	21	1	1	4	6	10	13	22
B. *Operated*	10611	4.9	22	1	1	3	6	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	18533	8.2	51	2	2	6	10	16	21	36
B. *Operated*	13807	10.5	114	1	2	8	14	22	31	57
1. SINGLE DX	13285	4.9	21	1	1	3	6	10	13	22
2. MULTIPLE DX	32340	9.2	79	1	2	7	12	19	25	47
A. NOT OPERATED	21207	7.8	48	1	2	6	10	15	20	35
B. OPERATED	24418	8.1	81	1	1	5	10	18	24	47
TOTAL 0-19 YRS	5850	4.8	30	1	1	3	6	10	14	29
20-34	6828	4.6	27	1	1	3	5	9	12	28
35-49	6241	5.9	44	1	1	4	7	12	16	33
50-64	7638	7.9	65	1	2	5	10	16	22	40
65+	19068	10.7	83	2	3	8	14	20	27	51
GRAND TOTAL	**45625**	**7.9**	**66**	**1**	**2**	**5**	**10**	**16**	**22**	**42**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	27	2.4	6	<1	<1	1	3	6	9	10
20-34	7	1.7	2	<1	<1	1	3	4	4	4
35-49	10	5.8	29	1	1	4	7	14	19	19
50-64	6	9.3	210	1	1	2	14	35	37	37
65+	2	9.5	61	4	4	9	15	15	15	15
B. *Operated*										
0-19 YRS	881	4.0	19	1	1	3	4	6	8	17
20-34	448	3.2	8	<1	<1	2	4	6	9	16
35-49	274	3.6	11	<1	1	2	4	7	11	18
50-64	214	4.2	13	<1	1	3	5	9	12	18
65+	62	6.1	25	1	2	4	9	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	4.2	38	<1	<1	2	4	13	18	76
20-34	33	2.9	6	<1	<1	2	4	7	9	9
35-49	21	4.4	59	<1	<1	2	4	11	23	35
50-64	71	10.8	121	1	1	7	15	29	31	56
65+	124	17.8	205	2	4	15	24	36	46	71
B. *Operated*										
0-19 YRS	1487	5.1	36	1	2	4	6	8	11	35
20-34	768	4.8	37	1	1	4	6	9	12	26
35-49	556	4.6	15	1	1	3	6	9	12	17
50-64	649	6.1	36	1	2	4	7	12	15	27
65+	385	8.8	103	2	2	6	11	17	24	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	52	4.0	37	<1	<1	2	4	9	15	37
B. *Operated*	1879	3.8	15	<1	1	3	4	7	10	18
2. MULTIPLE DX										
A. *Not Operated*	340	10.4	152	<1	1	6	15	28	35	64
B. *Operated*	3845	5.5	41	1	2	4	6	10	14	32
1. SINGLE DX	1931	3.8	16	<1	1	3	4	7	10	18
2. MULTIPLE DX	4185	5.9	52	1	1	4	6	11	17	38
A. NOT OPERATED	392	9.6	141	<1	1	5	14	27	35	62
B. OPERATED	5724	4.9	33	1	1	4	6	9	13	27
TOTAL 0-19 YRS	2486	4.6	30	1	1	4	5	7	10	32
20-34	1256	4.1	26	<1	1	3	5	8	10	20
35-49	861	4.3	15	1	1	3	5	9	12	19
50-64	940	6.0	40	1	1	4	7	12	16	34
65+	573	10.5	132	2	2	7	13	22	30	68
GRAND TOTAL	**6116**	**5.2**	**41**	**1**	**1**	**4**	**6**	**10**	**14**	**34**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	3.4	4	<1	1	3	5	6	7	7
20-34	70	4.7	12	1	1	3	6	10	13	16
35-49	130	5.2	11	1	1	5	7	10	12	14
50-64	104	5.5	10	1	2	5	7	10	12	15
65+	47	5.4	20	1	2	4	6	10	16	24
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	68	3.5	12	1	1	2	4	7	9	22
35-49	119	4.9	17	1	1	4	6	11	15	19
50-64	58	4.8	16	1	1	3	6	12	13	16
65+	21	6.1	21	1	1	5	7	14	15	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	4	1	1	3	6	6	6	6
20-34	107	6.1	24	1	2	5	8	11	14	27
35-49	215	6.3	15	2	2	5	8	11	13	21
50-64	300	7.2	34	1	2	6	9	13	17	28
65+	354	7.5	30	2	2	6	9	14	17	27
B. *Operated*										
0-19 YRS	6	7.5	107	1	1	3	8	26	28	28
20-34	53	6.8	25	1	2	6	9	14	18	21
35-49	119	7.7	70	1	1	5	10	17	19	53
50-64	118	8.8	65	1	2	7	12	19	24	71
65+	98	10.5	53	2	2	10	14	19	26	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	362	5.2	12	1	1	4	7	10	12	16
B. *Operated*	268	4.6	16	1	1	3	6	10	14	18
2. MULTIPLE DX										
A. *Not Operated*	986	6.9	27	2	2	6	9	12	16	26
B. *Operated*	394	8.6	60	1	2	7	12	17	21	45
1. SINGLE DX	630	4.9	14	1	1	4	6	10	12	17
2. MULTIPLE DX	1380	7.4	37	1	2	6	9	14	18	31
A. NOT OPERATED	1348	6.5	24	1	2	5	8	12	15	24
B. OPERATED	662	7.0	46	1	1	5	10	15	19	33
TOTAL 0-19 YRS	29	4.1	25	<1	1	3	5	7	9	28
20-34	298	5.3	20	1	1	4	7	11	14	21
35-49	583	6.0	27	1	1	5	8	11	15	23
50-64	580	7.0	35	1	2	6	9	13	17	32
65+	520	7.8	35	2	2	6	10	15	18	29
GRAND TOTAL	**2010**	**6.6**	**31**	**1**	**2**	**5**	**9**	**13**	**16**	**27**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	688	2.8	14	1	1	2	3	6	8	12
20-34	1078	4.4	12	1	1	4	6	8	10	16
35-49	1191	4.7	17	1	1	4	6	9	11	19
50-64	688	4.6	19	1	1	3	6	9	11	24
65+	385	5.2	21	1	1	4	6	10	14	25
B. *Operated*										
0-19 YRS	2162	5.1	21	<1	1	3	8	11	14	20
20-34	2527	3.6	16	<1	1	2	4	8	11	18
35-49	1965	3.8	13	<1	1	3	5	8	11	17
50-64	2071	3.1	8	<1	1	2	3	6	9	16
65+	1165	2.9	8	<1	1	2	3	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	776	4.0	28	<1	1	3	5	8	11	24
20-34	2095	5.1	17	1	1	4	7	10	12	20
35-49	2939	5.6	25	1	2	4	7	11	14	25
50-64	2865	5.7	22	1	2	5	7	11	14	24
65+	3291	6.8	35	2	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	2612	5.6	61	1	1	3	7	13	18	43
20-34	3778	4.6	37	1	1	3	5	10	15	30
35-49	3201	5.2	33	1	1	3	6	11	16	29
50-64	3161	5.7	45	1	1	4	7	12	17	34
65+	2515	7.4	75	1	2	4	9	16	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4030	4.3	16	1	1	3	6	8	10	19
B. *Operated*	9890	3.8	15	<1	1	2	4	9	11	18
2. MULTIPLE DX										
A. *Not Operated*	11966	5.8	26	1	2	5	7	11	14	25
B. *Operated*	15267	5.6	49	1	1	3	7	12	17	35
1. SINGLE DX	13920	3.9	15	<1	1	3	5	9	11	18
2. MULTIPLE DX	27233	5.7	39	1	1	4	7	12	16	31
A. NOT OPERATED	15996	5.4	24	1	1	4	7	10	13	24
B. OPERATED	25157	4.9	36	1	1	3	6	11	15	29
TOTAL 0-19 YRS	6238	4.9	39	<1	1	3	6	11	14	27
20-34	9478	4.4	24	1	1	3	5	9	12	25
35-49	9296	5.0	25	1	1	3	6	10	13	25
50-64	8785	5.0	28	1	1	3	6	10	14	26
65+	7356	6.3	46	1	1	4	8	13	18	33
GRAND TOTAL	**41153**	**5.1**	**32**	**1**	**1**	**3**	**6**	**11**	**14**	**27**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.0	1	1	1	2	3	4	4	4
20-34	36	4.2	7	1	2	4	5	6	7	17
35-49	47	6.0	26	1	2	5	7	11	16	29
50-64	21	6.4	12	2	2	6	7	9	14	18
65+	4	4.3	5	2	2	4	6	7	7	7
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	21	3.5	4	<1	1	3	4	7	7	8
35-49	23	4.2	7	1	2	3	6	8	9	11
50-64										
65+	2	9.0	8	7	7	9	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	4.5	6	1	1	4	6	7	9	10
20-34	228	5.7	10	2	3	5	7	10	11	18
35-49	271	6.0	14	2	3	5	8	10	13	20
50-64	150	6.7	18	2	3	6	9	11	14	20
65+	60	6.0	17	2	2	5	7	10	15	22
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	54	6.9	23	1	2	5	10	14	17	19
35-49	64	7.8	23	2	3	7	11	14	16	23
50-64	24	6.1	35	2	2	3	7	13	19	27
65+	12	7.0	13	<1	1	8	10	11	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	5.2	16	1	2	4	6	8	12	22
B. *Operated*	47	4.0	7	1	2	3	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	729	6.0	14	2	3	5	8	10	13	20
B. *Operated*	156	7.1	24	1	2	6	11	14	16	24
1. SINGLE DX	163	4.9	14	1	2	4	6	8	11	19
2. MULTIPLE DX	885	6.2	16	2	2	5	8	11	14	20
A. NOT OPERATED	845	5.9	14	2	2	5	7	10	13	20
B. OPERATED	203	6.4	22	1	2	5	9	12	15	21
TOTAL 0-19 YRS	31	3.6	5	1	1	3	5	7	7	10
20-34	339	5.6	12	2	2	5	7	10	13	18
35-49	405	6.2	17	2	2	5	8	11	14	20
50-64	195	6.6	19	2	3	5	9	11	14	24
65+	78	6.1	16	2	2	5	8	11	13	22
GRAND TOTAL	**1048**	**6.0**	**16**	**2**	**2**	**5**	**8**	**11**	**14**	**20**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	177	2.7	16	<1	<1	1	3	6	8	26
20-34	11	3.1	8	1	1	2	3	8	10	10
35-49	8	5.1	16	1	1	4	7	11	13	13
50-64	3	5.3		5	5	5	6	6	6	6
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	401	6.4	21	2	2	6	8	12	15	23
20-34	50	7.1	17	1	2	8	10	12	13	18
35-49	33	8.9	48	1	1	8	12	19	25	26
50-64	23	7.2	24	2	2	8	10	13	16	21
65+	7	8.9	24	2	3	9	10	16	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	573	5.8	97	<1	1	3	6	13	22	99
20-34	29	4.4	20	1	1	2	5	13	14	17
35-49	40	8.8	75	1	2	5	12	20	28	38
50-64	20	3.3	6	<1	1	3	4	5	9	12
65+	51	7.2	112	1	1	3	8	17	26	65
B. *Operated*										
0-19 YRS	733	10.5	136	2	2	7	13	24	36	72
20-34	88	13.8	280	2	3	9	14	28	60	87
35-49	57	11.8	131	1	2	9	15	26	42	97
50-64	34	13.5	219	1	3	9	20	59	89	99+
65+	36	15.2	332	2	4	9	16	33	57	94
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	2.9	15	<1	<1	2	3	6	8	24
B. *Operated*	514	6.7	22	1	2	6	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*	713	6.0	92	1	1	3	6	14	22	95
B. *Operated*	948	11.2	160	2	2	7	14	25	37	92
1. SINGLE DX	716	5.6	23	<1	1	4	8	12	14	24
2. MULTIPLE DX	1661	[illegible].9	137	1	1	5	10	22	33	94
A. NOT OPERATED	915	5.3	76	<1	1	3	5	12	18	78
B. OPERATED	1462	9.6	116	2	2	7	11	21	30	72
TOTAL 0-19 YRS	1884	7.5	95	1	1	4	9	17	26	72
20-34	178	9.7	164	1	2	7	11	16	28	77
35-49	138	9.8	90	1	2	7	13	22	28	67
50-64	80	8.8	118	1	2	5	12	21	46	99+
65+	97	10.2	197	1	1	6	11	22	33	80
GRAND TOTAL	**2377**	**7.9**	**105**	**1**	**1**	**5**	**9**	**17**	**26**	**74**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	330	1.3	2	<1	<1	<1	1	2	4	6
20-34	6	2.8	7	<1	<1	1	5	7	7	7
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	1	1	2	4	4	4	4
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1895	1.9	2	<1	<1	2	2	3	4	8
20-34	447	2.4	3	<1	1	2	3	4	6	10
35-49	267	2.3	5	<1	<1	2	3	4	5	11
50-64	234	2.2	1	<1	1	2	2	3	4	7
65+	175	2.1	1	<1	<1	2	2	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	197	1.8	3	<1	<1	1	2	4	5	11
20-34	18	2.1	4	<1	<1	1	2	6	7	8
35-49	6	5.3	4	3	3	5	7	8	8	8
50-64	10	3.8	12	<1	<1	3	4	9	12	12
65+	7	2.3	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	769	2.7	12	<1	1	2	3	5	7	15
20-34	171	2.7	5	1	1	2	3	5	7	14
35-49	147	2.6	3	<1	1	2	3	5	6	8
50-64	214	2.7	7	<1	1	2	3	4	8	17
65+	269	3.2	17	1	1	2	3	5	8	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	340	1.4	2	<1	<1	<1	1	2	4	7
B. *Operated*	3018	2.1	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	238	2.0	4	<1	<1	1	2	5	6	12
B. *Operated*	1570	2.8	10	1	1	2	3	5	7	17
1. SINGLE DX	3358	2.0	2	<1	<1	2	2	3	4	8
2. MULTIPLE DX	1808	2.7	10	<1	1	2	3	5	7	15
A. NOT OPERATED	578	1.6	3	<1	<1	1	1	3	5	8
B. OPERATED	4588	2.3	5	<1	1	2	2	4	6	11
TOTAL 0-19 YRS	3191	2.1	5	<1	<1	2	2	4	5	9
20-34	642	2.5	4	<1	1	2	3	4	6	11
35-49	421	2.5	4	<1	1	2	3	4	6	9
50-64	460	2.5	4	<1	1	2	3	4	6	11
65+	452	2.8	11	<1	1	2	3	4	6	23
GRAND TOTAL	5166	2.2	5	<1	<1	2	2	4	5	10

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	180	2.8	10	<1	<1	2	3	5	7	21
20-34	41	2.8	5	<1	<1	2	3	6	8	10
35-49	32	3.7	10	<1	1	3	5	7	12	14
50-64	23	4.5	38	<1	1	3	4	8	17	31
65+	9	3.9	25	1	1	2	3	12	17	17
B. *Operated*										
0-19 YRS	3041	4.7	18	1	1	3	7	9	12	20
20-34	400	4.5	19	1	1	2	7	9	12	19
35-49	210	5.3	26	1	1	3	8	12	16	25
50-64	130	5.4	41	1	1	3	7	11	15	33
65+	49	6.1	30	<1	1	4	10	14	20	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1006	4.3	35	<1	1	3	5	9	12	32
20-34	179	4.9	15	1	1	4	7	11	12	20
35-49	131	5.5	28	1	1	4	7	10	15	28
50-64	135	6.8	34	2	2	5	9	14	18	32
65+	275	7.1	47	1	2	5	8	14	18	33
B. *Operated*										
0-19 YRS	5490	7.1	78	1	1	5	9	16	23	51
20-34	589	7.0	50	1	1	5	10	15	20	32
35-49	370	8.7	95	1	2	7	11	20	28	80
50-64	437	8.3	55	1	2	7	12	18	23	36
65+	316	10.6	95	1	2	9	14	22	31	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	265	3.1	12	<1	<1	2	3	6	8	21
B. *Operated*	3830	4.7	19	1	1	3	7	10	12	21
2. MULTIPLE DX										
A. *Not Operated*	1726	5.1	35	<1	1	3	6	10	14	31
B. *Operated*	7202	7.4	77	1	1	5	10	16	23	49
1. SINGLE DX	4115	4.6	19	1	1	2	7	10	12	21
2. MULTIPLE DX	8928	7.0	69	1	1	4	9	15	22	46
A. NOT OPERATED	2011	4.8	32	<1	1	3	6	10	14	31
B. OPERATED	11032	6.5	58	1	1	4	9	14	20	40
TOTAL 0-19 YRS	9717	6.0	55	1	1	3	8	13	18	39
20-34	1209	5.7	35	1	1	3	8	12	16	27
35-49	743	7.0	63	1	1	4	9	15	22	46
50-64	725	7.4	50	1	2	5	10	16	21	32
65+	649	8.7	72	1	2	6	11	19	26	46
GRAND TOTAL	13043	6.2	55	1	1	4	8	13	19	38

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	2.4	5	<1	<1	1	4	6	7	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1868	3.6	3	1	2	3	5	6	7	8
20-34	55	2.9	2	1	1	3	4	4	5	10
35-49	11	3.4	2	1	1	4	4	5	6	6
50-64	3	1.3		1	1	1	2	2	2	2
65+	3	2.3	1	<1	<1	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	167	1.8	8	<1	<1	1	1	3	5	16
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1660	4.1	12	1	2	3	5	7	8	14
20-34	70	3.1	3	1	1	3	4	5	6	9
35-49	23	3.5	23	1	1	3	3	4	12	25
50-64	7	3.9	5	1	1	3	5	7	8	8
65+	5	4.8	2	3	3	5	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.4	5	<1	<1	1	4	6	7	9
B. *Operated*	1940	3.5	3	1	2	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*	171	1.8	7	<1	<1	1	1	3	5	16
B. *Operated*	1765	4.1	12	1	2	3	5	7	8	14
1. SINGLE DX	1964	3.5	3	1	2	3	4	6	7	8
2. MULTIPLE DX	1936	3.9	12	1	1	3	5	7	8	14
A. NOT OPERATED	195	1.9	7	<1	<1	1	1	4	6	15
B. OPERATED	3705	3.8	7	1	2	3	5	6	7	11
TOTAL 0-19 YRS	3719	3.7	8	1	2	3	5	6	7	11
20-34	128	3.0	3	1	1	3	4	5	6	9
35-49	34	3.5	16	1	1	3	4	4	6	25
50-64	10	3.1	5	1	1	2	5	7	8	8
65+	9	3.6	4	<1	<1	3	5	6	7	7
GRAND TOTAL	**3900**	**3.7**	**7**	**1**	**2**	**3**	**5**	**6**	**7**	**11**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	78	2.5	3	<1	1	2	3	4	6	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2139	3.4	3	2	2	3	4	5	6	9
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	72	3.0	3	1	1	2	4	6	7	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	596	4.9	12	2	2	4	6	8	11	18
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	78	2.5	3	<1	1	2	3	4	6	10
B. *Operated*	2139	3.4	3	2	2	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	72	3.0	3	1	1	2	4	6	7	9
B. *Operated*	596	4.9	12	2	2	4	6	8	11	18
1. SINGLE DX	2217	3.4	3	1	2	3	4	5	6	9
2. MULTIPLE DX	668	4.7	12	2	2	4	6	8	10	17
A. NOT OPERATED	150	2.7	3	1	1	2	3	5	6	9
B. OPERATED	2735	3.8	5	2	2	3	4	6	7	12
TOTAL 0-19 YRS	2885	3.7	5	1	2	3	4	6	7	12
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**2885**	**3.7**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	2.7	12	<1	<1	2	3	6	8	17
20-34	11	5.7	33	1	1	4	7	14	20	21
35-49	17	5.6	54	1	1	4	6	13	25	31
50-64	19	3.4	7	<1	<1	3	5	8	9	9
65+	21	4.7	12	1	1	3	6	11	12	12
B. *Operated*										
0-19 YRS	1249	5.1	25	<1	1	3	7	11	14	24
20-34	172	4.4	13	<1	1	3	6	8	10	19
35-49	96	5.0	17	1	1	4	7	10	12	21
50-64	54	5.6	16	1	1	5	8	11	13	18
65+	33	5.0	19	<1	1	4	7	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	535	5.1	44	<1	1	3	6	11	17	39
20-34	53	5.0	18	1	1	4	6	10	13	24
35-49	60	5.6	19	1	1	4	7	14	15	18
50-64	76	4.7	14	<1	1	3	6	9	12	18
65+	169	6.4	22	1	2	5	8	12	15	25
B. *Operated*										
0-19 YRS	1458	8.7	118	1	1	6	10	19	29	67
20-34	279	6.5	38	1	1	5	9	13	16	35
35-49	203	7.5	39	1	1	6	10	15	20	33
50-64	220	8.8	46	1	2	8	11	16	22	36
65+	264	10.5	74	1	2	9	14	21	25	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	424	3.0	14	<1	<1	2	3	6	9	20
B. *Operated*	1604	5.0	23	<1	1	4	7	11	14	23
2. MULTIPLE DX										
A. *Not Operated*	893	5.3	34	1	1	4	6	12	16	32
B. *Operated*	2424	8.6	92	1	1	6	11	17	25	53
1. SINGLE DX	2028	4.6	22	<1	1	3	6	10	13	23
2. MULTIPLE DX	3317	7.7	78	1	1	5	10	16	23	51
A. NOT OPERATED	1317	4.6	29	<1	<1	3	6	10	14	29
B. OPERATED	4028	7.2	67	1	1	5	9	15	21	46
TOTAL 0-19 YRS	3598	6.3	68	<1	1	4	8	14	21	47
20-34	515	5.6	28	1	1	4	7	11	15	24
35-49	376	6.5	32	1	1	5	8	14	17	30
50-64	369	7.2	37	1	1	6	10	14	17	30
65+	487	8.4	55	1	2	7	11	18	22	38
GRAND TOTAL	**5345**	**6.5**	**59**	**<1**	**1**	**4**	**8**	**14**	**19**	**41**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.1		<1	<1	1	1	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2529	1.9	1	<1	<1	2	2	3	4	6
20-34	186	2.4	1	1	1	2	3	4	4	6
35-49	62	2.4	2	1	1	2	3	4	6	8
50-64	14	2.2	1	<1	1	2	3	3	5	5
65+	3	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	1.3	1	<1	<1	1	1	2	3	4
20-34	4	1.3		<1	<1	1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	2519	2.1	2	<1	<1	2	3	4	5	7
20-34	207	3.0	4	1	1	3	4	6	7	10
35-49	102	3.1	5	1	1	2	4	5	7	13
50-64	20	3.9	7	1	1	3	5	8	9	10
65+	15	5.0	20	<1	1	3	8	17	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	1.1		<1	<1	1	1	2	2	2
B. *Operated*	2794	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	157	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*	2863	2.3	3	<1	1	2	3	4	5	8
1. SINGLE DX	2819	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	3020	2.2	3	<1	<1	2	3	4	5	8
A. NOT OPERATED	182	1.3	1	<1	<1	1	1	2	3	4
B. OPERATED	5657	2.1	2	<1	<1	2	3	4	5	7
TOTAL 0-19 YRS	5221	2.0	2	<1	<1	2	2	3	4	7
20-34	399	2.7	3	1	1	2	3	4	6	8
35-49	165	2.8	4	1	1	2	3	5	6	13
50-64	36	3.1	5	<1	1	3	4	6	8	10
65+	18	4.7	18	<1	1	3	7	15	63	99+
GRAND TOTAL	**5839**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**	**7**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.2	4	<1	<1	1	2	5	7	11
20-34	34	3.3	3	1	1	3	5	6	6	8
35-49	13	3.7	5	<1	1	4	5	7	9	9
50-64	11	5.1	23	1	1	4	7	13	17	17
65+	10	3.8	12	<1	<1	3	5	9	13	13
B. *Operated*										
0-19 YRS	2797	4.6	15	<1	1	3	7	10	12	16
20-34	607	3.8	10	<1	<1	3	5	7	9	14
35-49	166	4.6	12	1	1	4	7	10	12	14
50-64	84	4.7	14	1	1	4	6	10	13	17
65+	51	4.9	14	1	1	4	6	9	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	3.1	23	<1	<1	1	3	7	11	15
20-34	118	4.0	13	1	1	3	5	7	9	22
35-49	147	5.1	12	1	2	4	7	10	12	16
50-64	117	6.6	36	1	2	5	8	13	20	32
65+	107	6.4	18	2	2	5	9	11	15	20
B. *Operated*										
0-19 YRS	2164	6.3	35	<1	1	5	8	13	16	31
20-34	866	5.4	16	<1	1	5	7	10	12	23
35-49	471	6.6	35	1	2	6	8	12	15	31
50-64	303	8.4	67	1	2	6	10	16	22	49
65+	239	8.9	68	1	2	7	11	20	25	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	2.8	6	<1	<1	2	4	6	8	14
B. *Operated*	3705	4.5	14	<1	1	3	6	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	765	4.6	22	<1	<1	3	6	10	13	21
B. *Operated*	4043	6.5	36	1	1	5	8	13	17	31
1. SINGLE DX	3881	4.4	14	<1	1	3	6	9	12	16
2. MULTIPLE DX	4808	6.2	34	<1	1	5	8	12	16	29
A. NOT OPERATED	941	4.3	20	<1	<1	3	5	9	12	20
B. OPERATED	7748	5.5	26	<1	1	4	7	11	14	25
TOTAL 0-19 YRS	5345	5.2	24	<1	1	4	7	11	13	24
20-34	1625	4.7	14	<1	1	4	6	9	11	19
35-49	797	5.8	26	1	1	5	7	11	14	22
50-64	515	7.3	52	1	2	5	9	15	19	39
65+	407	7.6	49	1	2	6	10	15	22	30
GRAND TOTAL	**8689**	**5.4**	**26**	**<1**	**1**	**4**	**7**	**11**	**14**	**25**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	1.8	7	<1	<1	<1	1	3	6	15
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1554	3.4	4	1	1	3	4	6	7	10
20-34	78	4.4	6	1	2	4	5	7	8	16
35-49	46	3.6	4	1	2	3	5	5	7	11
50-64	26	4.7	10	1	2	4	5	8	10	17
65+	13	4.2	3	2	2	4	5	6	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	120	1.3	1	<1	<1	1	1	2	3	34
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	5	3.0	12	<1	<1	1	4	9	9	9
50-64	1	5.0		5	5	5	5	5	5	5
65+										
B. *Operated*										
0-19 YRS	1013	4.2	23	1	2	3	5	7	9	15
20-34	227	4.1	10	1	2	4	5	7	8	22
35-49	170	3.9	4	1	2	4	5	6	8	11
50-64	202	4.7	10	1	2	4	5	8	10	19
65+	103	5.0	17	2	2	4	5	9	11	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	1.8	7	<1	<1	<1	1	3	6	15
B. *Operated*	1717	3.5	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	129	1.4	1	<1	<1	1	1	2	4	27
B. *Operated*	1715	4.3	17	1	2	4	5	7	9	17
1. SINGLE DX	1776	3.5	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1844	4.1	17	1	1	3	5	7	9	17
A. NOT OPERATED	188	1.5	3	<1	<1	1	1	2	5	15
B. OPERATED	3432	3.9	11	1	2	3	5	6	8	13
TOTAL 0-19 YRS	2746	3.6	11	1	1	3	4	6	8	12
20-34	308	4.2	9	1	2	4	5	7	8	20
35-49	221	3.8	4	1	1	4	5	6	8	11
50-64	229	4.7	10	1	2	4	5	8	10	18
65+	116	5.0	15	2	2	4	5	8	11	26
GRAND TOTAL	**3620**	**3.8**	**11**	**1**	**1**	**3**	**5**	**6**	**8**	**13**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	717	2.7	24	<1	<1	2	3	6	9	24
20-34	118	4.5	16	<1	1	4	6	9	12	20
35-49	121	5.7	20	1	1	5	8	11	15	21
50-64	55	4.8	8	1	1	5	7	8	10	14
65+	25	5.8	20	1	2	5	7	11	16	19
B. *Operated*										
0-19 YRS	5471	4.0	15	<1	1	3	5	8	10	20
20-34	1486	3.6	16	<1	<1	2	4	8	11	19
35-49	820	4.2	16	<1	1	3	5	10	12	19
50-64	404	5.1	24	1	1	3	7	11	14	23
65+	123	5.2	24	1	1	3	7	13	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1105	4.8	69	<1	<1	2	5	10	16	61
20-34	271	6.2	34	1	1	5	8	12	17	28
35-49	238	6.1	16	1	2	5	8	11	14	19
50-64	246	7.4	62	2	2	6	9	13	16	77
65+	293	8.3	36	2	2	7	11	15	20	32
B. *Operated*										
0-19 YRS	3040	6.4	67	1	1	4	7	13	20	50
20-34	1028	6.1	53	1	1	4	8	13	19	37
35-49	889	6.7	41	1	1	4	9	14	19	33
50-64	719	8.1	66	1	2	6	11	17	22	32
65+	391	11.0	119	1	2	8	15	24	31	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1036	3.5	23	<1	<1	2	4	8	10	21
B. *Operated*	8304	4.0	16	<1	1	3	5	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	2153	5.9	55	<1	1	4	8	12	17	40
B. *Operated*	6067	6.9	66	1	1	4	8	15	21	43
1. SINGLE DX	9340	3.9	17	<1	1	3	5	8	11	20
2. MULTIPLE DX	8220	6.6	63	1	1	4	8	14	20	42
A. NOT OPERATED	3189	5.1	46	<1	1	3	7	11	15	36
B. OPERATED	14371	5.2	39	1	1	3	6	11	16	32
TOTAL 0-19 YRS	10333	4.7	38	<1	1	3	5	9	14	33
20-34	2903	4.8	32	<1	1	3	6	10	15	28
35-49	2068	5.6	28	1	1	4	8	12	16	25
50-64	1424	7.0	53	1	2	5	9	14	19	34
65+	832	9.0	77	1	2	7	12	19	25	41
GRAND TOTAL	17560	5.2	40	<1	1	3	6	11	16	32

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8548	3.2	16	1	1	2	3	5	9	21
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	198	4.0	20	<1	<1	2	4	9	14	24
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5908	8.7	127	1	2	4	10	22	32	58
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	703	18.7	437	1	2	11	27	61	89	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8548	3.2	16	1	1	2	3	5	9	21
B. *Operated*	198	4.0	20	<1	<1	2	4	9	14	24
2. MULTIPLE DX										
A. *Not Operated*	5908	8.7	127	1	2	4	10	22	32	58
B. *Operated*	703	18.7	437	1	2	11	27	61	89	99+
1. SINGLE DX	8746	3.2	16	1	1	2	3	6	9	21
2. MULTIPLE DX	6611	9.8	170	1	2	5	11	26	39	77
A. NOT OPERATED	14456	5.5	68	1	1	3	5	12	21	45
B. OPERATED	901	15.4	382	1	1	8	21	52	78	99+
TOTAL 0-19 YRS	15357	6.0	92	1	1	3	5	14	24	56
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	15357	6.0	92	1	1	3	5	14	24	56

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6615	2.6	4	1	1	2	3	5	6	10
20-34	2408	2.9	6	1	1	2	4	5	7	12
35-49	1230	3.3	7	1	1	3	4	6	8	14
50-64	761	3.7	15	1	1	3	5	7	9	14
65+	608	4.0	10	1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	64	4.1	18	1	1	3	4	9	16	22
20-34	68	4.4	18	1	1	3	5	9	12	23
35-49	63	4.0	7	1	2	3	5	9	10	13
50-64	32	4.6	4	2	2	4	6	8	8	8
65+	25	4.4	18	<1	1	3	6	12	36	99+
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10475	3.2	10	1	1	2	4	6	8	15
20-34	3609	4.3	17	1	1	3	5	8	11	22
35-49	3453	4.9	26	1	1	4	6	9	12	22
50-64	3970	5.7	28	1	2	4	7	11	15	28
65+	6358	6.7	41	1	2	5	8	13	17	35
B. *Operated*										
0-19 YRS	263	7.3	75	1	2	5	8	17	25	59
20-34	269	8.0	131	1	2	5	9	15	24	69
35-49	347	10.5	130	2	2	7	13	23	28	63
50-64	455	10.4	112	2	3	7	13	23	31	77
65+	601	11.8	100	3	4	9	15	23	32	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11622	2.9	6	1	1	2	4	5	7	12
B. *Operated*	252	4.2	13	1	1	3	5	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	27865	4.7	25	1	1	3	6	9	13	24
B. *Operated*	1935	10.1	111	2	2	7	12	21	30	63
1. SINGLE DX	11874	2.9	6	1	1	2	4	5	7	12
2. MULTIPLE DX	29800	5.1	32	1	1	3	6	10	14	29
A. NOT OPERATED	39487	4.2	20	1	1	3	5	8	11	22
B. OPERATED	2187	9.4	104	2	2	6	11	20	28	61
TOTAL 0-19 YRS	17417	3.0	9	1	1	2	4	5	7	14
20-34	6354	3.9	19	1	1	3	5	7	10	20
35-49	5093	4.9	31	1	1	4	6	9	13	25
50-64	5218	5.8	36	1	2	4	7	11	16	31
65+	7592	6.9	46	1	2	5	8	13	18	38
GRAND TOTAL	**41674**	**4.5**	**26**	**1**	**1**	**3**	**5**	**9**	**12**	**25**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2054	2.8	4	1	1	2	3	5	6	9
20-34	356	4.0	8	1	2	3	5	7	10	14
35-49	247	4.4	7	1	2	4	6	8	9	14
50-64	228	4.7	8	2	2	4	6	9	10	14
65+	242	4.9	12	1	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	42	6.2	21	1	2	5	8	14	15	20
20-34	33	9.5	24	3	4	8	13	16	20	22
35-49	33	8.5	34	3	4	7	9	14	22	32
50-64	36	9.9	34	2	3	9	13	16	23	26
65+	20	11.2	49	3	4	10	13	18	27	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4119	3.3	6	1	1	3	4	6	7	12
20-34	1133	4.5	13	1	2	4	6	8	10	19
35-49	994	5.4	16	2	2	4	7	9	12	20
50-64	1691	6.1	17	2	2	5	8	11	14	21
65+	3647	7.0	30	2	3	6	8	13	16	29
B. *Operated*										
0-19 YRS	168	7.3	47	1	2	5	9	13	20	41
20-34	231	9.4	56	2	2	7	13	20	25	37
35-49	253	11.4	93	2	3	9	15	23	30	47
50-64	386	12.6	101	3	3	10	16	24	31	53
65+	576	13.7	123	4	4	10	16	28	36	60
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3127	3.4	7	1	1	3	4	6	8	12
B. *Operated*	164	8.7	33	2	3	8	12	15	19	31
2. MULTIPLE DX										
A. *Not Operated*	11584	5.2	19	1	2	4	6	10	13	22
B. *Operated*	1614	11.8	100	2	3	9	15	24	30	54
1. SINGLE DX	3291	3.6	9	1	1	3	4	7	9	14
2. MULTIPLE DX	13198	6.0	34	1	2	4	7	12	16	30
A. NOT OPERATED	14711	4.8	17	1	2	4	6	9	12	21
B. OPERATED	1778	11.5	94	2	3	9	14	23	30	52
TOTAL 0-19 YRS	6383	3.3	7	1	1	3	4	5	7	13
20-34	1753	5.1	21	1	2	4	6	10	14	25
35-49	1527	6.3	33	2	2	5	7	12	16	30
50-64	2341	7.1	37	2	2	5	8	13	18	29
65+	4485	7.7	47	2	3	6	9	14	20	36
GRAND TOTAL	**16489**	**5.5**	**30**	**1**	**2**	**4**	**7**	**11**	**14**	**28**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	710	2.5	3	1	1	2	3	5	5	9
20-34	1435	3.2	6	1	1	3	4	6	8	12
35-49	931	3.8	11	1	1	3	4	7	9	17
50-64	366	3.4	8	1	1	3	4	7	8	14
65+	117	3.3	5	1	1	3	4	7	9	11
B. *Operated*										
0-19 YRS	35	2.9	5	1	1	2	3	7	9	10
20-34	174	3.6	7	1	1	3	5	7	8	14
35-49	172	3.5	8	1	1	3	4	7	9	16
50-64	81	3.8	10	1	1	3	5	8	10	15
65+	23	3.4	5	1	1	3	5	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1010	3.1	5	1	1	3	4	6	7	12
20-34	2607	4.3	12	1	1	4	5	8	10	17
35-49	2226	4.7	15	1	2	4	6	9	11	18
50-64	1625	4.6	10	1	2	4	6	8	11	17
65+	1265	4.8	12	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	52	6.4	47	1	2	3	9	15	22	36
20-34	282	5.9	30	1	2	4	7	11	16	31
35-49	357	6.8	29	1	2	6	9	13	17	26
50-64	290	7.1	34	2	2	5	9	14	19	29
65+	234	7.9	47	2	2	6	9	16	20	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3559	3.3	7	1	1	3	4	6	8	13
B. *Operated*	485	3.5	7	1	1	3	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	8733	4.4	12	1	1	4	6	8	11	17
B. *Operated*	1215	6.9	35	2	2	5	9	14	18	30
1. SINGLE DX	4044	3.3	7	1	1	3	4	6	8	13
2. MULTIPLE DX	9948	4.7	15	1	1	4	6	9	12	19
A. NOT OPERATED	12292	4.1	11	1	1	3	5	8	10	17
B. OPERATED	1700	5.9	29	1	2	4	7	12	17	27
TOTAL 0-19 YRS	1807	3.0	6	1	1	2	4	5	7	12
20-34	4498	4.1	12	1	1	3	5	8	10	17
35-49	3686	4.6	15	1	1	4	6	9	11	19
50-64	2362	4.7	14	1	1	4	6	9	12	19
65+	1639	5.1	18	1	2	4	6	10	12	22
GRAND TOTAL	13992	4.3	13	1	1	3	5	8	11	18

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	2.3	2	<1	<1	2	3	5	5	8
20-34	173	3.0	3	1	1	3	4	6	6	8
35-49	268	3.2	4	1	1	3	4	6	7	9
50-64	466	3.3	4	1	1	3	4	6	7	10
65+	453	3.1	5	<1	1	3	4	5	6	10
B. *Operated*										
0-19 YRS	134	2.2	4	<1	<1	1	3	5	6	24
20-34	162	3.7	4	1	1	3	5	6	7	11
35-49	267	4.2	7	1	2	4	6	7	9	13
50-64	394	4.4	10	1	2	4	6	7	9	13
65+	366	4.3	7	1	1	4	6	7	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	2.3	2	<1	1	2	3	4	5	9
20-34	189	3.5	5	1	1	3	5	6	8	12
35-49	384	4.0	11	1	1	3	5	7	10	17
50-64	1035	3.9	6	1	1	3	5	7	8	14
65+	2183	4.2	12	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	99	3.3	6	1	1	2	4	7	9	12
20-34	141	5.0	13	1	2	4	6	9	12	19
35-49	315	5.1	10	1	2	5	7	9	11	14
50-64	817	5.5	18	1	2	5	7	9	12	18
65+	1318	6.3	44	1	2	5	7	11	15	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1455	3.1	4	<1	1	3	4	6	7	9
B. *Operated*	1323	4.0	7	1	1	4	5	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	3969	4.0	10	1	1	3	5	7	9	15
B. *Operated*	2690	5.7	30	1	2	5	7	10	13	25
1. SINGLE DX	2778	3.5	6	1	1	3	5	6	7	11
2. MULTIPLE DX	6659	4.7	18	1	1	4	6	9	11	18
A. NOT OPERATED	5424	3.7	8	1	1	3	5	7	9	14
B. OPERATED	4013	5.2	23	1	1	4	6	9	12	21
TOTAL 0-19 YRS	506	2.4	4	<1	<1	2	3	5	6	10
20-34	665	3.7	6	1	1	3	5	7	8	14
35-49	1234	4.1	9	1	1	3	5	7	9	14
50-64	2712	4.3	11	1	1	4	6	8	9	15
65+	4320	4.7	22	1	1	4	6	9	11	20
GRAND TOTAL	**9437**	**4.3**	**15**	**1**	**1**	**4**	**5**	**8**	**10**	**16**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	3.3	9	<1	1	2	4	7	8	12
20-34	102	2.8	3	<1	1	2	3	5	6	9
35-49	74	3.4	7	1	1	3	4	6	7	14
50-64	80	2.8	4	<1	1	2	3	6	7	10
65+	65	3.3	8	<1	1	2	4	7	11	14
B. *Operated*										
0-19 YRS	625	2.0	3	<1	<1	2	2	4	5	9
20-34	620	2.3	3	<1	<1	2	3	4	6	10
35-49	438	2.3	5	<1	<1	2	3	4	6	13
50-64	284	2.6	5	<1	<1	2	3	5	7	13
65+	129	2.7	8	<1	<1	2	3	5	6	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	282	4.0	20	1	1	3	5	8	11	22
20-34	354	4.0	12	1	1	3	5	8	11	18
35-49	413	4.2	14	1	1	3	5	8	11	20
50-64	622	5.5	26	1	1	4	7	12	16	27
65+	1309	7.4	49	1	2	5	10	15	19	30
B. *Operated*										
0-19 YRS	223	3.8	16	1	1	2	5	8	13	22
20-34	425	5.6	44	1	1	3	7	13	17	37
35-49	406	5.8	57	1	1	3	7	12	19	35
50-64	457	8.1	113	1	1	4	9	18	33	61
65+	628	10.9	131	1	2	7	15	24	33	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	486	3.1	7	1	1	2	4	6	8	12
B. *Operated*	2096	2.3	4	<1	<1	2	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	2980	5.8	34	1	1	4	7	12	16	27
B. *Operated*	2139	7.6	90	1	1	4	9	18	26	54
1. SINGLE DX	2582	2.4	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX	5119	6.5	58	1	1	4	8	15	20	40
A. NOT OPERATED	3466	5.4	31	1	1	4	7	12	16	26
B. OPERATED	4235	4.9	54	<1	<1	2	5	12	18	40
TOTAL 0-19 YRS	1295	2.9	10	<1	<1	2	3	6	8	17
20-34	1501	3.7	19	<1	1	2	4	8	11	20
35-49	1331	4.0	26	<1	1	2	5	8	12	29
50-64	1443	5.6	53	1	1	3	6	12	17	42
65+	2131	8.0	74	1	2	5	10	18	23	49
GRAND TOTAL	**7701**	**5.2**	**44**	**<1**	**1**	**3**	**6**	**12**	**17**	**34**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.0	72	5	5	11	17	17	17	17
20-34	6	3.0	2	1	1	3	4	5	5	5
35-49	9	8.8	58	1	1	7	12	21	25	25
50-64	14	4.6	16	1	1	3	7	10	14	15
65+	38	8.6	32	1	2	8	11	15	19	28
B. *Operated*										
0-19 YRS	50	5.1	24	<1	<1	3	7	12	15	24
20-34	81	5.7	38	<1	1	3	7	13	17	30
35-49	71	8.3	82	1	1	5	12	19	26	50
50-64	127	10.6	110	1	1	8	14	25	34	47
65+	305	12.2	90	2	4	10	15	25	29	50
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	6.0	35	1	1	5	7	16	19	19
20-34	25	10.5	48	2	4	8	14	20	25	30
35-49	39	10.4	77	1	3	8	12	21	27	45
50-64	177	10.3	91	2	3	7	12	19	27	52
65+	713	9.9	82	2	3	8	12	19	24	64
B. *Operated*										
0-19 YRS	71	8.4	88	<1	1	4	12	21	27	44
20-34	228	12.8	169	1	2	8	18	32	40	79
35-49	394	16.2	211	1	2	12	22	37	49	66
50-64	1373	19.7	257	3	4	16	26	41	55	85
65+	4543	18.9	212	4	6	15	24	38	52	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	7.4	33	1	1	6	10	15	18	27
B. *Operated*	634	10.1	88	1	2	8	13	22	28	47
2. MULTIPLE DX										
A. *Not Operated*	962	10.0	82	2	3	8	12	19	24	57
B. *Operated*	6609	18.6	221	3	5	15	24	38	52	89
1. SINGLE DX	703	9.8	83	1	2	8	13	22	28	47
2. MULTIPLE DX	7571	17.5	212	3	4	14	23	36	50	88
A. NOT OPERATED	1031	9.8	79	2	3	8	12	19	24	54
B. OPERATED	7243	17.8	215	2	4	14	23	37	50	87
TOTAL 0-19 YRS	131	7.0	62	<1	<1	4	10	16	24	42
20-34	340	10.7	136	1	2	6	15	28	37	70
35-49	513	14.5	189	1	2	10	19	35	46	65
50-64	1691	17.9	241	2	4	14	23	38	52	81
65+	5599	17.3	198	3	5	14	22	35	49	90
GRAND TOTAL	**8274**	**16.8**	**205**	**2**	**4**	**13**	**22**	**35**	**48**	**85**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	265	2.4	2	1	1	2	3	4	5	7
20-34	2396	2.6	3	1	1	2	3	5	6	9
35-49	6908	2.7	3	1	1	2	3	5	6	9
50-64	5111	2.9	3	1	1	2	4	5	6	9
65+	1722	3.0	5	1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	9	2.4	2	1	1	2	3	5	5	5
20-34	270	2.6	4	1	1	2	3	6	8	9
35-49	1727	2.5	3	1	1	2	2	5	6	9
50-64	1895	2.5	3	1	1	2	2	4	6	10
65+	404	2.4	3	1	1	2	2	5	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	466	3.0	4	1	1	3	4	5	7	11
20-34	4427	3.2	5	1	1	3	4	6	7	11
35-49	16810	3.5	6	1	1	3	4	6	8	12
50-64	21249	3.8	7	1	1	3	5	7	8	13
65+	16411	4.2	10	1	2	3	5	8	10	15
B. *Operated*										
0-19 YRS	32	3.8	24	1	1	2	4	6	15	26
20-34	608	4.5	16	1	1	3	6	9	13	22
35-49	3898	4.0	12	1	1	3	5	8	10	17
50-64	6051	4.0	13	1	1	2	5	8	11	18
65+	2671	5.3	25	1	2	3	7	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	16402	2.8	3	1	1	2	3	5	6	9
B. *Operated*	4305	2.5	3	1	1	2	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	59363	3.8	7	1	1	3	5	7	9	13
B. *Operated*	13260	4.3	16	1	1	3	5	9	12	19
1. SINGLE DX	20707	2.7	3	1	1	2	3	5	6	9
2. MULTIPLE DX	72623	3.9	9	1	1	3	5	7	9	15
A. NOT OPERATED	75765	3.6	7	1	1	3	4	6	8	13
B. OPERATED	17565	3.8	13	1	1	2	5	8	11	18
TOTAL 0-19 YRS	772	2.8	4	1	1	2	4	5	6	10
20-34	7701	3.1	5	1	1	2	4	6	7	12
35-49	29343	3.3	6	1	1	3	4	6	8	12
50-64	34306	3.6	7	1	1	3	4	7	8	14
65+	21208	4.2	12	1	1	3	5	8	10	17
GRAND TOTAL	**93330**	**3.6**	**8**	**1**	**1**	**3**	**4**	**7**	**9**	**14**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1849	3.0	8	1	1	2	4	6	8	14
20-34	126	2.5	4	<1	1	2	3	5	7	9
35-49	155	2.8	6	<1	1	2	4	6	8	13
50-64	203	3.3	9	<1	1	2	4	6	8	17
65+	208	4.0	13	<1	1	3	5	8	11	19
B. *Operated*										
0-19 YRS	113	2.8	6	<1	1	2	4	6	7	12
20-34	113	3.5	8	1	1	3	4	8	10	13
35-49	250	3.0	6	<1	1	2	4	6	8	14
50-64	364	3.4	8	1	1	2	4	7	9	16
65+	248	3.4	16	<1	1	2	4	6	9	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2631	4.0	14	1	1	3	5	8	11	19
20-34	626	3.9	13	1	1	3	5	7	11	19
35-49	982	4.4	12	1	1	3	6	8	11	18
50-64	2600	5.9	24	1	2	5	8	11	15	25
65+	4935	6.7	33	1	2	5	8	13	17	29
B. *Operated*										
0-19 YRS	261	6.6	60	1	1	4	9	14	22	40
20-34	209	6.2	35	1	1	4	9	14	17	26
35-49	553	5.6	45	1	1	4	7	10	14	35
50-64	1343	6.2	40	1	1	4	8	12	17	30
65+	1700	7.7	67	1	2	5	10	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2541	3.1	8	1	1	2	4	6	8	15
B. *Operated*	1088	3.2	9	<1	1	2	4	6	9	15
2. MULTIPLE DX										
A. *Not Operated*	11774	5.6	25	1	1	4	7	11	14	24
B. *Operated*	4066	6.8	53	1	1	5	8	14	19	37
1. SINGLE DX	3629	3.1	9	1	1	2	4	6	8	15
2. MULTIPLE DX	15840	5.9	33	1	1	4	7	12	16	29
A. NOT OPERATED	14315	5.1	23	1	1	4	6	10	14	24
B. OPERATED	5154	6.0	46	1	1	4	8	12	17	35
TOTAL 0-19 YRS	4854	3.7	15	1	1	3	5	7	10	19
20-34	1074	4.1	17	1	1	3	5	9	12	22
35-49	1940	4.4	21	1	1	3	6	9	11	20
50-64	4510	5.6	28	1	1	4	7	11	15	26
65+	7091	6.7	41	1	2	5	8	13	18	32
GRAND TOTAL	**19469**	**5.4**	**29**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	273	2.1	2	1	1	2	3	4	5	8
20-34	1092	2.1	2	<1	1	2	3	4	5	7
35-49	1220	2.0	2	<1	1	2	2	3	4	7
50-64	722	2.1	2	1	1	2	3	4	5	7
65+	344	2.7	4	1	1	2	3	5	6	12
B. *Operated*										
0-19 YRS	267	2.2	8	<1	<1	1	2	4	7	16
20-34	190	3.6	5	<1	1	3	5	7	8	10
35-49	204	3.9	7	1	1	3	5	8	9	15
50-64	176	4.9	11	1	1	4	7	10	11	14
65+	206	5.0	13	1	1	5	7	9	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	2.9	7	1	1	2	3	6	7	13
20-34	959	2.8	5	1	1	2	3	5	7	12
35-49	1229	3.1	7	1	1	2	4	6	7	15
50-64	1374	3.9	17	1	1	3	5	7	10	18
65+	2722	5.6	33	1	2	4	7	10	14	30
B. *Operated*										
0-19 YRS	414	3.4	17	<1	<1	2	4	7	11	23
20-34	424	5.8	24	1	2	5	7	10	13	28
35-49	550	5.8	21	1	2	5	8	11	14	22
50-64	931	7.2	27	1	2	6	9	14	17	27
65+	2637	8.7	42	2	3	7	11	16	21	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3651	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	1043	3.8	10	<1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	6616	4.2	21	1	1	3	5	8	11	22
B. *Operated*	4956	7.4	36	1	2	6	9	14	18	32
1. SINGLE DX	4694	2.5	4	<1	1	2	3	5	7	11
2. MULTIPLE DX	11572	5.6	30	1	1	4	7	11	15	28
A. NOT OPERATED	10267	3.5	15	1	1	2	4	7	9	17
B. OPERATED	5999	6.8	33	1	1	5	9	13	17	30
TOTAL 0-19 YRS	1286	2.8	10	<1	<1	2	3	6	8	17
20-34	2665	3.1	9	1	1	2	4	6	8	13
35-49	3203	3.2	9	<1	1	2	4	6	9	15
50-64	3203	4.5	20	1	1	3	6	9	12	21
65+	5909	6.8	38	1	2	5	9	13	17	33
GRAND TOTAL	**16266**	**4.7**	**25**	**1**	**1**	**3**	**6**	**10**	**13**	**25**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7113	2.2	2	<1	1	2	3	4	5	8
20-34	6799	2.6	4	<1	1	2	3	5	6	9
35-49	3614	3.0	5	1	1	2	4	6	7	11
50-64	1972	3.2	6	1	1	3	4	6	7	11
65+	1260	3.5	8	1	1	3	4	7	8	12
B. *Operated*										
0-19 YRS	781	3.5	4	1	1	3	4	6	8	11
20-34	1173	3.9	8	1	1	3	5	7	9	14
35-49	535	4.3	12	1	1	3	6	8	10	16
50-64	268	5.0	14	1	1	4	7	10	12	19
65+	110	5.3	24	1	1	3	8	12	18	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5457	2.6	4	1	1	2	3	5	6	10
20-34	8077	3.3	7	1	1	3	4	6	8	13
35-49	6103	4.1	9	1	1	3	5	8	10	15
50-64	6085	4.4	11	1	1	4	6	8	10	17
65+	8879	5.1	17	1	2	4	6	9	12	20
B. *Operated*										
0-19 YRS	706	4.4	15	1	1	4	5	8	11	18
20-34	2017	5.4	17	1	1	5	7	10	13	20
35-49	1397	7.1	33	1	2	6	9	13	17	30
50-64	1175	7.6	46	1	2	6	10	14	18	36
65+	1367	8.9	47	2	3	7	11	18	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20758	2.6	4	<1	1	2	3	5	6	9
B. *Operated*	2867	4.0	9	1	1	3	5	8	9	16
2. MULTIPLE DX										
A. *Not Operated*	34601	4.0	11	1	1	3	5	8	10	16
B. *Operated*	6662	6.8	33	1	2	5	9	13	17	28
1. SINGLE DX	23625	2.8	5	1	1	2	4	5	7	10
2. MULTIPLE DX	41263	4.4	16	1	1	3	6	9	11	19
A. NOT OPERATED	55359	3.5	9	1	1	3	4	7	9	14
B. OPERATED	9529	5.9	28	1	2	5	8	12	15	26
TOTAL 0-19 YRS	14057	2.5	4	1	1	2	3	5	6	10
20-34	18066	3.3	8	1	1	3	4	6	8	14
35-49	11649	4.1	12	1	1	3	5	8	10	17
50-64	9500	4.6	16	1	1	4	6	9	11	19
65+	11616	5.3	22	1	2	4	7	10	13	23
GRAND TOTAL	**64888**	**3.8**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	719	2.7	4	1	1	2	3	5	7	10
20-34	340	3.1	8	<1	1	2	4	6	7	15
35-49	267	3.0	6	1	1	2	4	6	7	10
50-64	241	3.8	19	<1	1	3	5	8	9	24
65+	276	3.6	8	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	76	3.7	11	<1	1	3	5	8	11	17
20-34	133	3.8	9	<1	1	3	5	8	10	14
35-49	118	5.2	23	<1	1	4	7	11	15	26
50-64	111	4.0	12	<1	<1	2	6	9	12	15
65+	84	5.2	55	<1	1	3	6	11	18	45
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2273	3.2	12	1	1	2	4	6	8	17
20-34	1435	3.7	18	1	1	3	4	7	10	17
35-49	1403	4.6	18	1	1	3	6	9	12	21
50-64	2271	5.4	21	1	1	4	7	11	14	23
65+	4673	6.1	31	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	254	5.7	39	1	1	4	8	12	15	30
20-34	435	6.1	31	1	1	5	8	12	15	26
35-49	506	7.8	55	1	1	6	9	16	22	34
50-64	749	8.8	67	1	2	7	11	20	27	38
65+	1219	10.1	86	2	2	8	13	20	26	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1843	3.1	8	1	1	2	4	6	8	13
B. *Operated*	522	4.4	21	<1	1	3	6	9	12	20
2. MULTIPLE DX										
A. *Not Operated*	12055	4.9	24	1	1	4	6	10	13	22
B. *Operated*	3163	8.5	67	1	1	6	11	18	24	44
1. SINGLE DX	2365	3.4	11	<1	1	2	4	7	9	16
2. MULTIPLE DX	15218	5.7	35	1	1	4	7	12	16	28
A. NOT OPERATED	13898	4.7	22	1	1	3	6	9	12	22
B. OPERATED	3685	7.9	63	1	1	6	10	17	23	40
TOTAL 0-19 YRS	3322	3.3	13	1	1	2	4	6	9	17
20-34	2343	4.1	20	1	1	3	5	8	11	18
35-49	2294	5.1	27	1	1	4	6	10	15	27
50-64	3372	6.0	33	1	1	4	8	12	17	29
65+	6252	6.7	44	1	2	5	8	13	18	32
GRAND TOTAL	**17583**	**5.4**	**33**	**1**	**1**	**4**	**7**	**11**	**15**	**27**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4604	3.4	13	1	1	2	4	6	8	18
20-34	2437	3.8	22	<1	1	3	4	6	10	30
35-49	2371	3.7	19	1	1	3	4	6	10	29
50-64	2802	3.9	23	1	1	3	5	7	10	24
65+	3288	5.1	36	1	1	3	6	10	14	29
B. *Operated*										
0-19 YRS	446	3.2	25	<1	<1	2	3	6	10	22
20-34	707	3.4	20	<1	1	2	4	7	9	30
35-49	799	3.8	33	<1	1	2	4	8	11	34
50-64	885	4.2	31	<1	1	2	4	9	14	31
65+	674	6.0	51	1	1	3	8	15	20	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7798	4.6	26	1	1	3	5	9	12	24
20-34	5414	4.1	19	1	1	3	5	7	10	21
35-49	7327	4.6	19	1	1	3	6	9	11	20
50-64	16006	5.8	31	1	2	4	7	11	15	27
65+	39630	6.6	36	1	2	5	8	13	17	30
B. *Operated*										
0-19 YRS	742	8.8	138	1	1	4	11	23	35	83
20-34	1136	5.8	59	1	1	4	7	11	18	48
35-49	1609	6.4	66	1	1	4	8	13	20	45
50-64	3428	9.0	120	1	2	6	11	20	31	72
65+	6102	11.3	150	2	2	8	14	24	35	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15502	4.0	23	1	1	3	4	8	11	27
B. *Operated*	3511	4.2	33	<1	1	2	4	9	14	32
2. MULTIPLE DX										
A. *Not Operated*	76175	5.8	32	1	2	4	7	11	15	28
B. *Operated*	13017	9.5	127	1	2	6	11	21	31	73
1. SINGLE DX	19013	4.0	25	1	1	3	4	8	11	28
2. MULTIPLE DX	89192	6.4	47	1	2	4	8	13	18	36
A. NOT OPERATED	91677	5.5	31	1	1	4	7	11	15	28
B. OPERATED	16528	8.3	112	1	1	5	10	19	28	67
TOTAL 0-19 YRS	13590	4.4	30	1	1	3	5	8	12	27
20-34	9694	4.2	25	1	1	3	5	8	11	29
35-49	12106	4.6	27	1	1	3	5	9	12	27
50-64	23121	6.0	45	1	1	4	7	12	17	35
65+	49694	7.1	53	1	2	5	9	14	19	37
GRAND TOTAL	**108205**	**6.0**	**44**	**1**	**1**	**4**	**7**	**12**	**17**	**34**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1460	2.1	3	1	1	1	2	4	5	10
20-34	112	3.5	11	1	1	2	5	7	11	18
35-49	61	3.3	12	<1	1	2	4	7	10	20
50-64	36	5.2	25	1	1	4	7	12	15	25
65+	14	9.5	158	<1	1	6	12	28	42	46
B. *Operated*										
0-19 YRS	297	5.2	17	1	2	4	6	9	13	25
20-34	90	7.8	69	1	2	6	9	15	21	49
35-49	30	7.8	26	2	2	6	11	15	17	21
50-64	11	7.3	26	2	2	6	11	15	18	18
65+	6	12.8	47	5	5	13	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1127	3.3	11	1	1	2	4	7	10	17
20-34	316	5.5	48	1	1	4	6	13	19	38
35-49	153	7.6	110	1	1	4	9	15	25	55
50-64	128	7.0	51	1	1	5	9	15	21	36
65+	157	9.4	87	1	2	6	11	24	30	46
B. *Operated*										
0-19 YRS	448	10.9	167	1	2	7	13	29	46	99+
20-34	427	13.4	253	1	2	9	16	40	68	99+
35-49	171	12.5	186	1	2	9	17	28	53	99+
50-64	109	17.4	296	2	2	12	27	47	80	99+
65+	95	20.0	427	2	3	14	27	60	88	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1683	2.3	6	1	1	2	3	4	6	12
B. *Operated*	434	6.1	30	1	2	5	7	11	16	29
2. MULTIPLE DX										
A. *Not Operated*	1881	4.8	39	1	1	3	5	10	16	31
B. *Operated*	1250	13.3	236	1	2	8	17	37	57	99+
1. SINGLE DX	2117	3.1	13	1	1	2	4	7	9	18
2. MULTIPLE DX	3131	8.2	135	1	1	4	9	20	34	98
A. NOT OPERATED	3564	3.6	25	1	1	2	4	8	11	25
B. OPERATED	1684	11.4	193	1	2	7	14	30	50	99+
TOTAL 0-19 YRS	3332	3.9	37	1	1	2	4	8	13	36
20-34	945	9.1	155	1	1	5	11	21	39	99+
35-49	415	9.0	131	1	1	6	11	20	31	84
50-64	284	10.8	168	1	2	6	14	28	41	99+
65+	272	13.2	232	1	2	8	18	32	47	99+
GRAND TOTAL	**5248**	**6.1**	**92**	**1**	**1**	**3**	**7**	**14**	**23**	**70**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	752	2.3	4	1	1	2	3	5	6	10
20-34	202	4.0	15	<1	1	3	5	10	11	20
35-49	88	3.6	7	1	1	3	5	7	8	15
50-64	41	4.5	7	<1	1	3	7	9	9	9
65+	29	6.2	31	<1	1	4	10	14	18	20
B. *Operated*										
0-19 YRS	79	4.8	16	1	1	4	6	9	12	23
20-34	77	7.1	98	1	1	4	8	12	22	61
35-49	25	5.6	14	<1	1	6	8	9	12	17
50-64	10	10.6	39	3	4	9	14	20	24	24
65+	7	5.7	29	1	1	4	8	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	797	4.7	43	1	1	3	5	9	14	36
20-34	570	6.1	53	1	1	4	7	13	19	39
35-49	254	6.1	32	1	1	5	8	13	16	31
50-64	174	9.2	78	2	2	7	12	18	27	44
65+	257	9.5	68	1	2	7	13	20	26	43
B. *Operated*										
0-19 YRS	348	12.2	214	1	2	7	15	31	45	89
20-34	475	13.6	256	1	2	8	18	37	64	99+
35-49	174	13.0	203	1	2	8	17	31	59	99+
50-64	122	16.0	341	1	3	10	20	37	80	99+
65+	114	18.7	358	1	2	13	26	52	71	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1112	2.9	8	1	1	2	3	6	9	14
B. *Operated*	198	6.1	51	1	1	4	8	12	17	40
2. MULTIPLE DX										
A. *Not Operated*	2052	6.3	53	1	1	4	8	14	19	40
B. *Operated*	1233	13.8	257	1	2	8	18	37	59	99+
1. SINGLE DX	1310	3.4	15	1	1	2	4	8	10	17
2. MULTIPLE DX	3285	9.1	143	1	1	5	11	21	35	88
A. NOT OPERATED	3164	5.1	40	1	1	3	6	11	16	32
B. OPERATED	1431	12.8	236	1	2	8	16	32	54	99+
TOTAL 0-19 YRS	1976	5.1	69	1	1	3	5	11	18	48
20-34	1324	8.5	137	1	1	5	10	20	33	88
35-49	541	7.9	95	1	1	5	9	17	28	88
50-64	347	11.1	175	1	2	8	13	25	37	90
65+	407	11.8	164	1	2	8	15	26	43	90
GRAND TOTAL	**4595**	**7.5**	**113**	**1**	**1**	**4**	**8**	**17**	**27**	**72**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	143	1.6	1	<1	<1	1	2	3	4	5
20-34	209	2.0	2	<1	<1	1	2	4	5	8
35-49	65	2.2	5	<1	<1	2	2	4	6	14
50-64	28	3.1	6	1	1	3	4	6	7	13
65+	20	2.3	2	1	1	2	3	4	6	7
B. *Operated*										
0-19 YRS	2641	2.0	3	<1	<1	1	2	4	5	8
20-34	3503	2.5	4	<1	1	2	3	5	6	10
35-49	944	2.8	6	<1	1	2	3	5	7	12
50-64	297	2.8	4	<1	1	2	4	5	7	11
65+	114	3.3	7	1	1	3	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	401	2.3	10	<1	1	2	3	4	6	11
20-34	716	2.5	4	<1	<1	2	3	5	6	9
35-49	331	3.6	19	<1	1	2	4	7	10	22
50-64	262	4.1	14	1	1	3	5	8	11	23
65+	460	6.1	36	1	1	4	8	12	15	37
B. *Operated*										
0-19 YRS	2726	3.7	17	1	1	3	4	7	10	21
20-34	4900	4.4	24	1	1	3	5	9	12	24
35-49	1797	5.5	43	1	1	4	7	11	16	34
50-64	820	6.5	81	1	1	4	7	13	19	51
65+	735	7.9	79	1	2	5	10	17	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	465	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	7499	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	2170	3.6	17	<1	1	2	4	7	10	20
B. *Operated*	10978	4.8	35	1	1	3	6	10	14	30
1. SINGLE DX	7964	2.4	4	<1	<1	2	3	4	6	10
2. MULTIPLE DX	13148	4.6	32	1	1	3	5	9	13	28
A. NOT OPERATED	2635	3.3	15	<1	1	2	4	7	9	18
B. OPERATED	18477	3.8	23	<1	1	2	4	8	11	23
TOTAL 0-19 YRS	5911	2.8	10	<1	<1	2	3	5	7	15
20-34	9328	3.5	15	<1	1	2	4	7	9	19
35-49	3137	4.4	30	1	1	3	5	9	13	26
50-64	1407	5.2	53	1	1	3	6	10	15	40
65+	1329	6.8	59	1	1	4	8	14	19	42
GRAND TOTAL	**21112**	**3.7**	**22**	**<1**	**1**	**2**	**4**	**8**	**11**	**23**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	762	4.1	12	1	1	3	5	8	10	17
20-34	1462	5.0	25	1	1	4	6	9	12	21
35-49	855	5.5	17	1	2	5	7	10	13	21
50-64	783	6.3	17	1	2	5	8	11	14	20
65+	1248	7.6	31	2	3	6	10	14	17	27
B. *Operated*										
0-19 YRS	112	9.1	34	2	3	8	11	18	21	27
20-34	259	10.4	56	2	3	9	13	19	26	39
35-49	105	10.2	128	2	2	7	13	19	27	68
50-64	55	11.0	62	2	4	9	13	22	28	39
65+	56	11.9	44	3	4	10	16	21	25	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	770	5.1	26	1	1	4	6	10	13	31
20-34	1843	5.9	28	1	2	5	8	11	14	26
35-49	1222	7.1	34	1	2	6	9	13	17	29
50-64	2094	8.5	42	2	3	7	11	15	20	33
65+	9619	10.1	56	3	4	8	13	18	23	40
B. *Operated*										
0-19 YRS	298	13.6	183	2	3	9	17	29	42	69
20-34	835	12.6	142	2	3	9	17	27	35	81
35-49	446	13.5	160	2	3	9	17	31	45	77
50-64	412	14.5	159	3	4	11	19	31	45	90
65+	1072	17.7	212	4	5	14	21	36	48	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5110	5.8	23	1	2	5	7	11	14	22
B. *Operated*	587	10.3	64	2	3	8	13	19	26	37
2. MULTIPLE DX										
A. *Not Operated*	15548	8.9	51	2	3	7	11	16	21	38
B. *Operated*	3063	14.9	180	2	4	11	19	31	45	83
1. SINGLE DX	5697	6.3	30	1	2	5	8	12	15	26
2. MULTIPLE DX	18611	9.9	77	2	3	8	12	19	25	49
A. NOT OPERATED	20658	8.1	46	2	2	7	10	15	20	35
B. OPERATED	3650	14.1	164	2	3	10	18	29	41	79
TOTAL 0-19 YRS	1942	6.2	56	1	1	4	7	13	18	42
20-34	4399	7.2	59	1	2	5	9	14	20	43
35-49	2628	7.8	61	1	2	6	9	15	21	45
50-64	3344	8.8	57	2	3	7	11	16	21	45
65+	11995	10.5	73	3	4	8	13	19	25	47
GRAND TOTAL	**24308**	**9.0**	**68**	**2**	**2**	**7**	**11**	**17**	**23**	**46**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	5.4	26	1	1	5	7	9	18	23
20-34	47	6.9	31	1	1	5	9	14	16	31
35-49	20	4.7	16	1	1	3	6	12	14	14
50-64	13	7.5	28	2	3	5	10	16	19	20
65+	17	7.5	90	1	1	3	12	13	31	40
B. *Operated*										
0-19 YRS	24	11.6	90	1	3	10	14	30	32	37
20-34	61	21.4	299	3	4	18	30	44	63	73
35-49	25	18.8	174	4	5	15	26	40	70	99+
50-64	7	28.6	745	2	3	15	54	68	70	70
65+	4	14.5	122	8	8	9	20	31	31	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	11.1	187	1	1	6	18	49	99+	99+
20-34	54	14.2	391	1	2	7	11	43	57	89
35-49	32	12.7	207	1	2	7	16	33	45	59
50-64	36	8.3	69	1	1	6	10	23	37	99+
65+	143	11.9	107	3	3	9	14	25	38	63
B. *Operated*										
0-19 YRS	89	27.9	331	8	11	24	39	74	99+	99+
20-34	224	30.4	465	7	9	27	51	94	99+	99+
35-49	96	30.9	492	7	9	27	58	99+	99+	99+
50-64	47	27.6	491	3	6	21	43	70	98	99+
65+	60	30.2	501	4	7	26	48	67	97	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	115	6.5	36	1	1	5	8	13	15	34
B. *Operated*	121	19.1	262	3	4	14	25	40	62	81
2. MULTIPLE DX										
A. *Not Operated*	290	11.9	173	1	2	8	14	28	47	99+
B. *Operated*	516	29.8	452	6	9	26	49	89	99+	99+
1. SINGLE DX	236	12.9	191	1	2	8	16	31	40	71
2. MULTIPLE DX	806	23.3	425	2	4	18	38	71	99+	99+
A. NOT OPERATED	405	10.3	140	1	2	7	12	24	40	93
B. OPERATED	637	27.7	433	4	7	24	44	78	99+	99+
TOTAL 0-19 YRS	156	20.1	317	1	3	16	31	55	89	99+
20-34	386	23.8	447	2	4	19	37	71	99+	99+
35-49	173	22.8	431	2	3	17	40	72	99+	99+

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	103	2.0	2	<1	<1	2	3	4	5	7
20-34	268	2.5	2	1	1	2	3	5	5	7
35-49	327	3.1	5	1	1	2	4	6	7	11
50-64	330	3.6	7	1	1	3	5	7	8	16
65+	358	4.4	10	1	1	4	6	9	11	16
B. *Operated*										
0-19 YRS	5	3.0	4	1	1	2	4	6	6	6
20-34	21	3.5	6	<1	1	3	4	7	9	10
35-49	16	5.6	15	1	1	5	8	11	13	14
50-64	11	7.2	36	2	2	5	10	18	18	18
65+	9	15.2	524	1	2	9	12	51	75	75
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	330	3.5	14	1	1	2	4	7	9	16
20-34	1213	3.8	10	1	1	3	5	8	9	14
35-49	1644	4.6	13	1	1	4	6	9	11	18
50-64	2300	5.7	21	1	2	5	7	11	13	21
65+	5360	7.6	43	2	2	6	10	14	19	35
B. *Operated*										
0-19 YRS	138	7.9	88	1	2	5	10	16	24	55
20-34	542	8.0	51	1	2	6	10	17	21	35
35-49	472	9.3	74	2	2	7	11	18	26	46
50-64	515	11.9	141	2	3	9	14	26	34	67
65+	776	14.3	138	3	4	11	18	30	39	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1386	3.4	7	1	1	3	4	7	8	13
B. *Operated*	62	6.4	96	1	1	4	7	11	17	68
2. MULTIPLE DX										
A. *Not Operated*	10847	6.2	31	1	2	5	8	12	15	28
B. *Operated*	2443	11.1	111	2	2	8	14	23	32	56
1. SINGLE DX	1448	3.5	11	1	1	3	4	7	9	14
2. MULTIPLE DX	13290	7.1	49	1	2	5	9	14	19	38
A. NOT OPERATED	12233	5.9	29	1	1	5	8	12	15	26
B. OPERATED	2505	10.9	111	2	2	8	14	23	32	57
TOTAL 0-19 YRS	576	4.3	34	1	1	3	5	9	12	30
20-34	2044	4.7	24	1	1	3	6	10	13	25

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	365	5.1	20	1	2	4	6	10	13	22
20-34	350	7.3	52	2	2	5	9	14	21	44
35-49	195	8.4	72	1	2	6	10	16	22	47
50-64	282	9.1	43	2	3	8	12	18	23	31
65+	1060	10.0	50	2	3	9	13	18	22	35
B. ***Operated***										
0-19 YRS	38	12.1	187	1	2	7	12	40	47	49
20-34	50	18.6	250	2	3	15	27	39	52	76
35-49	25	20.6	279	4	4	17	27	40	58	66
50-64	15	30.7	486	4	6	23	50	66	71	73
65+	16	21.1	241	3	9	17	28	39	57	65
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	560	7.5	40	1	2	6	9	15	20	31
20-34	776	10.3	74	2	3	8	12	20	30	45
35-49	471	11.8	113	3	4	9	14	23	32	62
50-64	822	12.3	99	3	4	10	15	23	32	54
65+	6085	12.9	93	3	4	11	16	23	30	57
B. ***Operated***										
0-19 YRS	303	17.9	287	3	4	12	23	43	58	84
20-34	581	23.9	374	3	5	17	36	52	60	91
35-49	272	26.1	377	5	7	20	40	54	71	99+
50-64	293	25.9	367	5	7	20	37	55	64	94
65+	785	23.5	299	6	8	18	32	50	62	99+
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	2252	8.5	49	2	2	7	11	16	21	35
B. ***Operated***	144	18.8	282	2	3	13	26	42	55	73
2. MULTIPLE DX										
A. ***Not Operated***	8714	12.2	92	3	4	10	15	23	29	54
B. ***Operated***	2234	23.5	340	4	6	17	34	51	62	95
1. SINGLE DX	2396	9.1	69	2	2	7	11	18	23	46
2. MULTIPLE DX	10948	14.5	163	3	4	11	18	29	43	72
A. NOT OPERATED	10966	11.4	85	2	3	9	14	22	28	51
B. OPERATED	2378	23.2	338	4	5	17	33	51	62	93
TOTAL 0-19 YRS	1266	9.4	122	1	2	6	11	21	33	59
20-34	1757	14.4	221	2	3	9	17	36	48	70
35-49	963	15.4	232	3	3	10	18	39	50	84
50-64	1412	14.7	185	3	4	10	18	32	48	72
65+	7946	13.5	120	3	4	11	17	25	34	67
GRAND TOTAL	13344	13.5	150	3	4	10	16	27	40	69

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	644	3.0	21	<1	1	1	2	7	14	26
20-34	168	2.9	14	<1	<1	2	3	6	8	27
35-49	106	3.4	17	<1	1	2	4	6	9	25
50-64	252	3.2	11	1	1	2	4	6	7	18
65+	729	4.2	18	1	1	3	5	8	11	23
B. *Operated*										
0-19 YRS	4473	3.4	18	1	1	2	3	7	13	21
20-34	535	3.8	15	1	1	3	5	7	9	24
35-49	432	3.9	11	1	1	3	5	7	10	17
50-64	646	4.9	21	1	1	4	6	9	12	22
65+	909	5.9	29	1	1	4	7	12	16	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	297	4.0	22	1	1	2	5	8	13	27
20-34	193	4.8	26	1	1	3	6	10	17	26
35-49	181	5.7	42	1	1	4	6	12	16	38
50-64	586	6.1	36	1	1	4	7	12	19	30
65+	3391	7.9	63	2	2	6	10	16	23	46
B. *Operated*										
0-19 YRS	1201	6.3	54	1	1	4	7	17	22	35
20-34	732	8.6	88	1	2	5	10	19	29	49
35-49	523	7.9	70	1	2	5	9	16	26	44
50-64	1010	9.0	115	1	2	6	10	20	28	63
65+	2798	11.0	114	2	3	8	14	23	32	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1899	3.5	18	1	1	2	4	7	11	24
B. *Operated*	6995	3.9	20	1	1	2	4	8	13	22
2. MULTIPLE DX										
A. *Not Operated*	4648	7.2	56	1	2	5	9	15	21	41
B. *Operated*	6264	9.3	99	1	2	6	11	20	28	54
1. SINGLE DX	8894	3.8	19	1	1	2	4	8	13	22
2. MULTIPLE DX	10912	8.4	82	1	2	6	10	18	26	50
A. NOT OPERATED	6547	6.1	48	1	1	4	7	13	19	37
B. OPERATED	13259	6.4	64	1	1	4	8	15	21	41
TOTAL 0-19 YRS	6615	3.9	26	1	1	2	4	9	16	25
20-34	1628	6.0	55	1	1	4	7	13	20	38
35-49	1242	5.8	45	1	1	4	6	12	17	35
50-64	2494	6.7	66	1	1	4	8	14	20	42
65+	7827	8.5	78	1	2	6	10	18	25	51
GRAND TOTAL	**19806**	**6.3**	**59**	**1**	**1**	**4**	**8**	**14**	**20**	**40**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	306	1.5	1	<1	<1	1	2	3	4	5
20-34	118	2.3	2	<1	<1	2	3	4	5	7
35-49	98	2.2	3	<1	<1	2	3	4	5	9
50-64	98	2.2	3	<1	1	2	3	4	6	10
65+	133	2.6	8	1	1	2	3	4	7	17
B. *Operated*										
0-19 YRS	7863	1.7	2	<1	1	1	2	3	4	7
20-34	2284	2.8	6	1	1	2	4	5	6	12
35-49	1751	2.7	4	1	1	2	3	5	6	10
50-64	2227	2.6	5	1	1	2	3	5	6	11
65+	2060	2.9	7	1	1	2	4	6	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	236	2.5	11	<1	1	2	3	4	6	19
20-34	262	3.3	19	<1	1	2	4	6	8	26
35-49	171	3.6	9	1	1	3	4	8	9	15
50-64	242	4.7	22	1	1	4	6	9	12	25
65+	806	7.0	56	1	2	5	9	15	21	46
B. *Operated*										
0-19 YRS	1769	3.5	22	1	1	2	4	7	10	26
20-34	1826	5.9	49	1	1	4	7	12	18	34
35-49	1252	5.8	56	1	1	4	6	11	17	40
50-64	1770	5.4	46	1	1	3	6	10	16	33
65+	3553	6.4	51	1	1	4	8	14	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	753	2.0	3	<1	<1	1	2	4	5	9
B. *Operated*	16185	2.2	4	<1	1	2	3	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	1717	5.2	38	1	1	3	6	11	16	30
B. *Operated*	10170	5.6	47	1	1	4	6	12	17	34
1. SINGLE DX	16938	2.2	4	<1	1	2	3	4	6	9
2. MULTIPLE DX	11887	5.5	45	1	1	4	6	11	17	34
A. NOT OPERATED	2470	4.2	30	<1	1	3	5	9	13	27
B. OPERATED	26355	3.5	23	1	1	2	4	7	10	23
TOTAL 0-19 YRS	10174	2.0	6	<1	1	1	2	4	5	11
20-34	4490	4.1	27	1	1	3	5	8	12	27
35-49	3272	3.9	27	1	1	3	4	7	10	23
50-64	4337	3.9	24	1	1	3	4	7	10	24
65+	6552	5.3	40	1	1	3	6	11	17	31
GRAND TOTAL	**28825**	**3.6**	**24**	**1**	**1**	**2**	**4**	**7**	**11**	**24**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	2.1	3	<1	<1	1	3	4	4	9
20-34	106	2.2	2	<1	<1	2	3	5	5	6
35-49	62	2.4	3	1	1	2	3	5	6	7
50-64	34	2.8	9	<1	1	2	3	4	12	14
65+	34	2.6	3	<1	1	2	4	5	6	7
B. *Operated*										
0-19 YRS	1822	1.7	2	<1	<1	1	2	3	4	7
20-34	2472	1.9	2	<1	<1	2	2	3	4	7
35-49	1016	2.0	3	<1	<1	2	2	4	5	9
50-64	531	2.2	3	<1	1	2	3	4	5	9
65+	238	2.4	3	<1	1	2	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	3.0	15	<1	1	2	3	5	7	23
20-34	210	3.1	8	<1	<1	2	4	6	9	16
35-49	114	3.3	8	<1	1	3	4	6	10	14
50-64	98	4.7	26	1	1	3	6	9	12	32
65+	237	6.6	37	1	2	5	8	12	17	40
B. *Operated*										
0-19 YRS	895	3.1	14	<1	1	2	4	6	9	19
20-34	1702	3.4	19	1	1	2	4	7	9	21
35-49	925	3.5	24	<1	1	2	4	7	10	26
50-64	658	3.7	16	1	1	2	4	7	11	23
65+	498	5.0	32	1	1	3	6	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	317	2.3	3	<1	1	2	3	4	5	8
B. *Operated*	6079	1.9	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	791	4.3	23	<1	1	3	5	9	12	25
B. *Operated*	4678	3.6	20	1	1	2	4	7	10	24
1. SINGLE DX	6396	1.9	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX	5469	3.7	21	1	1	2	4	7	11	25
A. NOT OPERATED	1108	3.8	18	<1	1	3	4	8	11	22
B. OPERATED	10757	2.6	11	<1	1	2	3	5	7	16
TOTAL 0-19 YRS	2930	2.2	6	<1	<1	1	2	4	6	13
20-34	4490	2.6	9	<1	<1	2	3	5	7	13
35-49	2117	2.7	13	<1	1	2	3	5	7	16
50-64	1321	3.1	12	<1	1	2	4	6	9	18
65+	1007	4.7	28	1	1	3	6	11	13	28
GRAND TOTAL	**11865**	**2.7**	**12**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	154	15.1	242	1	1	9	24	35	42	86
20-34	39	4.4	33	<1	<1	3	5	6	14	33
35-49	39	8.6	268	1	1	4	8	26	69	99+
50-64	120	10.3	108	1	2	8	13	20	26	58
65+	555	8.3	62	1	1	6	11	16	21	41
B. *Operated*										
0-19 YRS	378	10.4	93	2	3	7	13	22	29	49
20-34	228	10.3	77	3	4	8	12	19	28	46
35-49	411	10.2	72	4	5	8	11	17	21	59
50-64	1736	11.3	34	5	6	10	14	18	21	33
65+	8704	14.2	56	6	8	13	17	22	27	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	100	13.7	167	<1	1	8	23	32	38	48
20-34	56	14.0	382	1	2	6	13	46	55	83
35-49	79	10.4	110	1	2	7	13	22	30	61
50-64	282	11.4	130	1	3	8	13	23	36	60
65+	2869	12.3	137	2	3	9	15	25	36	74
B. *Operated*										
0-19 YRS	346	15.3	124	3	5	13	20	30	35	55
20-34	568	17.2	212	4	6	12	21	38	50	95
35-49	757	16.1	157	5	6	12	19	32	44	97
50-64	3468	16.3	119	6	7	14	19	28	37	66
65+	39135	17.9	126	7	9	15	21	31	42	86
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	907	9.6	113	1	1	6	12	21	29	53
B. *Operated*	11457	13.4	57	5	7	12	16	21	26	43
2. MULTIPLE DX										
A. *Not Operated*	3386	12.3	141	2	3	9	15	25	37	72
B. *Operated*	44274	17.7	128	7	8	15	20	30	41	84
1. SINGLE DX	12364	13.1	62	4	6	12	16	21	26	44
2. MULTIPLE DX	47660	17.3	131	6	8	15	20	30	41	83
A. NOT OPERATED	4293	11.7	136	1	2	9	15	24	36	70
B. OPERATED	55731	16.8	116	7	8	14	19	29	38	77
TOTAL 0-19 YRS	978	13.2	140	2	3	9	18	29	35	54
20-34	891	14.7	193	2	4	10	17	32	46	84
35-49	1286	13.6	139	4	5	10	16	26	40	83
50-64	5606	14.4	99	5	6	12	17	24	33	62
65+	51263	16.8	118	6	8	14	19	29	38	78
GRAND TOTAL	**60024**	**16.4**	**119**	**6**	**7**	**14**	**19**	**28**	**38**	**77**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1618	17.1	164	1	2	18	24	32	39	58
20-34	91	18.7	347	1	1	7	34	46	50	64
35-49	49	21.8	540	1	2	11	46	59	91	99+
50-64	65	16.0	301	2	2	9	25	45	56	97
65+	201	14.1	275	1	2	8	18	41	50	91
B. *Operated*										
0-19 YRS	1819	12.9	144	1	1	9	20	30	36	50
20-34	520	12.0	100	2	3	10	15	22	33	54
35-49	191	13.1	154	1	2	10	17	27	42	72
50-64	186	13.7	117	3	4	11	17	28	41	58
65+	488	17.2	139	5	7	14	20	31	46	72
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	757	18.5	244	1	2	17	26	39	48	76
20-34	134	24.5	557	2	3	14	45	58	69	89
35-49	109	22.2	545	2	2	13	36	59	78	99+
50-64	190	18.4	358	2	2	10	28	48	58	87
65+	1042	17.7	316	3	3	11	24	47	60	99+
B. *Operated*										
0-19 YRS	1817	19.7	236	2	4	16	27	42	50	78
20-34	1545	19.9	282	3	5	15	25	45	61	96
35-49	517	22.5	347	2	4	17	31	53	72	99+
50-64	632	21.8	295	3	6	17	28	51	66	99+
65+	2461	22.6	278	6	8	17	28	48	66	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2024	16.9	197	1	2	16	24	34	43	65
B. *Operated*	3204	13.5	138	1	2	11	19	29	37	55
2. MULTIPLE DX										
A. *Not Operated*	2232	18.7	323	2	3	13	26	47	58	95
B. *Operated*	6972	21.1	276	3	6	16	27	46	62	99+
1. SINGLE DX	5228	14.8	164	1	2	12	21	31	40	60
2. MULTIPLE DX	9204	20.5	289	3	4	16	27	46	61	99+
A. NOT OPERATED	4256	17.8	264	1	2	14	25	40	52	83
B. OPERATED	10176	18.7	245	2	4	15	24	41	54	94
TOTAL 0-19 YRS	6011	16.8	197	1	2	14	24	34	44	66
20-34	2290	18.3	271	2	4	13	23	43	57	89
35-49	866	20.3	354	2	3	15	28	51	70	99+
50-64	1073	19.5	285	2	4	14	26	47	61	99+
65+	4192	20.3	279	4	6	15	26	46	62	99+
GRAND TOTAL	**14432**	**18.5**	**251**	**2**	**3**	**15**	**24**	**41**	**53**	**90**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. ***Not Operated***										
0-19 YRS	1176	2.4	12	1	1	2	3	5	6	10
20-34	481	3.2	8	<1	1	3	4	6	8	15
35-49	360	4.2	14	1	1	3	5	8	11	18
50-64	325	5.6	29	1	2	4	7	12	15	29
65+	394	6.5	21	1	2	5	8	12	15	24
B. ***Operated***										
0-19 YRS	3177	3.7	12	1	1	3	5	7	10	18
20-34	2373	5.5	22	1	2	4	7	11	14	24
35-49	1510	6.0	24	1	2	5	7	11	15	27
50-64	1009	7.3	31	1	2	6	10	14	17	32
65+	603	9.5	63	2	3	8	12	17	23	50
2. MULTIPLE DX										
A. ***Not Operated***										
0-19 YRS	439	4.4	50	1	1	3	5	8	11	36
20-34	428	5.0	36	1	1	3	6	10	15	30
35-49	331	6.1	38	1	1	4	8	12	16	34
50-64	568	8.5	76	1	2	6	11	17	22	49
65+	1250	10.0	90	2	3	7	12	20	29	58
B. ***Operated***										
0-19 YRS	1632	8.6	108	1	2	5	10	17	29	55
20-34	2274	10.9	137	2	2	7	13	23	35	65
35-49	1527	11.7	145	2	3	8	14	24	37	77
50-64	1404	13.1	156	2	4	10	16	28	39	91
65+	1501	15.6	187	3	4	12	19	32	48	98
SUBTOTALS:										
1. SINGLE DX										
A. ***Not Operated***	2736	3.8	17	1	1	3	5	8	11	19
B. ***Operated***	8672	5.4	25	1	1	4	7	11	14	25
2. MULTIPLE DX										
A. ***Not Operated***	3016	7.7	73	1	2	5	9	16	22	49
B. ***Operated***	8338	11.8	150	2	3	8	14	25	38	76
1. SINGLE DX	11408	5.0	24	1	1	4	6	10	13	24
2. MULTIPLE DX	11354	10.7	133	2	2	7	13	23	34	71
A. NOT OPERATED	5752	5.9	50	1	1	4	7	12	18	39
B. OPERATED	17010	8.6	97	1	2	6	10	18	27	57
TOTAL 0-19 YRS	6424	4.8	44	1	1	3	5	9	14	36
20-34	5556	7.5	78	1	2	5	9	15	23	51
35-49	3728	8.2	83	1	2	5	10	16	24	53
50-64	3306	9.8	100	2	2	7	12	20	28	65
65+	3748	11.8	128	2	3	9	14	24	34	75
GRAND TOTAL	22762	7.9	86	1	1	5	9	17	24	54

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	580	2.2	3	<1	1	2	3	4	5	8
20-34	629	2.9	5	<1	1	2	4	6	7	11
35-49	451	3.4	7	<1	1	3	4	7	9	13
50-64	461	3.8	8	1	1	3	5	7	9	13
65+	493	4.8	19	1	1	4	6	10	13	20
B. *Operated*										
0-19 YRS	3605	3.2	7	1	1	3	4	6	7	12
20-34	5428	4.0	7	1	1	4	5	7	9	14
35-49	4069	4.5	9	1	2	4	6	8	10	15
50-64	3589	5.4	12	1	2	5	7	9	11	17
65+	1939	6.8	21	2	3	6	9	12	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	337	3.3	15	<1	1	2	4	6	9	14
20-34	682	4.2	17	1	1	3	5	8	10	20
35-49	517	4.7	21	1	1	3	6	10	12	26
50-64	814	5.8	26	1	2	4	7	11	15	28
65+	1765	7.6	54	1	2	6	9	14	19	41
B. *Operated*										
0-19 YRS	1920	5.7	38	1	1	4	6	11	17	33
20-34	4133	6.6	53	1	2	5	7	12	18	40
35-49	2976	7.0	50	2	2	5	8	13	18	40
50-64	3382	8.0	51	2	3	6	9	15	20	40
65+	3784	10.3	80	3	4	8	12	19	25	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2614	3.3	9	<1	1	3	4	7	9	14
B. *Operated*	18630	4.5	11	1	1	4	6	8	10	17
2. MULTIPLE DX										
A. *Not Operated*	4115	6.0	37	1	1	4	7	12	16	32
B. *Operated*	16195	7.7	59	2	2	6	9	15	21	44
1. SINGLE DX	21244	4.4	11	1	1	4	6	8	10	16
2. MULTIPLE DX	20310	7.3	55	1	2	5	9	14	19	41
A. NOT OPERATED	6729	4.9	28	1	1	4	6	10	13	26
B. OPERATED	34825	6.0	36	1	2	4	7	11	15	32
TOTAL 0-19 YRS	6442	3.8	18	1	1	3	4	7	10	24
20-34	10872	4.9	27	1	1	4	6	9	12	26
35-49	8013	5.4	26	1	2	4	6	10	13	25
50-64	8246	6.4	31	2	2	5	8	11	15	31
65+	7981	8.5	59	2	3	7	10	16	21	46
GRAND TOTAL	41554	5.8	35	1	2	4	7	11	15	31

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	1.8	2	<1	1	1	2	3	4	8
20-34	111	2.1	3	<1	<1	2	3	4	5	9
35-49	55	2.4	3	<1	1	2	3	5	6	10
50-64	22	2.5	4	<1	1	2	3	6	7	9
65+	49	3.4	11	1	1	3	4	7	8	18
B. *Operated*										
0-19 YRS	194	2.3	2	1	1	2	3	4	5	7
20-34	181	2.8	4	1	1	3	3	4	5	10
35-49	68	3.2	3	1	1	3	4	5	6	8
50-64	33	3.0	3	1	1	3	4	5	6	7
65+	8	3.4	4	<1	<1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	387	2.8	6	<1	1	2	3	6	8	13
20-34	618	3.4	13	1	1	2	4	7	9	15
35-49	326	4.1	21	1	1	3	5	8	9	20
50-64	337	5.3	25	1	1	4	7	12	15	24
65+	688	8.4	64	1	2	7	10	17	23	40
B. *Operated*										
0-19 YRS	167	5.5	45	1	1	3	6	12	19	40
20-34	304	5.5	41	1	1	4	7	12	17	36
35-49	135	5.5	31	1	1	4	6	11	14	34
50-64	102	7.7	72	1	1	5	11	18	21	44
65+	133	10.6	87	2	2	8	14	22	31	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	2.2	4	<1	1	2	3	4	6	10
B. *Operated*	484	2.7	3	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	2356	5.1	34	1	1	3	6	11	15	27
B. *Operated*	841	6.6	54	1	1	4	8	14	20	41
1. SINGLE DX	842	2.5	3	<1	1	2	3	4	6	9
2. MULTIPLE DX	3197	5.5	40	1	1	4	7	12	17	32
A. NOT OPERATED	2714	4.7	31	1	1	3	6	10	14	26
B. OPERATED	1325	5.2	39	1	1	3	6	11	17	33
TOTAL 0-19 YRS	869	3.1	13	1	1	2	3	6	9	19
20-34	1214	3.7	19	1	1	3	4	7	10	20
35-49	584	4.1	20	1	1	3	5	8	10	19
50-64	494	5.5	34	1	1	4	7	12	16	23
65+	878	8.4	66	1	2	6	10	17	23	40
GRAND TOTAL	**4039**	**4.9**	**34**	**1**	**1**	**3**	**6**	**11**	**15**	**29**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43	2.6	4	1	1	2	3	4	7	12
20-34	13	2.2	2	<1	<1	2	3	4	5	5
35-49	9	6.2	19	<1	1	5	8	14	14	14
50-64	2	6.0	8	4	4	6	8	8	8	8
65+	5	12.0	41	5	5	12	16	21	21	21
B. *Operated*										
0-19 YRS	19	7.1	42	1	1	6	10	13	22	29
20-34	12	8.3	21	3	3	8	12	14	17	17
35-49	13	4.8	17	1	1	3	7	12	13	13
50-64	6	15.5	49	7	8	13	20	26	27	27
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	48	7.9	309	1	1	3	8	15	83	99+
20-34	26	8.0	81	1	1	5	9	28	31	32
35-49	16	6.1	28	1	1	4	8	12	18	21
50-64	22	9.6	84	1	2	6	14	27	29	30
65+	28	13.4	209	2	3	9	15	27	49	69
B. *Operated*										
0-19 YRS	40	15.2	232	2	3	12	26	37	89	99+
20-34	79	19.7	380	3	4	14	26	68	99+	99+
35-49	39	26.4	472	3	4	21	43	53	66	95
50-64	23	28.0	741	2	3	20	40	90	96	99+
65+	26	19.5	142	2	4	18	33	38	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	3.7	15	1	1	2	4	8	13	20
B. *Operated*	50	7.8	39	1	2	6	12	13	20	29
2. MULTIPLE DX										
A. *Not Operated*	140	9.1	181	1	1	5	10	21	31	95
B. *Operated*	207	21.0	390	2	4	15	29	62	95	99+
1. SINGLE DX	122	5.4	28	1	1	3	7	13	14	28
2. MULTIPLE DX	347	16.2	339	1	2	11	22	46	80	99+
A. NOT OPERATED	212	7.3	131	1	1	4	8	15	28	87
B. OPERATED	257	18.4	348	2	3	13	26	49	89	99+
TOTAL 0-19 YRS	150	8.2	187	1	1	4	10	23	34	99+
20-34	130	14.6	291	1	2	10	19	36	85	99+
35-49	77	16.2	355	1	2	8	22	47	53	88
50-64	53	18.1	432	2	2	13	24	47	87	99+
65+	59	16.0	172	2	3	13	20	36	45	97
GRAND TOTAL	**469**	**13.4**	**280**	**1**	**1**	**8**	**17**	**35**	**63**	**99+**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.0	2	<1	1	2	3	4	5	5
20-34	55	1.9	11	<1	<1	1	2	3	4	24
35-49	17	1.7	1	<1	<1	1	2	3	4	4
50-64	13	2.2	4	<1	<1	1	2	6	7	7
65+	33	4.0	21	<1	<1	2	5	10	16	20
B. *Operated*										
0-19 YRS	416	2.4	2	<1	1	2	3	4	5	7
20-34	1681	2.5	2	1	1	2	3	4	5	7
35-49	525	2.5	2	<1	1	2	3	4	5	8
50-64	201	2.3	4	<1	1	2	3	4	5	9
65+	216	2.3	5	1	1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	2.7	2	<1	1	2	3	4	5	6
20-34	125	3.6	35	<1	<1	2	4	7	11	27
35-49	62	3.0	5	1	1	2	4	7	8	9
50-64	46	4.4	10	1	1	4	7	9	11	11
65+	129	6.9	74	1	1	4	8	15	22	47
B. *Operated*										
0-19 YRS	102	3.2	7	1	1	2	4	5	7	15
20-34	420	3.7	11	1	1	3	4	7	9	17
35-49	238	3.8	14	1	1	3	5	7	9	17
50-64	196	4.4	20	1	1	3	6	9	14	24
65+	451	5.3	37	1	1	3	6	12	18	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	2.4	11	<1	<1	1	3	5	7	21
B. *Operated*	3039	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	386	4.6	41	<1	1	3	5	10	14	32
B. *Operated*	1407	4.3	21	1	1	3	5	9	13	26
1. SINGLE DX	3175	2.5	3	<1	1	2	3	4	5	7
2. MULTIPLE DX	1793	4.4	25	1	1	3	5	9	13	26
A. NOT OPERATED	522	4.1	34	<1	1	2	5	8	12	26
B. OPERATED	4446	3.0	9	1	1	2	4	5	7	17
TOTAL 0-19 YRS	560	2.5	3	<1	1	2	3	4	5	8
20-34	2281	2.8	6	1	1	2	3	5	6	11
35-49	842	2.9	6	<1	1	2	4	5	7	12
50-64	456	3.4	12	<1	1	2	4	7	10	17
65+	829	4.7	36	1	1	3	6	11	17	29
GRAND TOTAL	**4968**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**17**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	68	2.0	2	<1	<1	2	2	4	4	8
20-34	82	3.2	13	<1	1	2	4	7	9	22
35-49	36	2.7	3	<1	<1	2	4	6	6	6
50-64	14	3.1	5	1	1	3	4	7	8	8
65+	10	3.3	5	1	1	2	5	7	8	8
B. *Operated*										
0-19 YRS	2389	2.3	3	<1	1	2	3	4	5	8
20-34	5122	2.4	3	<1	<1	2	3	4	6	8
35-49	2743	2.4	3	<1	<1	2	3	4	6	9
50-64	1362	2.6	4	<1	1	2	3	5	6	9
65+	340	3.2	16	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	2.7	33	<1	<1	1	3	5	7	84
20-34	119	2.5	11	<1	<1	1	2	6	8	20
35-49	90	2.5	5	<1	<1	1	4	6	7	9
50-64	71	3.5	12	<1	<1	2	5	9	12	15
65+	84	6.1	22	1	1	5	8	15	16	19
B. *Operated*										
0-19 YRS	1791	2.9	6	<1	1	2	4	5	6	11
20-34	4268	2.9	9	<1	1	2	4	6	7	13
35-49	2758	3.0	8	<1	1	2	4	6	8	15
50-64	2486	3.2	9	<1	1	2	4	6	9	16
65+	1195	4.2	20	1	1	3	5	9	12	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	210	2.7	7	<1	1	2	3	6	7	13
B. *Operated*	11956	2.4	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	447	3.4	18	<1	<1	2	4	8	11	18
B. *Operated*	12498	3.1	9	<1	1	2	4	6	8	15
1. SINGLE DX	12166	2.4	4	<1	<1	2	3	5	6	9
2. MULTIPLE DX	12945	3.1	10	<1	1	2	4	6	8	16
A. NOT OPERATED	657	3.2	15	<1	<1	2	4	7	9	18
B. OPERATED	24454	2.8	7	<1	1	2	3	5	7	13
TOTAL 0-19 YRS	4331	2.6	5	<1	1	2	3	5	6	9
20-34	9591	2.7	6	<1	<1	2	3	5	6	11
35-49	5627	2.7	6	<1	<1	2	3	5	7	12
50-64	3933	2.9	7	<1	1	2	3	6	8	15
65+	1629	4.1	19	1	1	3	5	8	12	20
GRAND TOTAL	**25111**	**2.8**	**7**	**<1**	**1**	**2**	**3**	**5**	**7**	**13**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	134	3.5	16	<1	1	2	4	7	12	22
20-34	173	4.9	14	1	1	4	7	11	13	17
35-49	125	5.4	13	1	1	5	7	10	12	16
50-64	59	5.9	37	1	1	4	8	11	22	29
65+	36	4.9	44	<1	1	2	6	11	20	33
B. *Operated*										
0-19 YRS	764	2.8	13	<1	1	2	3	6	9	20
20-34	912	3.7	18	<1	1	2	4	9	12	22
35-49	457	3.8	14	<1	1	3	5	8	12	19
50-64	254	4.1	30	1	1	2	4	9	17	25
65+	163	4.8	36	<1	1	3	6	11	16	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	147	4.9	34	<1	1	3	6	11	17	28
20-34	437	6.8	36	1	2	5	8	11	15	31
35-49	380	7.5	44	1	2	7	9	13	17	26
50-64	229	7.4	37	1	2	6	10	13	16	27
65+	244	7.6	53	1	2	6	10	16	21	41
B. *Operated*										
0-19 YRS	512	7.4	89	1	1	4	9	16	24	52
20-34	900	7.3	76	1	1	4	9	16	22	49
35-49	522	7.7	104	1	1	4	9	19	26	59
50-64	471	10.2	192	1	1	5	12	23	40	72
65+	443	10.3	159	1	1	5	14	27	40	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	527	4.8	19	1	1	4	6	10	13	23
B. *Operated*	2550	3.6	18	<1	1	2	4	8	12	23
2. MULTIPLE DX										
A. *Not Operated*	1437	7.0	41	1	2	6	9	13	17	30
B. *Operated*	2848	8.3	117	1	1	4	10	20	30	62
1. SINGLE DX	3077	3.8	19	<1	1	2	4	8	12	23
2. MULTIPLE DX	4285	7.9	92	1	1	5	9	17	24	57
A. NOT OPERATED	1964	6.4	36	1	1	5	8	12	16	28
B. OPERATED	5398	6.1	76	1	1	3	7	14	22	48
TOTAL 0-19 YRS	1557	4.5	44	<1	1	2	5	11	16	34
20-34	2422	5.7	45	1	1	4	7	12	17	34
35-49	1484	6.3	56	1	1	4	8	13	18	37
50-64	1013	7.8	113	1	1	4	9	16	25	61
65+	886	8.3	107	1	1	5	10	21	30	67
GRAND TOTAL	**7362**	**6.2**	**66**	**1**	**1**	**4**	**7**	**13**	**20**	**43**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	2.0	2	<1	<1	2	3	4	5	8
20-34	184	2.6	5	<1	<1	2	3	5	7	12
35-49	109	2.9	5	<1	1	2	4	6	6	12
50-64	86	3.1	6	1	1	2	4	7	8	12
65+	78	4.4	11	1	1	3	6	9	10	18
B. *Operated*										
0-19 YRS	1410	2.9	3	<1	1	3	4	5	6	8
20-34	2075	3.2	4	<1	1	3	4	6	7	9
35-49	642	3.4	5	<1	1	3	5	6	7	12
50-64	191	4.1	6	1	1	4	5	7	9	12
65+	80	5.5	18	1	2	4	7	10	13	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	128	2.6	3	1	1	2	4	5	6	8
20-34	234	3.6	9	1	1	3	5	7	8	14
35-49	152	4.3	10	1	1	3	6	9	11	13
50-64	242	4.9	15	1	1	4	6	10	13	18
65+	542	6.9	39	2	2	5	9	13	17	27
B. *Operated*										
0-19 YRS	1568	3.7	6	1	1	3	5	6	7	14
20-34	2932	4.1	7	1	1	4	5	7	8	13
35-49	1079	4.5	14	1	1	4	6	8	10	20
50-64	384	6.2	35	1	2	5	8	11	14	34
65+	239	8.3	38	2	2	7	11	16	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	590	2.8	5	<1	1	2	4	6	7	12
B. *Operated*	4398	3.2	5	<1	1	3	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*	1298	5.2	25	1	1	4	7	10	14	21
B. *Operated*	6202	4.4	12	1	1	4	5	7	9	19
1. SINGLE DX	4988	3.2	5	<1	1	3	4	6	7	10
2. MULTIPLE DX	7500	4.5	14	1	1	4	6	8	10	19
A. NOT OPERATED	1888	4.5	20	1	1	3	6	9	12	19
B. OPERATED	10600	3.9	9	1	1	3	5	7	8	15
TOTAL 0-19 YRS	3239	3.3	5	<1	1	3	4	6	7	10
20-34	5425	3.7	6	<1	1	3	5	6	8	11
35-49	1982	4.0	10	1	1	3	5	7	9	17
50-64	903	5.1	22	1	1	4	6	9	12	28
65+	939	6.9	36	2	2	5	9	14	18	27
GRAND TOTAL	**12488**	**4.0**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	361	4.3	9	1	1	3	6	8	11	13
20-34	3494	5.4	11	1	2	5	7	10	11	16
35-49	3450	6.0	12	2	2	5	8	10	13	18
50-64	1371	6.1	13	2	2	5	8	11	13	18
65+	394	5.7	12	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	26	5.5	18	1	1	4	6	11	16	18
20-34	578	5.6	21	1	1	4	8	12	14	21
35-49	513	6.5	25	1	2	5	9	13	16	22
50-64	126	7.0	29	1	2	6	10	14	19	23
65+	12	8.7	41	1	2	6	11	17	24	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	371	4.8	10	1	1	4	7	9	11	14
20-34	3594	6.3	17	2	2	5	8	11	13	22
35-49	4848	6.9	18	2	3	6	9	12	15	21
50-64	3663	7.0	20	2	3	6	9	12	15	23
65+	3213	7.4	27	2	3	6	9	13	17	27
B. *Operated*										
0-19 YRS	30	8.4	56	1	2	6	9	20	21	35
20-34	590	8.8	37	2	2	8	11	16	20	30
35-49	788	9.5	39	2	2	8	13	18	22	29
50-64	426	10.1	50	2	3	9	13	19	23	36
65+	221	11.7	61	3	4	10	15	20	24	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9070	5.7	12	2	2	5	7	10	12	17
B. *Operated*	1255	6.1	24	1	1	5	9	13	16	23
2. MULTIPLE DX										
A. *Not Operated*	15689	6.8	20	2	3	6	9	12	15	23
B. *Operated*	2055	9.6	44	2	3	9	13	18	22	32
1. SINGLE DX	10325	5.8	13	1	2	5	7	10	13	18
2. MULTIPLE DX	17744	7.1	24	2	3	6	9	13	16	25
A. NOT OPERATED	24759	6.4	17	2	2	6	8	11	14	21
B. OPERATED	3310	8.3	39	1	2	7	11	16	20	28
TOTAL 0-19 YRS	788	4.7	12	1	1	4	6	9	11	17
20-34	8256	6.1	17	1	2	5	8	11	13	21
35-49	9599	6.7	19	2	2	6	9	12	15	22
50-64	5586	7.0	21	2	3	6	9	12	15	24
65+	3840	7.4	29	2	3	6	9	14	17	27
GRAND TOTAL	**28069**	**6.6**	**20**	**2**	**2**	**6**	**8**	**12**	**15**	**23**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	727	2.8	6	<1	1	2	3	6	7	13
20-34	2886	4.9	12	1	1	4	7	9	11	17
35-49	2338	5.6	13	1	2	5	7	10	12	17
50-64	889	5.6	13	1	2	5	7	10	12	17
65+	257	4.8	16	1	1	4	6	9	11	20
B. *Operated*										
0-19 YRS	34	5.2	17	1	1	4	8	11	15	16
20-34	694	4.5	15	1	1	3	6	10	12	18
35-49	528	5.2	20	1	1	4	7	12	14	21
50-64	120	5.1	21	1	1	3	7	11	13	22
65+	11	4.5	13	1	1	5	5	9	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1069	4.1	12	1	1	3	6	8	10	17
20-34	5977	5.9	16	1	2	5	8	11	13	19
35-49	5541	6.4	17	2	2	6	8	11	14	21
50-64	3282	6.3	16	2	2	6	8	11	14	20
65+	2517	6.3	20	2	2	5	8	11	14	22
B. *Operated*										
0-19 YRS	77	4.9	18	1	1	4	7	11	14	19
20-34	871	7.1	35	1	2	6	10	14	18	27
35-49	990	7.9	40	1	2	6	11	16	20	29
50-64	411	8.3	37	2	2	7	11	16	19	30
65+	188	10.8	85	2	2	9	13	21	29	65
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7097	5.0	12	1	1	4	7	9	12	17
B. *Operated*	1387	4.8	17	1	1	3	6	11	14	21
2. MULTIPLE DX										
A. *Not Operated*	18386	6.1	17	1	2	5	8	11	14	20
B. *Operated*	2537	7.8	42	1	2	6	11	16	20	30
1. SINGLE DX	8484	4.9	13	1	1	4	7	9	12	17
2. MULTIPLE DX	20923	6.3	20	1	2	5	8	12	14	22
A. NOT OPERATED	25483	5.8	16	1	2	5	7	11	13	19
B. OPERATED	3924	6.8	35	1	2	5	9	14	18	27
TOTAL 0-19 YRS	1907	3.7	10	1	1	3	5	7	10	15
20-34	10428	5.6	17	1	2	5	7	10	13	20
35-49	9397	6.3	19	1	2	5	8	12	15	21
50-64	4702	6.3	18	1	2	6	8	12	14	21
65+	2973	6.4	26	1	2	5	8	12	15	25
GRAND TOTAL	**29407**	**5.9**	**19**	**1**	**2**	**5**	**8**	**11**	**14**	**21**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	280	2.6	5	<1	1	2	3	5	7	12
20-34	371	2.7	5	<1	1	2	3	5	7	12
35-49	262	3.2	5	1	1	2	4	6	8	10
50-64	159	3.5	7	1	1	3	5	7	10	13
65+	152	4.7	16	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	574	2.3	3	<1	1	2	3	4	5	7
20-34	1927	2.6	2	<1	1	2	3	4	5	7
35-49	1688	3.0	3	1	1	3	4	5	6	9
50-64	1659	3.7	4	1	2	3	5	6	7	10
65+	570	4.4	6	2	2	4	5	7	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	263	2.9	8	<1	1	2	3	5	8	19
20-34	559	3.5	8	<1	1	3	4	7	9	15
35-49	490	4.4	18	1	1	3	5	9	12	25
50-64	604	4.8	14	1	1	4	6	9	12	18
65+	1165	6.5	28	1	2	5	9	13	16	30
B. *Operated*										
0-19 YRS	289	2.7	4	<1	1	2	3	5	6	10
20-34	624	3.4	11	1	1	3	4	6	7	21
35-49	742	4.2	13	1	1	3	5	7	10	17
50-64	1312	5.0	15	2	2	4	6	9	11	22
65+	851	6.3	27	2	2	5	7	11	14	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1224	3.1	7	1	1	2	4	6	9	12
B. *Operated*	6418	3.1	4	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	3081	5.0	20	1	1	4	6	11	13	21
B. *Operated*	3818	4.7	17	1	2	4	5	8	11	21
1. SINGLE DX	7642	3.1	4	1	1	3	4	5	7	10
2. MULTIPLE DX	6899	4.8	18	1	1	4	6	9	12	21
A. NOT OPERATED	4305	4.5	17	1	1	3	6	9	12	20
B. OPERATED	10236	3.7	9	1	1	3	4	6	8	15
TOTAL 0-19 YRS	1406	2.5	4	<1	1	2	3	4	6	10
20-34	3481	2.9	5	<1	1	2	4	5	6	11
35-49	3182	3.5	8	1	1	3	4	6	8	14
50-64	3734	4.3	10	1	2	4	5	8	9	17
65+	2738	5.9	23	1	2	5	7	11	14	24
GRAND TOTAL	**14541**	**3.9**	**12**	**1**	**1**	**3**	**5**	**7**	**10**	**17**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7904	1.4	1	<1	1	1	2	2	3	5
20-34	2314	1.9	2	<1	1	1	2	4	5	8
35-49	680	2.4	4	<1	1	2	3	5	6	9
50-64	315	2.4	5	<1	1	2	3	4	6	12
65+	221	2.8	7	1	1	2	4	6	8	12
B. *Operated*										
0-19 YRS	46	2.5	10	1	1	1	2	9	11	13
20-34	21	3.3	10	<1	1	2	4	9	10	12
35-49	7	3.1	8	1	1	2	5	8	8	8
50-64	7	3.4	8	1	1	3	5	8	9	9
65+	2	46.0	3528	4	4	46	88	88	88	88
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9312	2.0	4	<1	1	1	2	4	5	9
20-34	7722	3.1	8	<1	1	2	4	6	8	15
35-49	3433	3.9	14	1	1	3	5	8	10	19
50-64	2304	4.1	15	1	1	3	5	8	11	18
65+	2924	5.5	38	1	1	4	7	12	16	31
B. *Operated*										
0-19 YRS	2066	3.3	26	<1	1	2	3	6	10	27
20-34	2605	3.9	36	<1	1	2	4	8	12	32
35-49	1034	4.6	31	1	1	3	6	10	14	30
50-64	696	5.7	64	1	1	3	7	13	18	48
65+	940	7.7	106	1	1	5	9	16	25	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11434	1.6	2	<1	1	1	2	3	4	7
B. *Operated*	83	3.9	97	1	1	2	3	9	11	63
2. MULTIPLE DX										
A. *Not Operated*	25695	3.2	13	1	1	2	4	7	9	17
B. *Operated*	7341	4.5	46	1	1	2	5	9	14	39
1. SINGLE DX	11517	1.6	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	33036	3.5	20	1	1	2	4	7	10	22
A. NOT OPERATED	37129	2.7	10	<1	1	2	3	6	8	15
B. OPERATED	7424	4.5	46	1	1	2	5	9	14	39
TOTAL 0-19 YRS	19328	1.9	5	<1	1	1	2	3	5	10
20-34	12662	3.0	13	<1	1	2	4	6	8	17
35-49	5154	3.8	17	1	1	3	5	8	11	21
50-64	3322	4.3	25	1	1	3	5	9	12	25
65+	4087	5.9	55	1	1	4	7	12	17	43
GRAND TOTAL	**44553**	**3.0**	**16**	**1**	**1**	**2**	**3**	**6**	**9**	**19**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3084	1.6	3	<1	1	1	2	3	4	9
20-34	841	3.1	29	<1	<1	2	3	6	10	26
35-49	297	2.6	6	<1	1	2	3	5	8	14
50-64	112	4.4	36	<1	1	2	5	9	17	34
65+	141	5.6	106	<1	1	3	6	12	18	70
B. *Operated*										
0-19 YRS	162	9.6	133	1	2	6	12	20	30	55
20-34	131	9.9	132	1	2	7	12	19	30	99+
35-49	72	10.0	77	1	3	8	12	19	27	54
50-64	90	9.8	106	2	3	7	11	17	23	66
65+	149	11.8	66	3	4	10	15	23	29	46
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4351	2.9	27	<1	1	2	3	6	8	28
20-34	3027	4.7	43	<1	1	3	6	9	14	37
35-49	1315	4.9	40	<1	1	3	6	10	14	37
50-64	987	6.0	58	1	1	4	7	13	18	39
65+	1842	7.9	83	1	1	5	10	17	24	58
B. *Operated*										
0-19 YRS	1073	12.0	298	1	1	5	16	42	67	99+
20-34	1463	14.1	377	1	1	6	21	56	89	99+
35-49	603	15.5	364	1	1	8	23	55	87	99+
50-64	506	15.4	317	1	1	10	22	45	76	99+
65+	1184	17.4	262	1	2	13	24	40	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4475	2.2	13	<1	1	1	2	4	6	16
B. *Operated*	604	10.3	105	1	2	8	12	20	29	77
2. MULTIPLE DX										
A. *Not Operated*	11522	4.7	47	1	1	2	5	10	16	38
B. *Operated*	4829	14.7	327	1	1	8	21	47	75	99+
1. SINGLE DX	5079	3.1	31	<1	1	1	3	7	11	27
2. MULTIPLE DX	16351	7.6	151	1	1	3	8	20	36	99+
A. NOT OPERATED	15997	4.0	39	<1	1	2	4	9	13	33
B. OPERATED	5433	14.2	304	1	1	8	20	43	69	99+
TOTAL 0-19 YRS	8670	3.7	65	<1	1	1	3	7	14	54
20-34	5462	7.1	151	<1	1	3	7	18	35	99+
35-49	2287	7.6	146	1	1	3	8	19	37	99+
50-64	1695	8.9	155	1	1	5	10	22	36	96
65+	3316	11.4	168	1	1	7	14	27	40	83
GRAND TOTAL	**21430**	**6.6**	**126**	**1**	**1**	**2**	**7**	**17**	**30**	**88**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	117	2.7	3	1	1	2	4	5	6	9
20-34	171	3.1	5	<1	1	2	4	6	8	10
35-49	78	2.6	6	<1	1	2	3	5	8	14
50-64	48	3.2	6	1	1	2	4	8	9	10
65+	23	3.7	5	<1	1	3	5	7	8	8
B. *Operated*										
0-19 YRS	154	5.2	10	2	2	4	6	9	11	18
20-34	378	5.1	10	2	2	4	6	9	11	15
35-49	92	5.4	10	2	2	5	7	10	11	17
50-64	62	7.0	55	2	3	5	8	12	14	52
65+	21	5.5	14	1	2	4	7	11	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	295	3.8	11	1	1	3	5	8	10	12
20-34	564	4.0	10	1	1	3	5	7	10	15
35-49	350	4.7	13	1	1	4	6	8	10	19
50-64	351	5.9	26	1	2	5	7	12	14	27
65+	459	7.8	32	2	2	7	10	15	18	28
B. *Operated*										
0-19 YRS	429	9.4	98	2	3	7	10	17	25	60
20-34	1377	9.0	78	2	3	7	10	17	25	50
35-49	648	9.7	90	3	3	7	11	18	25	59
50-64	484	12.2	159	3	4	8	14	23	36	71
65+	548	14.2	161	4	5	10	17	28	45	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	437	2.9	5	1	1	2	4	6	8	10
B. *Operated*	707	5.3	14	2	2	4	7	10	11	17
2. MULTIPLE DX										
A. *Not Operated*	2019	5.3	20	1	1	4	7	10	13	23
B. *Operated*	3486	10.5	110	2	3	7	12	20	29	64
1. SINGLE DX	1144	4.4	12	1	1	4	6	8	10	15
2. MULTIPLE DX	5505	8.6	84	2	2	6	10	16	24	54
A. NOT OPERATED	2456	4.9	18	1	1	4	6	10	12	20
B. OPERATED	4193	9.6	98	2	3	7	11	18	27	60
TOTAL 0-19 YRS	995	6.3	55	1	2	4	7	11	16	39
20-34	2490	6.9	53	1	2	5	8	13	17	42
35-49	1168	7.4	62	1	2	5	9	14	20	45
50-64	945	9.1	105	2	2	6	10	17	25	63
65+	1051	11.0	110	2	3	8	13	22	30	67
GRAND TOTAL	**6649**	**7.8**	**74**	**1**	**2**	**6**	**9**	**15**	**22**	**50**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	902	3.3	8	1	1	2	4	7	9	13
20-34	467	3.2	6	1	1	2	4	6	8	13
35-49	118	3.6	6	1	1	3	5	7	10	11
50-64	67	3.3	5	1	1	3	4	7	8	12
65+	24	2.5	3	1	1	2	3	5	6	7
B. *Operated*										
0-19 YRS	420	6.5	14	2	3	6	8	10	13	19
20-34	517	6.6	16	2	3	6	8	9	11	19
35-49	164	7.0	16	2	3	6	8	12	15	23
50-64	60	7.0	14	1	2	6	9	13	14	16
65+	20	7.7	11	3	3	7	9	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1172	3.8	13	1	1	3	5	8	10	17
20-34	1074	3.9	15	1	1	3	5	8	10	18
35-49	462	4.4	15	1	1	3	6	9	11	21
50-64	294	4.8	14	1	1	4	6	9	12	16
65+	367	5.9	23	1	2	4	8	12	16	23
B. *Operated*										
0-19 YRS	1307	11.3	112	3	4	8	12	22	32	61
20-34	2545	12.3	141	3	5	9	13	25	38	76
35-49	959	13.8	160	4	5	10	16	30	44	92
50-64	505	15.1	193	3	5	11	17	32	47	90
65+	413	16.4	197	3	4	12	21	35	46	92
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1578	3.3	7	1	1	2	4	7	9	13
B. *Operated*	1181	6.7	15	2	3	6	8	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	3369	4.2	16	1	1	3	5	9	11	19
B. *Operated*	5729	12.9	148	3	5	9	14	27	39	77
1. SINGLE DX	2759	4.7	14	1	1	4	7	9	11	16
2. MULTIPLE DX	9098	9.7	116	1	2	7	11	20	31	66
A. NOT OPERATED	4947	3.9	13	1	1	3	5	8	10	17
B. OPERATED	6910	11.8	131	3	4	8	13	24	35	74
TOTAL 0-19 YRS	3801	6.6	58	1	1	5	8	13	19	39
20-34	4603	8.8	100	1	2	6	10	17	27	60
35-49	1703	9.9	117	1	2	7	11	21	32	71
50-64	926	10.4	137	1	2	7	12	22	36	74
65+	824	11.1	138	1	2	8	14	24	35	75
GRAND TOTAL	**11857**	**8.5**	**97**	**1**	**1**	**6**	**10**	**17**	**27**	**59**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	65	2.4	4	<1	<1	1	3	5	6	10
20-34	40	2.7	3	<1	1	2	4	5	6	6
35-49	13	2.5	4	<1	<1	2	4	6	6	6
50-64	8	2.5	1	1	1	2	3	4	4	4
65+	4	6.5	23	2	2	6	10	12	12	12
B. *Operated*										
0-19 YRS	742	2.5	3	<1	1	2	3	5	6	8
20-34	474	2.8	5	1	1	2	4	5	7	11
35-49	181	2.6	3	1	1	2	3	5	6	8
50-64	95	2.9	6	1	1	2	4	5	7	15
65+	67	2.8	5	1	1	2	4	6	7	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	116	2.8	3	<1	1	2	4	5	6	8
20-34	79	3.1	18	<1	1	2	3	6	9	28
35-49	40	3.8	7	1	1	3	5	7	9	13
50-64	21	4.7	19	1	1	4	5	11	15	19
65+	21	3.8	6	1	1	3	4	8	9	10
B. *Operated*										
0-19 YRS	811	3.5	11	1	1	3	5	7	9	14
20-34	854	3.9	11	1	1	3	5	7	10	17
35-49	382	4.1	16	1	1	3	5	8	10	18
50-64	211	4.3	15	1	1	3	5	9	11	16
65+	233	5.5	34	1	1	4	7	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	130	2.6	4	<1	<1	2	4	5	6	10
B. *Operated*	1559	2.6	4	<1	1	2	4	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	277	3.3	9	<1	1	3	4	6	8	13
B. *Operated*	2491	4.0	14	1	1	3	5	8	10	18
1. SINGLE DX	1689	2.6	4	<1	1	2	4	5	6	10
2. MULTIPLE DX	2768	3.9	14	1	1	3	5	7	10	17
A. NOT OPERATED	407	3.1	8	<1	1	2	4	6	7	12
B. OPERATED	4050	3.5	11	1	1	3	4	7	9	15
TOTAL 0-19 YRS	1734	3.0	7	<1	1	2	4	6	7	12
20-34	1447	3.5	9	1	1	3	5	6	9	16
35-49	616	3.6	12	1	1	3	5	7	9	14
50-64	335	3.9	13	1	1	3	5	8	11	18
65+	325	4.8	28	1	1	3	6	9	14	24
GRAND TOTAL	**4457**	**3.4**	**11**	**1**	**1**	**3**	**4**	**7**	**9**	**15**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	339	2.0	2	<1	1	1	3	4	5	7
20-34	242	2.1	3	<1	<1	2	3	4	5	8
35-49	85	2.3	3	<1	<1	2	3	4	6	7
50-64	40	2.2	9	<1	<1	1	2	4	5	19
65+	41	2.5	5	1	1	1	3	6	7	10
B. *Operated*										
0-19 YRS	1268	1.8	2	<1	<1	1	2	3	5	8
20-34	656	2.5	11	<1	<1	2	3	4	6	13
35-49	216	2.7	9	<1	<1	2	3	5	8	17
50-64	100	2.8	13	<1	1	2	3	6	8	22
65+	73	2.4	4	<1	1	1	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	817	2.7	13	<1	1	2	3	5	7	12
20-34	1035	2.9	11	<1	1	2	3	6	8	16
35-49	525	3.0	7	<1	1	2	4	6	9	13
50-64	372	3.8	15	<1	1	3	5	8	10	21
65+	715	5.4	38	1	1	4	7	11	15	26
B. *Operated*										
0-19 YRS	2431	2.8	18	<1	1	2	3	6	8	20
20-34	2959	3.5	21	<1	1	2	4	7	10	24
35-49	1293	4.4	32	1	1	3	5	9	14	28
50-64	815	5.3	68	1	1	3	6	10	15	51
65+	1319	5.8	60	1	1	4	7	12	18	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	747	2.1	3	<1	<1	1	3	4	5	8
B. *Operated*	2313	2.1	6	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	3464	3.5	18	<1	1	2	4	7	10	20
B. *Operated*	8817	4.0	33	<1	1	2	4	8	12	29
1. SINGLE DX	3060	2.1	5	<1	<1	1	2	4	6	10
2. MULTIPLE DX	12281	3.8	29	<1	1	2	4	8	11	26
A. NOT OPERATED	4211	3.2	16	<1	1	2	4	7	9	18
B. OPERATED	11130	3.6	28	<1	1	2	4	7	11	26
TOTAL 0-19 YRS	4855	2.5	12	<1	1	2	3	5	7	15
20-34	4892	3.2	17	<1	1	2	4	6	9	20
35-49	2119	3.8	23	<1	1	2	4	8	11	22
50-64	1327	4.6	48	1	1	3	5	9	13	40
65+	2148	5.5	50	1	1	4	7	11	16	37
GRAND TOTAL	**15341**	**3.5**	**24**	**<1**	**1**	**2**	**4**	**7**	**10**	**24**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	442	1.9	3	<1	<1	2	2	3	4	7
20-34	857	2.0	2	<1	1	2	2	4	5	8
35-49	268	2.0	2	<1	1	2	2	4	5	8
50-64	76	2.3	5	<1	1	2	3	4	6	15
65+	16	2.1	2	<1	<1	2	3	4	5	6
B. *Operated*										
0-19 YRS	618	2.5	6	<1	1	2	3	5	7	13
20-34	820	3.5	16	<1	1	3	5	7	8	13
35-49	239	3.7	22	<1	1	2	5	8	9	21
50-64	66	3.2	20	1	1	2	4	6	9	30
65+	29	3.3	7	1	1	2	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	306	2.6	5	<1	1	2	3	5	7	11
20-34	730	3.1	14	<1	1	2	4	6	8	22
35-49	288	3.8	19	1	1	2	5	8	10	27
50-64	118	4.4	23	1	1	3	6	9	10	23
65+	97	6.5	44	1	1	5	9	12	18	74
B. *Operated*										
0-19 YRS	660	5.5	50	1	1	4	7	10	14	41
20-34	1583	7.1	62	1	1	5	9	14	21	43
35-49	527	7.7	69	1	1	5	9	16	23	43
50-64	222	8.6	82	1	1	7	11	17	21	50
65+	129	8.2	76	1	1	6	11	18	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1659	2.0	3	<1	1	2	2	4	4	8
B. *Operated*	1772	3.1	14	<1	1	2	4	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	1539	3.4	17	<1	1	2	4	7	9	22
B. *Operated*	3121	7.0	63	1	1	5	9	14	20	42
1. SINGLE DX	3431	2.6	9	<1	1	2	3	5	7	11
2. MULTIPLE DX	4660	5.8	51	1	1	4	7	12	17	39
A. NOT OPERATED	3198	2.7	10	<1	1	2	3	5	7	14
B. OPERATED	4893	5.6	49	1	1	4	7	11	16	38
TOTAL 0-19 YRS	2026	3.4	22	<1	1	2	4	7	10	20
20-34	3990	4.5	36	<1	1	3	6	9	13	30
35-49	1322	5.0	41	1	1	3	6	10	15	35
50-64	482	5.8	54	1	1	4	7	13	17	40
65+	271	6.7	56	1	1	5	8	14	20	44
GRAND TOTAL	**8091**	**4.5**	**35**	**<1**	**1**	**3**	**5**	**9**	**13**	**31**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	460	2.7	3	<1	1	2	3	5	6	9
20-34	731	2.8	4	<1	1	2	4	5	6	9
35-49	252	3.3	16	<1	1	3	4	6	7	9
50-64	111	2.7	2	1	1	2	4	5	5	7
65+	54	3.8	7	1	1	3	5	8	9	13
B. *Operated*										
0-19 YRS	2920	2.1	5	<1	<1	1	2	4	6	11
20-34	4718	2.3	7	<1	<1	2	3	4	6	11
35-49	1978	2.4	6	<1	1	2	3	5	6	14
50-64	1021	2.4	9	<1	1	2	3	5	7	14
65+	378	2.4	6	<1	1	2	3	5	7	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	439	3.3	12	<1	1	3	4	6	7	16
20-34	867	3.8	16	<1	1	3	5	7	9	22
35-49	352	4.1	20	<1	1	3	5	8	11	28
50-64	209	5.1	39	1	1	4	6	9	13	44
65+	204	6.3	46	1	2	5	8	11	16	35
B. *Operated*										
0-19 YRS	2538	2.9	17	<1	1	2	3	6	9	19
20-34	4672	3.4	21	<1	1	2	4	7	10	23
35-49	1975	3.7	28	1	1	2	4	8	12	29
50-64	1228	4.0	32	1	1	2	4	8	12	24
65+	730	4.8	39	1	1	3	6	11	16	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1608	2.8	5	<1	1	2	4	5	6	9
B. *Operated*	11015	2.3	6	<1	<1	2	3	4	6	12
2. MULTIPLE DX										
A. *Not Operated*	2071	4.1	22	<1	1	3	5	8	11	26
B. *Operated*	11143	3.5	24	1	1	2	4	7	11	24
1. SINGLE DX	12623	2.4	6	<1	1	2	3	5	6	12
2. MULTIPLE DX	13214	3.6	24	<1	1	2	4	7	11	24
A. NOT OPERATED	3679	3.6	15	<1	1	3	4	7	8	19
B. OPERATED	22158	2.9	16	<1	1	2	3	6	8	19
TOTAL 0-19 YRS	6357	2.6	11	<1	1	2	3	5	7	15
20-34	10988	2.9	14	<1	1	2	3	6	8	19
35-49	4557	3.1	18	<1	1	2	3	6	9	22
50-64	2569	3.4	23	<1	1	2	4	7	9	22
65+	1366	4.3	31	1	1	3	5	9	14	27
GRAND TOTAL	**25837**	**3.0**	**16**	**<1**	**1**	**2**	**3**	**6**	**8**	**19**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	562	2.9	7	<1	1	2	4	6	8	14
20-34	622	2.9	5	<1	1	2	4	6	7	10
35-49	188	3.2	14	<1	1	2	4	6	8	12
50-64	82	3.9	26	<1	<1	2	4	8	13	28
65+	56	5.9	21	1	2	5	7	12	16	23
B. *Operated*										
0-19 YRS	2052	3.7	17	<1	1	2	4	8	11	21
20-34	1664	4.0	21	1	1	3	5	8	11	24
35-49	625	3.6	10	<1	1	3	5	7	10	15
50-64	308	4.5	25	1	1	3	6	9	15	25
65+	174	6.0	41	1	1	4	7	13	18	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	357	4.5	23	1	1	3	5	8	11	25
20-34	456	4.2	14	1	1	3	5	8	11	17
35-49	261	5.3	31	1	1	4	7	9	13	23
50-64	195	6.3	33	1	2	5	8	12	17	42
65+	243	6.7	23	1	2	6	9	14	16	25
B. *Operated*										
0-19 YRS	1121	6.4	73	1	1	4	7	14	21	50
20-34	1464	7.8	103	1	1	4	9	17	27	53
35-49	597	8.2	97	1	1	5	9	19	30	53
50-64	418	9.3	110	1	1	6	12	21	32	63
65+	453	12.1	156	1	2	8	15	27	38	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1510	3.1	9	<1	1	2	4	6	8	14
B. *Operated*	4823	3.9	19	1	1	3	5	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1512	5.1	24	1	1	4	6	10	13	23
B. *Operated*	4053	8.1	103	1	1	5	9	19	28	54
1. SINGLE DX	6333	3.7	17	<1	1	3	4	8	10	21
2. MULTIPLE DX	5565	7.3	83	1	1	4	8	16	25	51
A. NOT OPERATED	3022	4.1	17	1	1	3	5	8	11	21
B. OPERATED	8876	5.8	62	1	1	3	7	13	20	44
TOTAL 0-19 YRS	4092	4.4	33	1	1	3	5	9	13	30
20-34	4206	5.2	50	1	1	3	6	10	16	39
35-49	1671	5.5	49	1	1	3	6	11	16	40
50-64	1003	6.8	67	1	1	4	8	16	22	48
65+	926	9.1	99	1	2	6	11	20	28	62
GRAND TOTAL	**11898**	**5.4**	**51**	**1**	**1**	**3**	**6**	**11**	**17**	**40**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.0	2	<1	<1	2	2	4	6	6
20-34	17	2.6	4	1	1	2	3	6	8	8
35-49	10	2.9	4	<1	<1	2	5	6	6	6
50-64	4	1.8	1	1	1	2	2	3	3	3
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	52	3.4	12	1	1	2	5	7	11	18
20-34	95	5.4	35	1	1	3	6	14	18	31
35-49	41	3.7	9	<1	1	2	5	9	10	12
50-64	22	5.6	50	<1	1	3	7	13	26	28
65+	13	6.0	31	<1	<1	4	9	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.8	28	1	1	3	6	9	20	23
20-34	35	4.3	34	<1	1	3	4	9	20	28
35-49	19	6.5	24	<1	1	5	9	13	17	19
50-64	21	4.4	13	1	1	3	5	10	12	13
65+	30	6.3	21	1	2	5	9	13	14	20
B. *Operated*										
0-19 YRS	193	7.0	91	1	1	4	8	16	25	52
20-34	559	9.1	175	1	1	5	10	22	37	92
35-49	213	8.6	114	1	1	5	10	21	31	49
50-64	89	12.4	269	1	1	6	14	37	58	94
65+	74	14.9	251	1	2	10	19	30	58	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	53	2.3	3	<1	1	2	3	6	6	8
B. *Operated*	223	4.7	27	1	1	3	6	10	16	27
2. MULTIPLE DX										
A. *Not Operated*	140	5.2	25	1	1	4	7	11	15	24
B. *Operated*	1128	9.3	165	1	1	5	11	24	34	79
1. SINGLE DX	276	4.2	23	1	1	2	6	9	14	26
2. MULTIPLE DX	1268	8.8	151	1	1	5	10	21	33	77
A. NOT OPERATED	193	4.4	21	1	1	3	6	10	13	23
B. OPERATED	1351	8.5	145	1	1	5	10	20	32	76
TOTAL 0-19 YRS	300	5.8	67	1	1	3	7	12	21	51
20-34	706	8.2	148	1	1	4	9	18	32	86
35-49	283	7.6	93	1	1	5	9	18	29	41
50-64	136	9.8	199	1	1	4	10	27	45	87
65+	119	11.5	182	1	2	7	14	25	36	72
GRAND TOTAL	**1544**	**8.0**	**131**	**1**	**1**	**4**	**9**	**18**	**29**	**70**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	4.1	21	<1	<1	2	5	12	14	21
20-34	60	4.5	16	<1	1	3	5	10	13	19
35-49	38	3.9	6	1	1	3	5	6	10	12
50-64	26	5.7	23	<1	1	4	10	13	15	17
65+	14	8.6	82	1	3	6	11	15	33	38
B. *Operated*										
0-19 YRS	418	3.6	17	<1	1	2	4	7	11	21
20-34	715	3.5	13	<1	1	2	4	7	9	22
35-49	328	3.7	14	<1	1	2	4	8	10	17
50-64	200	3.6	10	1	1	3	4	8	10	17
65+	65	5.7	40	<1	1	3	8	13	18	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	7.4	113	1	1	3	7	23	44	99+
20-34	174	9.2	192	<1	1	4	10	25	43	87
35-49	131	7.1	55	1	2	5	9	14	18	41
50-64	99	8.0	54	1	2	6	9	18	26	34
65+	156	10.1	121	1	2	6	13	20	25	66
B. *Operated*										
0-19 YRS	327	4.7	53	1	1	3	4	8	14	72
20-34	776	5.5	72	1	1	3	5	10	17	46
35-49	457	5.6	45	1	1	4	5	12	17	40
50-64	337	6.9	58	1	2	4	8	15	26	37
65+	229	10.7	109	1	2	7	14	23	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	4.7	22	<1	1	3	6	11	13	20
B *Operated*	1726	3.6	15	<1	1	2	4	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	653	8.5	116	1	1	5	10	20	29	67
B. *Operated*	2126	6.2	68	1	1	4	6	13	22	44
1. SINGLE DX	1908	3.7	16	<1	1	3	4	8	11	21
2. MULTIPLE DX	2779	6.7	80	1	1	4	7	15	24	53
A. NOT OPERATED	835	7.7	98	1	1	5	9	17	26	56
B. OPERATED	3852	5.0	46	1	1	3	5	10	16	36
TOTAL 0-19 YRS	882	4.4	42	1	1	3	4	9	14	53
20-34	1725	5.0	61	1	1	3	5	9	15	45
35-49	954	5.1	35	1	1	3	6	11	15	32
50-64	662	6.0	44	1	1	4	7	13	18	36
65+	464	9.7	105	1	2	6	13	22	28	56
GRAND TOTAL	**4687**	**5.5**	**56**	**1**	**1**	**3**	**6**	**12**	**18**	**40**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	905	3.9	4	1	1	4	5	6	7	10
20-34	309	3.6	5	1	1	3	5	6	7	11
35-49	95	3.6	3	1	1	4	5	5	6	9
50-64	29	3.2	2	1	1	3	4	5	6	6
65+	18	3.2	3	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	35	6.3	22	1	1	5	10	12	13	21
20-34	17	4.5	15	1	1	3	6	10	14	15
35-49	9	5.4	13	2	2	4	9	11	11	11
50-64	5	2.8	3	1	1	3	4	5	5	5
65+	3	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	575	3.7	5	1	1	3	5	6	8	12
20-34	387	3.3	6	<1	1	3	4	6	7	14
35-49	153	3.8	6	1	1	3	5	7	9	11
50-64	81	4.3	12	1	1	4	5	8	11	21
65+	122	6.1	56	1	1	4	7	11	17	49
B. *Operated*										
0-19 YRS	98	5.0	8	1	2	5	6	9	11	14
20-34	104	4.5	16	1	1	3	6	10	12	19
35-49	58	4.6	14	<1	1	3	6	11	12	16
50-64	32	5.4	12	1	2	5	7	11	11	14
65+	40	7.9	140	1	2	5	8	12	27	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1356	3.8	4	1	1	4	5	6	7	10
B. *Operated*	69	5.3	18	1	1	4	8	11	13	20
2. MULTIPLE DX										
A. *Not Operated*	1318	3.8	11	1	1	3	5	7	8	15
B. *Operated*	332	5.2	29	1	1	4	6	10	12	21
1. SINGLE DX	1425	3.8	5	1	1	4	5	6	8	11
2. MULTIPLE DX	1650	4.1	15	1	1	3	5	7	10	17
A. NOT OPERATED	2674	3.8	8	1	1	3	5	6	8	12
B. OPERATED	401	5.2	27	1	1	4	7	10	12	20
TOTAL 0-19 YRS	1613	3.9	5	1	1	4	5	6	8	12
20-34	817	3.6	7	1	1	3	5	6	8	16
35-49	315	3.9	7	1	1	3	5	7	9	13
50-64	147	4.3	10	1	1	4	5	8	11	15
65+	183	6.1	70	1	1	4	7	10	16	51
GRAND TOTAL	**3075**	**4.0**	**10**	**1**	**1**	**4**	**5**	**7**	**9**	**14**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2319	1.8	2	<1	1	1	2	3	4	7
20-34	1973	2.4	6	<1	1	2	3	5	6	10
35-49	966	2.8	7	1	1	2	4	6	8	12
50-64	521	3.0	5	1	1	2	4	6	7	11
65+	661	4.1	19	1	1	3	5	9	11	15
B. *Operated*										
0-19 YRS	405	2.6	6	<1	<1	2	3	5	7	14
20-34	383	3.3	11	<1	<1	2	4	7	9	17
35-49	177	4.0	14	<1	1	3	5	8	12	20
50-64	135	3.9	8	1	1	3	5	8	9	14
65+	97	5.2	13	1	1	4	7	9	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4471	2.2	4	<1	1	2	3	4	6	10
20-34	5253	2.9	7	<1	1	2	4	6	8	14
35-49	3037	3.8	14	1	1	3	5	8	10	18
50-64	2856	4.7	17	1	1	4	6	10	12	23
65+	8028	6.6	45	1	2	5	8	13	17	36
B. *Operated*										
0-19 YRS	644	3.8	22	1	1	2	5	8	11	22
20-34	897	4.6	39	<1	1	3	5	10	15	24
35-49	484	5.6	27	1	1	4	8	11	16	25
50-64	552	8.5	91	1	2	6	11	17	26	56
65+	950	10.2	91	1	2	8	14	21	29	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6440	2.5	6	<1	1	2	3	5	7	11
B. *Operated*	1197	3.4	10	<1	1	2	4	7	10	16
2. MULTIPLE DX										
A. *Not Operated*	23645	4.4	25	1	1	3	5	9	13	24
B. *Operated*	3527	6.7	63	1	1	4	9	15	21	43
1. SINGLE DX	7637	2.6	7	<1	1	2	3	5	7	12
2. MULTIPLE DX	27172	4.7	30	1	1	3	6	10	14	27
A. NOT OPERATED	30085	4.0	21	1	1	3	5	8	11	22
B. OPERATED	4724	5.9	52	1	1	4	7	13	19	36
TOTAL 0-19 YRS	7839	2.2	5	<1	1	2	3	4	6	11
20-34	8506	3.0	11	<1	1	2	4	6	8	15
35-49	4664	3.8	14	1	1	3	5	8	10	19
50-64	4064	5.0	28	1	1	4	6	10	14	26
65+	9736	6.8	49	1	2	5	8	14	19	39
GRAND TOTAL	**34809**	**4.2**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**24**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	167	2.2	5	1	1	2	2	4	6	12
20-34	174	2.4	4	<1	1	2	3	5	6	10
35-49	61	3.1	5	<1	1	2	4	6	8	11
50-64	39	3.9	35	1	1	3	4	7	10	37
65+	6	2.7	5	1	1	2	3	7	7	7
B. *Operated*										
0-19 YRS	105	4.0	36	<1	1	2	4	9	14	35
20-34	243	4.8	40	1	1	3	6	10	19	41
35-49	105	5.0	40	<1	1	3	5	11	17	36
50-64	76	5.5	50	<1	1	3	7	14	21	35
65+	16	3.6	27	<1	<1	2	3	9	17	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	125	3.1	9	1	1	2	4	6	8	18
20-34	226	3.8	12	1	1	3	5	8	10	18
35-49	78	3.9	9	1	1	3	5	7	10	15
50-64	46	3.9	12	<1	1	3	5	8	13	16
65+	34	6.9	16	1	2	6	10	12	15	16
B. *Operated*										
0-19 YRS	195	7.1	66	1	1	4	9	17	28	39
20-34	503	6.9	79	1	1	4	8	16	23	54
35-49	260	7.0	93	1	1	4	8	16	23	44
50-64	158	10.2	184	1	1	4	14	28	35	61
65+	50	9.9	116	1	1	7	14	21	25	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	447	2.5	7	1	1	2	3	5	7	12
B. *Operated*	545	4.7	40	<1	1	3	5	10	18	39
2. MULTIPLE DX										
A. *Not Operated*	509	3.8	12	1	1	3	5	8	10	17
B. *Operated*	1166	7.5	97	1	1	4	9	18	27	52
1. SINGLE DX	992	3.8	27	1	1	2	4	8	12	30
2. MULTIPLE DX	1675	6.4	74	1	1	3	7	15	22	46
A. NOT OPERATED	956	3.2	10	1	1	2	4	7	9	16
B. OPERATED	1711	6.7	81	1	1	3	8	16	23	47
TOTAL 0-19 YRS	592	4.3	35	1	1	2	5	10	16	33
20-34	1146	5.2	49	1	1	3	6	11	18	41
35-49	504	5.6	60	1	1	3	6	12	19	38
50-64	319	7.4	116	1	1	3	8	20	30	55
65+	106	7.6	70	1	1	5	10	17	21	50
GRAND TOTAL	**2667**	**5.4**	**58**	**1**	**1**	**3**	**6**	**12**	**19**	**41**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	1.2		<1	<1	1	1	2	2	3
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	6	1.7	1	<1	<1	1	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	42	1.6	2	<1	<1	1	1	3	5	7
20-34	15	1.5	1	1	1	1	2	2	4	4
35-49	8	1.3		<1	<1	1	2	2	2	2
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.8	1	<1	<1	1	2	4	4	4
20-34	7	1.9	1	<1	<1	2	2	4	4	4
35-49	6	2.7	3	1	1	2	3	6	6	6
50-64	4	4.5	6	1	1	5	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	12	2.5	4	1	1	2	4	5	7	7
20-34	17	3.0	7	<1	<1	2	4	8	9	9
35-49	6	2.5	2	1	1	2	4	4	4	4
50-64	2	2.0		2	2	2	2	2	2	2
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	46	1.3		<1	<1	1	1	2	3	3
B *Operated*	67	1.7	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*	26	2.5	3	<1	<1	2	4	6	6	6
B. *Operated*	37	2.7	4	<1	1	2	4	6	8	9
1. SINGLE DX	113	1.5	2	<1	<1	1	1	2	4	8
2. MULTIPLE DX	63	2.6	4	<1	1	2	4	6	7	9
A. NOT OPERATED	72	1.7	2	<1	<1	1	2	3	5	6
B. OPERATED	104	2.0	3	<1	<1	1	2	4	6	9
TOTAL 0-19 YRS	99	1.6	2	<1	<1	1	2	3	4	7
20-34	42	2.1	4	<1	<1	1	2	5	7	9
35-49	26	2.0	2	<1	<1	1	3	4	5	6
50-64	7	4.4	8	1	1	5	6	8	9	9
65+	2	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**176**	**1.9**	**3**	**<1**	**<1**	**1**	**2**	**4**	**6**	**9**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2223	1.3	1	<1	<1	1	1	2	3	5
20-34	442	1.6	2	<1	<1	1	2	3	4	7
35-49	369	1.4	1	<1	<1	1	1	2	3	7
50-64	368	1.5	2	<1	<1	1	1	2	3	8
65+	316	1.7	3	<1	1	1	2	3	5	9
B. *Operated*										
0-19 YRS	705	1.8	3	<1	<1	1	2	4	5	9
20-34	98	3.2	10	<1	<1	2	4	8	10	14
35-49	89	2.5	6	<1	<1	1	3	7	8	10
50-64	70	2.7	17	<1	1	1	3	6	8	28
65+	76	2.4	9	<1	1	1	3	5	8	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	650	2.2	4	<1	1	1	3	4	6	10
20-34	238	3.0	13	<1	1	2	3	6	10	18
35-49	291	3.0	9	<1	1	2	4	7	8	15
50-64	450	3.4	22	<1	1	2	4	8	11	24
65+	1019	4.0	20	1	1	3	5	9	12	25
B. *Operated*										
0-19 YRS	289	3.9	26	<1	1	2	5	8	12	22
20-34	148	5.7	57	<1	1	3	7	12	16	38
35-49	178	8.3	152	1	1	4	9	18	29	73
50-64	299	6.0	74	<1	1	3	8	13	17	33
65+	617	6.5	77	1	1	4	8	15	20	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3718	1.4	1	<1	<1	1	1	2	3	7
B. *Operated*	1038	2.1	5	<1	<1	1	2	4	7	11
2. MULTIPLE DX										
A. *Not Operated*	2648	3.2	15	<1	1	2	4	7	10	21
B. *Operated*	1531	6.1	75	1	1	3	7	13	19	40
1. SINGLE DX	4756	1.6	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	4179	4.3	39	<1	1	2	5	10	13	29
A. NOT OPERATED	6366	2.2	8	<1	<1	1	2	4	7	14
B. OPERATED	2569	4.5	51	<1	1	2	5	10	15	32
TOTAL 0-19 YRS	3867	1.7	4	<1	<1	1	2	3	5	10
20-34	926	2.8	16	<1	<1	1	3	6	10	17
35-49	927	3.3	39	<1	<1	1	3	8	10	29
50-64	1187	3.4	31	<1	1	2	3	8	11	25
65+	2028	4.3	37	1	1	2	5	10	14	29
GRAND TOTAL	**8935**	**2.8**	**21**	**<1**	**<1**	**1**	**3**	**6**	**10**	**21**

380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	145	6.5	32	1	1	5	9	15	17	23
20-34	82	6.0	27	1	1	4	9	13	16	25
35-49	57	6.5	68	1	1	4	10	12	15	54
50-64	28	7.2	32	<1	1	6	11	14	19	23
65+	11	14.3	151	4	6	12	15	30	47	49
B. *Operated*										
0-19 YRS	307	9.3	91	1	2	6	11	22	28	47
20-34	284	8.2	68	1	2	6	10	18	21	52
35-49	141	8.6	105	1	1	5	10	19	29	53
50-64	80	11.3	132	2	2	8	15	24	39	55
65+	52	12.9	182	1	2	7	18	30	40	70
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	296	7.7	55	1	1	6	10	15	25	34
20-34	247	6.5	39	1	1	4	9	14	19	27
35-49	157	8.1	74	1	2	6	10	17	24	49
50-64	117	10.2	68	1	2	8	15	20	27	41
65+	134	13.6	113	2	4	10	17	29	38	47
B. *Operated*										
0-19 YRS	600	17.0	237	2	3	13	23	38	49	92
20-34	656	18.6	325	2	3	13	25	46	59	99+
35-49	425	20.8	307	2	3	16	30	47	61	99+
50-64	350	20.8	300	3	4	16	31	49	64	99+
65+	378	27.4	437	5	7	22	39	64	90	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	323	6.7	43	1	1	5	10	14	17	30
B. *Operated*	864	9.2	96	1	2	6	11	21	28	52
2. MULTIPLE DX										
A. *Not Operated*	951	8.6	69	1	2	6	11	19	25	42
B. *Operated*	2409	20.3	325	2	4	15	29	48	63	99+
1. SINGLE DX	1187	8.5	83	1	1	6	11	18	25	51
2. MULTIPLE DX	3360	17.0	280	2	2	12	23	41	55	99+
A. NOT OPERATED	1274	8.1	63	1	1	6	11	17	23	41
B. OPERATED	3273	17.4	288	2	2	12	24	42	56	99+
TOTAL 0-19 YRS	1348	12.1	162	1	2	8	15	28	38	66
20-34	1269	13.1	225	1	2	8	16	32	48	88
35-49	780	15.0	246	1	2	9	21	37	50	89
50-64	575	16.7	243	2	3	12	23	41	53	99+
65+	575	22.6	376	3	5	17	32	53	73	99+
GRAND TOTAL	**4547**	**14.8**	**242**	**1**	**2**	**9**	**20**	**36**	**50**	**94**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1155	4.5	18	1	1	3	6	10	13	20
20-34	679	3.9	16	1	1	2	5	9	12	20
35-49	291	4.4	18	1	1	2	6	11	14	18
50-64	126	5.3	40	1	1	2	6	15	19	28
65+	53	7.4	38	1	2	6	9	15	20	31
B. *Operated*										
0-19 YRS	276	9.0	106	1	1	6	11	20	24	46
20-34	187	7.8	63	1	1	5	10	17	23	43
35-49	103	9.1	64	1	1	7	15	19	24	37
50-64	52	8.3	81	1	1	4	13	17	26	45
65+	25	10.5	61	1	2	9	13	19	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2717	5.5	29	1	1	4	7	12	15	23
20-34	1609	4.9	23	1	1	3	7	10	14	24
35-49	893	5.9	35	1	1	4	8	13	18	27
50-64	532	7.1	48	1	1	5	10	16	19	37
65+	524	10.4	125	2	2	7	13	21	30	67
B. *Operated*										
0-19 YRS	652	11.3	135	1	2	8	14	25	35	55
20-34	517	11.2	136	1	2	8	15	24	34	56
35-49	286	13.7	152	2	2	10	18	30	41	78
50-64	251	14.5	170	2	3	10	18	34	43	69
65+	217	19.3	251	3	5	15	25	47	69	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2304	4.4	20	1	1	3	6	10	13	21
B. *Operated*	643	8.7	83	1	1	6	11	19	24	43
2. MULTIPLE DX										
A. *Not Operated*	6275	5.9	40	1	1	4	8	13	17	30
B. *Operated*	1923	13.0	162	1	2	9	17	29	41	73
1. SINGLE DX	2947	5.4	36	1	1	3	7	12	17	27
2. MULTIPLE DX	8198	7.6	78	1	1	5	9	17	23	47
A. NOT OPERATED	8579	5.5	35	1	1	4	7	12	16	27
B. OPERATED	2566	11.9	146	1	2	8	16	26	37	70
TOTAL 0-19 YRS	4800	6.3	50	1	1	4	8	13	18	34
20-34	2992	5.9	50	1	1	4	8	13	18	37
35-49	1573	7.2	65	1	1	5	10	17	23	41
50-64	961	8.8	92	1	1	6	12	19	27	49
65+	819	12.5	167	2	3	9	16	27	43	99
GRAND TOTAL	**11145**	**7.0**	**68**	**1**	**1**	**4**	**9**	**16**	**21**	**43**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.9	21	<1	1	2	3	5	9	25
20-34	167	3.7	7	<1	1	3	5	7	10	13
35-49	85	3.6	11	1	1	2	4	8	11	15
50-64	36	5.6	23	<1	1	4	8	12	13	23
65+	12	6.1	33	<1	1	3	10	15	18	18
B. *Operated*										
0-19 YRS	225	2.1	2	<1	1	2	2	4	5	9
20-34	445	2.6	13	<1	1	2	3	5	7	15
35-49	201	2.6	7	<1	1	2	3	5	9	15
50-64	106	3.0	8	<1	<1	2	3	6	10	15
65+	25	4.7	38	<1	1	2	5	12	21	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	140	4.4	38	1	1	3	5	8	14	34
20-34	217	5.7	66	1	1	3	8	12	16	70
35-49	177	5.6	24	1	1	4	8	11	16	26
50-64	126	6.9	102	1	1	5	8	12	17	58
65+	218	9.8	93	2	2	7	12	20	31	59
B. *Operated*										
0-19 YRS	368	3.6	62	<1	1	2	3	6	11	45
20-34	736	4.8	86	<1	1	2	4	9	20	65
35-49	355	6.0	156	<1	1	3	5	11	24	92
50-64	194	8.8	241	1	1	3	8	26	39	84
65+	125	14.6	372	1	1	7	17	46	64	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	414	3.7	14	<1	1	3	5	8	11	15
B. *Operated*	1002	2.6	10	<1	1	2	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	878	6.7	68	1	1	4	9	14	19	43
B. *Operated*	1778	5.9	140	<1	1	2	5	13	28	84
1. SINGLE DX	1416	2.9	11	<1	1	2	3	6	9	15
2. MULTIPLE DX	2656	6.2	116	1	1	3	6	13	24	76
A. NOT OPERATED	1292	5.7	53	1	1	4	7	12	16	35
B. OPERATED	2780	4.7	95	<1	1	2	4	9	17	64
TOTAL 0-19 YRS	847	3.2	37	<1	1	2	3	6	9	33
20-34	1565	4.2	55	<1	1	2	4	9	13	46
35-49	818	4.8	78	<1	1	2	5	10	15	55
50-64	462	6.7	137	<1	1	3	7	13	25	66
65+	380	10.9	187	1	1	7	13	26	40	93
GRAND TOTAL	**4072**	**5.0**	**82**	**<1**	**1**	**2**	**5**	**10**	**16**	**60**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1050	2.1	3	<1	1	1	2	4	6	9
20-34	935	2.6	8	<1	1	2	3	5	7	13
35-49	399	3.1	7	1	1	2	4	6	8	14
50-64	160	4.0	12	1	1	3	5	9	12	17
65+	137	3.8	11	1	1	3	[illegible]	8	11	17
B. *Operated*										
0-19 YRS	283	3.8	22	<1	1	2	4	8	13	27
20-34	424	4.2	36	<1	1	2	5	9	13	22
35-49	137	4.5	21	1	1	3	6	11	14	21
50-64	87	5.6	80	1	1	3	8	11	14	57
65+	41	9.7	225	1	1	5	11	18	44	73
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1124	3.0	16	1	1	2	3	6	8	16
20-34	1616	3.6	11	1	1	3	5	7	9	16
35-49	963	4.5	16	1	1	3	6	9	11	21
50-64	744	5.4	23	1	1	4	7	11	14	24
65+	1385	6.9	32	1	2	5	9	14	18	30
B. *Operated*										
0-19 YRS	391	6.9	77	1	1	4	8	15	25	54
20-34	790	8.3	115	1	1	5	10	20	28	77
35-49	408	8.8	114	1	1	5	11	20	28	57
50-64	315	10.4	134	1	1	7	13	24	36	68
65+	348	13.3	203	2	2	9	16	26	41	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2681	2.6	7	<1	1	2	3	5	7	13
B. *Operated*	972	4.5	43	1	1	3	5	10	14	25
2. MULTIPLE DX										
A. *Not Operated*	5832	4.6	22	1	1	3	6	10	13	23
B. *Operated*	2252	9.2	128	1	1	6	11	21	31	71
1. SINGLE DX	3653	3.1	17	<1	1	2	4	6	9	18
2. MULTIPLE DX	8084	5.9	56	1	1	4	7	13	18	41
A. NOT OPERATED	8513	4.0	18	1	1	3	5	8	11	20
B. OPERATED	3224	7.8	107	1	1	4	9	18	26	64
TOTAL 0-19 YRS	2848	3.3	23	<1	1	2	4	7	10	25
20-34	3765	4.4	39	<1	1	3	5	9	14	31
35-49	1907	5.1	39	1	1	3	6	10	15	31
50-64	1306	6.5	57	1	1	4	8	13	18	43
65+	1911	7.9	73	1	2	6	10	16	22	48
GRAND TOTAL	**11737**	**5.1**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**34**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6465	1.6	2	<1	<1	1	2	3	4	7
20-34	2842	1.9	3	<1	<1	1	2	4	5	8
35-49	1079	2.2	11	<1	<1	2	2	4	5	10
50-64	365	2.7	9	<1	1	2	3	6	8	14
65+	253	3.4	11	1	1	3	4	7	8	16
B. *Operated*										
0-19 YRS	15	2.9	5	<1	<1	2	4	6	7	8
20-34	24	3.2	10	1	1	2	4	7	10	13
35-49	12	2.8	2	<1	1	2	4	5	5	5
50-64	6	6.7	60	1	1	4	7	20	22	22
65+	7	9.3	49	1	1	10	13	19	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7698	3.6	38	<1	1	2	3	6	11	33
20-34	11383	3.7	31	<1	1	2	4	7	12	29
35-49	6234	4.4	37	<1	1	2	5	9	15	32
50-64	3386	5.5	37	1	1	4	7	12	17	30
65+	5269	6.6	40	1	2	5	8	13	17	32
B. *Operated*										
0-19 YRS	104	10.5	171	1	1	5	13	28	47	99+
20-34	356	9.3	154	1	1	5	11	21	32	80
35-49	252	11.0	148	1	2	6	15	27	39	68
50-64	233	13.1	150	2	3	10	17	31	40	85
65+	417	13.5	149	2	3	10	17	29	41	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11004	1.9	4	<1	<1	1	2	3	4	8
B. *Operated*	64	4.0	19	<1	1	2	5	9	13	22
2. MULTIPLE DX										
A. *Not Operated*	33970	4.4	37	<1	1	3	5	9	14	31
B. *Operated*	1362	11.6	155	1	2	8	15	27	40	82
1. SINGLE DX	11068	1.9	4	<1	<1	1	2	3	4	9
2. MULTIPLE DX	35332	4.7	43	<1	1	3	5	10	16	34
A. NOT OPERATED	44974	3.8	30	<1	1	2	4	8	12	28
B. OPERATED	1426	11.3	151	1	2	7	15	27	39	82
TOTAL 0-19 YRS	14282	2.7	24	<1	1	1	3	5	8	25
20-34	14605	3.5	30	<1	1	2	4	7	11	29
35-49	7577	4.3	39	<1	1	2	4	9	15	33
50-64	3990	5.7	45	1	1	4	7	13	18	35
65+	5946	7.0	50	1	2	5	8	14	19	38
GRAND TOTAL	**46400**	**4.0**	**35**	**<1**	**1**	**2**	**4**	**9**	**13**	**31**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3228	1.8	3	<1	1	1	2	4	6	9
20-34	1340	1.6	1	<1	<1	1	2	3	4	6
35-49	781	1.6	1	<1	1	1	2	3	4	6
50-64	380	1.7	1	<1	1	1	2	3	4	7
65+	171	1.9	3	1	1	1	2	3	5	11
B. *Operated*										
0-19 YRS	42	3.4	7	1	1	2	5	7	10	11
20-34	39	5.3	23	1	2	3	7	11	12	26
35-49	15	4.1	15	1	1	4	4	8	14	16
50-64	9	5.0	12	1	1	4	7	10	11	11
65+	7	11.0	161	2	2	6	20	31	33	33
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1765	3.0	22	<1	1	2	3	6	8	22
20-34	1559	3.2	24	<1	1	2	3	6	10	27
35-49	1088	3.4	24	<1	1	2	4	7	11	31
50-64	823	4.0	38	1	1	2	4	8	12	34
65+	763	4.7	37	1	1	3	5	10	15	32
B. *Operated*										
0-19 YRS	67	9.8	132	1	1	6	11	26	39	50
20-34	114	9.2	146	1	1	5	11	23	49	99+
35-49	82	10.6	230	1	2	6	12	26	54	99+
50-64	67	14.2	321	1	2	8	18	44	53	99
65+	73	15.5	368	2	2	9	16	38	59	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5900	1.8	2	<1	1	1	2	3	5	8
B. *Operated*	112	4.8	25	1	1	3	6	10	12	29
2. MULTIPLE DX										
A. *Not Operated*	5998	3.5	27	<1	1	2	4	7	11	28
B. *Operated*	403	11.6	234	1	1	7	13	31	49	99+
1. SINGLE DX	6012	1.8	3	<1	1	1	2	4	5	8
2. MULTIPLE DX	6401	4.0	44	<1	1	2	4	8	13	37
A. NOT OPERATED	11898	2.6	16	<1	1	1	3	5	7	18
B. OPERATED	515	10.1	196	1	1	6	11	24	44	99
TOTAL 0-19 YRS	5102	2.4	13	<1	1	1	2	5	7	14
20-34	3052	2.7	21	<1	1	1	3	5	8	26
35-49	1966	3.0	27	<1	1	2	3	6	9	31
50-64	1279	3.8	48	1	1	2	4	8	13	41
65+	1014	5.1	65	1	1	3	5	11	16	40
GRAND TOTAL	**12413**	**2.9**	**25**	**<1**	**1**	**2**	**3**	**6**	**9**	**25**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1474	2.3	9	<1	1	2	3	4	6	12
20-34	893	2.2	6	<1	1	1	2	4	5	13
35-49	665	2.2	4	<1	1	1	3	4	6	12
50-64	514	2.7	7	1	1	2	3	5	8	13
65+	381	3.3	8	1	1	2	4	7	9	13
B. *Operated*										
0-19 YRS	28	5.4	16	<1	1	5	8	11	12	17
20-34	41	6.6	57	1	1	5	8	14	22	40
35-49	28	11.7	164	1	1	6	17	33	37	45
50-64	22	7.4	74	1	1	5	8	23	30	32
65+	15	7.2	36	1	2	6	10	13	21	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1916	3.7	24	1	1	2	4	8	11	24
20-34	1684	3.4	19	1	1	2	4	6	10	22
35-49	1636	3.9	16	1	1	3	5	8	11	21
50-64	2427	4.9	24	1	1	4	6	10	13	22
65+	5439	6.5	42	1	2	5	8	12	17	33
B. *Operated*										
0-19 YRS	119	13.0	264	1	1	6	17	47	55	99+
20-34	156	12.2	318	1	1	6	14	39	63	99+
35-49	209	11.6	212	1	1	7	13	29	61	99+
50-64	344	14.1	241	1	2	9	19	40	55	99+
65+	624	14.4	193	2	3	10	19	32	49	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3927	2.4	7	<1	1	2	3	5	6	12
B. *Operated*	134	7.6	74	1	1	5	9	19	29	41
2. MULTIPLE DX										
A. *Not Operated*	13102	5.1	31	1	1	4	6	10	14	28
B. *Operated*	1452	13.6	227	1	1	9	17	36	54	99+
1. SINGLE DX	4061	2.6	10	<1	1	2	3	5	7	15
2. MULTIPLE DX	14554	5.9	57	1	1	4	7	12	18	44
A. NOT OPERATED	17029	4.5	27	1	1	3	5	9	13	25
B. OPERATED	1586	13.1	217	1	1	9	17	34	52	99+
TOTAL 0-19 YRS	3537	3.4	29	1	1	2	4	7	10	30
20-34	2774	3.6	37	<1	1	2	4	7	11	32
35-49	2538	4.2	36	1	1	3	5	9	13	34
50-64	3307	5.5	54	1	1	3	6	11	16	45
65+	6459	7.1	61	1	2	5	8	14	20	44
GRAND TOTAL	**18615**	**5.2**	**49**	**1**	**1**	**3**	**6**	**11**	**16**	**40**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	254	3.1	7	<1	1	2	4	7	9	13
20-34	204	4.0	22	<1	<1	2	5	9	14	26
35-49	165	4.3	14	<1	1	4	6	9	10	14
50-64	166	5.4	27	1	1	4	6	11	15	24
65+	316	6.1	56	1	1	4	8	14	20	41
B. *Operated*										
0-19 YRS	1457	4.5	19	<1	1	3	5	9	13	26
20-34	1653	4.2	29	<1	1	2	5	9	13	26
35-49	1543	5.2	34	<1	1	3	7	12	16	26
50-64	2110	7.0	53	1	1	4	10	15	20	32
65+	3674	7.3	54	1	1	4	11	16	21	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	628	5.2	31	1	1	3	7	12	17	26
20-34	608	5.7	32	1	1	4	7	12	16	30
35-49	617	6.0	41	1	1	4	8	12	15	30
50-64	1007	6.8	43	1	1	5	9	15	20	33
65+	2144	7.5	64	1	1	5	9	15	21	43
B. *Operated*										
0-19 YRS	2850	8.2	85	1	2	5	10	19	27	49
20-34	3136	7.5	78	1	1	4	9	17	24	47
35-49	4528	8.0	89	1	1	5	10	18	26	53
50-64	8297	9.6	108	1	2	6	13	22	30	56
65+	14404	10.9	134	1	2	7	15	24	34	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1105	4.7	29	<1	1	3	6	10	14	28
B. *Operated*	10437	6.1	43	1	1	4	8	14	18	31
2. MULTIPLE DX										
A. *Not Operated*	5004	6.7	49	1	1	5	8	14	19	36
B. *Operated*	33215	9.6	113	1	2	6	13	22	30	58
1. SINGLE DX	11542	5.9	42	1	1	4	8	14	18	31
2. MULTIPLE DX	38219	9.2	106	1	2	6	12	21	29	55
A. NOT OPERATED	6109	6.3	46	1	1	4	8	13	18	35
B. OPERATED	43652	8.8	99	1	1	5	12	20	28	53
TOTAL 0-19 YRS	5189	6.5	59	1	1	4	8	15	22	40
20-34	5601	6.2	59	<1	1	4	8	14	20	43
35-49	6853	7.1	72	1	1	4	9	16	22	45
50-64	11580	8.8	92	1	1	6	12	20	27	51
65+	20538	9.9	114	1	2	6	13	22	30	58
GRAND TOTAL	**49761**	**8.5**	**93**	**1**	**1**	**5**	**11**	**19**	**27**	**51**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	829	1.6	1	<1	<1	1	2	3	3	7
20-34	905	2.2	2	<1	1	2	3	4	5	8
35-49	496	2.8	11	1	1	2	3	5	7	10
50-64	509	3.2	4	1	1	3	4	6	7	11
65+	717	3.6	6	1	1	3	4	6	7	12
B. *Operated*										
0-19 YRS	765	1.7	2	<1	<1	1	2	3	4	7
20-34	954	2.6	6	<1	1	2	3	5	7	12
35-49	449	2.8	5	1	1	2	4	6	7	11
50-64	316	3.8	9	1	1	3	5	8	10	14
65+	272	4.5	13	1	1	4	6	9	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	221	2.4	5	<1	1	2	3	5	7	10
20-34	415	3.3	7	1	1	3	4	6	9	13
35-49	387	3.7	8	1	1	3	5	7	9	13
50-64	733	4.0	10	1	1	3	5	8	11	18
65+	1474	4.6	20	1	1	4	6	8	12	22
B. *Operated*										
0-19 YRS	203	2.7	9	1	1	2	3	5	10	16
20-34	525	4.6	29	1	1	3	6	10	13	26
35-49	379	5.6	45	1	1	4	7	12	16	37
50-64	500	6.5	47	1	1	4	8	14	18	36
65+	939	7.0	58	1	1	5	9	14	20	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3456	2.6	5	<1	1	2	3	5	6	9
B. *Operated*	2756	2.7	7	<1	1	2	3	6	7	13
2. MULTIPLE DX										
A. *Not Operated*	3230	4.1	14	1	1	3	5	8	10	18
B. *Operated*	2546	5.8	46	1	1	4	7	13	17	33
1. SINGLE DX	6212	2.6	6	<1	1	2	3	5	7	11
2. MULTIPLE DX	5776	4.8	29	1	1	3	6	10	13	25
A. NOT OPERATED	6686	3.3	10	1	1	3	4	6	8	14
B. OPERATED	5302	4.2	28	1	1	3	5	9	13	25
TOTAL 0-19 YRS	2018	1.8	3	<1	<1	1	2	3	5	10
20-34	2799	2.9	10	1	1	2	3	6	8	14
35-49	1711	3.6	17	1	1	3	4	7	10	17
50-64	2058	4.4	19	1	1	3	5	8	12	21
65+	3402	5.1	28	1	1	4	6	10	13	25
GRAND TOTAL	**11988**	**3.7**	**18**	**1**	**1**	**3**	**4**	**7**	**10**	**20**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	318	4.6	9	1	2	4	6	9	11	14
20-34	581	5.1	11	2	2	4	6	9	12	17
35-49	480	5.8	23	2	2	5	7	10	13	21
50-64	339	6.7	21	2	2	6	9	13	16	23
65+	248	7.3	31	2	3	6	9	13	16	24
B. *Operated*										
0-19 YRS	287	7.1	31	1	2	6	9	14	17	32
20-34	485	7.4	41	1	2	6	9	16	19	30
35-49	401	7.3	67	1	2	6	9	14	18	40
50-64	346	8.5	62	1	2	6	11	18	24	42
65+	252	10.3	93	1	2	8	13	22	29	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	332	5.7	18	1	2	5	7	11	14	21
20-34	678	5.8	15	2	2	5	7	10	13	22
35-49	823	7.2	33	2	3	6	9	13	18	29
50-64	1086	8.8	53	2	3	7	10	16	22	42
65+	1396	9.5	61	2	3	7	12	17	23	41
B. *Operated*										
0-19 YRS	349	11.5	119	1	2	9	15	23	28	56
20-34	793	12.5	144	2	3	9	16	28	39	83
35-49	824	12.1	122	2	3	9	15	27	38	65
50-64	1271	14.7	178	2	3	11	19	32	43	75
65+	1483	15.5	157	3	4	12	20	32	42	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1966	5.8	19	2	2	5	7	10	13	21
B. *Operated*	1771	8.0	58	1	2	6	10	16	22	40
2. MULTIPLE DX										
A. *Not Operated*	4315	8.0	45	2	3	6	10	15	20	34
B. *Operated*	4720	13.9	153	2	3	10	18	30	41	71
1. SINGLE DX	3737	6.8	38	2	2	5	8	13	17	30
2. MULTIPLE DX	9035	11.1	110	2	3	8	14	23	32	60
A. NOT OPERATED	6281	7.3	38	2	2	6	9	14	18	31
B. OPERATED	6491	12.3	134	2	3	9	16	27	37	65
TOTAL 0-19 YRS	1286	7.3	53	1	2	5	9	15	19	38
20-34	2537	8.1	69	2	2	6	9	16	24	50
35-49	2528	8.6	72	2	2	6	10	17	24	47
50-64	3042	11.0	113	2	3	8	13	23	33	61
65+	3379	12.0	113	2	3	9	15	25	34	60
GRAND TOTAL	**12772**	**9.8**	**93**	**2**	**3**	**7**	**12**	**20**	**29**	**54**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	220	2.9	7	1	1	2	4	6	8	14
20-34	484	3.6	14	1	1	2	5	8	10	15
35-49	444	4.7	27	1	1	3	6	10	13	22
50-64	347	5.2	36	1	1	4	7	10	13	26
65+	301	5.2	20	1	1	4	7	10	13	21
B. *Operated*										
0-19 YRS	281	4.7	27	<1	1	3	6	10	15	28
20-34	589	5.1	38	<1	1	3	7	11	14	25
35-49	587	5.7	36	<1	1	4	7	13	18	27
50-64	569	6.2	45	1	1	4	8	13	20	37
65+	580	5.8	50	1	1	4	7	12	17	40
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	484	3.3	21	1	1	2	4	7	11	22
20-34	896	4.1	20	1	1	3	5	9	12	21
35-49	988	5.1	24	1	1	4	7	11	14	24
50-64	1323	6.3	37	1	1	5	8	13	18	32
65+	1877	7.1	51	1	1	5	9	14	19	35
B. *Operated*										
0-19 YRS	520	6.7	85	1	1	3	8	17	26	51
20-34	1225	7.7	99	1	1	5	9	16	26	57
35-49	1579	9.6	101	1	1	7	12	21	28	57
50-64	2251	11.0	135	1	2	7	14	24	36	60
65+	3306	11.4	149	1	2	8	15	26	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1796	4.3	22	1	1	3	6	9	12	20
B. *Operated*	2606	5.6	41	1	1	4	7	12	17	30
2. MULTIPLE DX										
A. *Not Operated*	5568	5.7	37	1	1	4	7	12	16	30
B. *Operated*	8881	10.2	128	1	1	7	13	23	33	64
1. SINGLE DX	4402	5.1	33	1	1	3	7	11	14	28
2. MULTIPLE DX	14449	8.5	98	1	1	5	11	19	27	56
A. NOT OPERATED	7364	5.4	34	1	1	4	7	11	15	28
B. OPERATED	11487	9.1	112	1	1	6	11	21	30	60
TOTAL 0-19 YRS	1505	4.7	45	1	1	2	5	11	17	34
20-34	3194	5.6	56	1	1	3	7	12	17	37
35-49	3598	7.1	65	1	1	5	9	16	22	41
50-64	4490	8.5	93	1	1	6	11	19	27	53
65+	6064	9.2	108	1	1	6	12	20	29	60
GRAND TOTAL	**18851**	**7.7**	**85**	**1**	**1**	**5**	**10**	**17**	**25**	**50**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	121	2.6	4	1	1	2	3	5	6	11
20-34	60	2.7	7	<1	<1	2	3	6	8	14
35-49	30	3.7	27	1	1	3	4	7	8	29
50-64	24	5.0	12	1	1	5	7	9	13	14
65+	14	2.5	3	1	1	2	4	5	6	6
B. *Operated*										
0-19 YRS	3	1.7		<1	<1	2	2	2	2	2
20-34	10	4.6	7	1	1	4	7	8	8	8
35-49	5	13.0	308	1	1	5	21	43	43	43
50-64	6	9.2	209	<1	<1	3	9	35	38	38
65+	2	5.0	8	3	3	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	158	3.4	22	1	1	2	4	6	7	17
20-34	104	5.0	19	1	1	4	6	11	14	22
35-49	117	5.8	31	1	1	4	7	13	18	29
50-64	153	5.3	20	1	1	4	7	11	13	22
65+	269	5.2	33	1	1	3	7	12	17	26
B. *Operated*										
0-19 YRS	15	20.5	398	<1	2	11	40	45	58	62
20-34	48	11.7	246	1	1	6	12	33	50	70
35-49	30	10.7	170	1	1	6	15	22	46	57
50-64	55	9.3	103	1	2	6	12	19	30	50
65+	62	12.4	156	1	2	9	15	29	38	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	249	3.0	9	1	1	2	4	6	8	14
B. *Operated*	26	7.0	108	<1	<1	4	7	13	39	43
2. MULTIPLE DX										
A. *Not Operated*	801	4.9	27	1	1	3	6	11	15	24
B. *Operated*	210	11.8	185	1	2	7	13	29	44	65
1. SINGLE DX	275	3.4	19	1	1	2	4	6	8	26
2. MULTIPLE DX	1011	6.3	67	1	1	4	7	13	19	45
A. NOT OPERATED	1050	4.5	23	1	1	3	5	10	14	23
B. OPERATED	236	11.2	178	1	1	7	13	29	44	63
TOTAL 0-19 YRS	297	3.9	47	1	1	2	4	6	8	45
20-34	222	5.8	74	1	1	3	7	12	17	53
35-49	182	6.4	64	1	1	4	7	14	22	45
50-64	238	6.3	45	1	1	4	8	13	18	39
65+	347	6.4	62	1	1	4	8	16	19	43
GRAND TOTAL	**1286**	**5.7**	**58**	**1**	**1**	**3**	**7**	**12**	**18**	**44**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	25	1.3		<1	<1	1	2	2	3	3
35-49	10	1.2		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.0	2	<1	<1	2	3	4	5	7
20-34	9791	1.6	1	<1	<1	1	2	3	4	5
35-49	4214	1.6	1	<1	<1	1	2	3	3	5
50-64	32	1.4	1	<1	<1	1	2	3	3	5
65+	12	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		1	1	1	1	1	1	1
20-34	208	1.6	23	<1	<1	1	1	2	3	10
35-49	73	1.2		<1	<1	1	1	2	2	5
50-64	2	3.0	2	2	2	3	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	60	2.7	4	<1	<1	2	4	5	6	11
20-34	6824	2.1	2	<1	<1	2	3	4	5	7
35-49	3608	2.1	2	<1	<1	2	3	4	5	7
50-64	23	2.1	2	<1	<1	2	3	4	5	6
65+	4	3.0	5	<1	<1	2	4	6	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.3		<1	<1	1	1	2	3	3
B. *Operated*	14101	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	287	1.5	17	<1	<1	1	1	2	3	7
B. *Operated*	10519	2.1	2	<1	<1	2	3	4	5	7
1. SINGLE DX	14136	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	10806	2.1	3	<1	<1	2	3	4	5	7
A. NOT OPERATED	322	1.5	15	<1	<1	1	1	2	3	6
B. OPERATED	24620	1.8	2	<1	<1	1	2	3	4	6
TOTAL 0-19 YRS	116	2.3	3	<1	<1	2	3	5	5	9
20-34	16848	1.8	2	<1	<1	1	2	3	4	6
35-49	7905	1.8	2	<1	<1	1	2	3	4	6
50-64	57	1.7	1	<1	<1	1	2	3	5	6
65+	16	2.0	2	<1	<1	2	3	3	5	6
GRAND TOTAL	**24942**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**6**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G	2	8.5	1	8	8	8	9	9	9	9
1000-1499	6	35.7	188	18	19	34	50	52	52	52
1500-1749	14	17.1	51	7	8	20	23	24	27	28
1750-2499	6625	3.0	3	1	1	3	4	5	6	10
2500+	443868	2.7	2	1	1	3	3	4	5	6
B. *Operated*										
1-999 G										
1000-1499	5	38.0	220	15	15	39	46	56	56	56
1500-1749	1	19.0		19	19	19	19	19	19	19
1750-2499	11	12.5	50	1	2	14	16	20	25	25
2500+	184	4.6	35	1	2	3	5	8	11	44
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	152	63.5	486	17	37	68	86	99	99+	99+
1000-1499	905	40.4	253	16	21	40	50	61	69	95
1500-1749	1320	24.3	96	11	13	23	29	36	42	54
1750-2499	20588	7.0	40	2	2	5	9	15	19	30
2500+	251050	3.6	4	1	2	3	4	6	7	10
B. *Operated*										
1-999 G	284	72.0	465	27	56	89	99+	99+	99+	99+
1000-1499	894	50.8	333	23	30	51	66	89	99+	99+
1500-1749	597	33.6	180	16	20	32	40	52	62	94
1750-2499	1998	17.3	169	3	5	15	22	31	42	80
2500+	5676	7.6	63	1	2	5	9	14	21	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	450515	2.8	2	1	1	3	3	4	5	7
B. *Operated*	201	5.9	69	1	2	3	5	12	18	48
2. MULTIPLE DX										
A. *Not Operated*	274015	4.1	17	1	2	3	5	6	8	21
B. *Operated*	9449	17.3	399	2	3	9	24	54	79	99+
1. SINGLE DX	450716	2.8	2	1	1	3	3	4	5	7
2. MULTIPLE DX	283464	4.5	36	1	2	3	5	7	10	34
A. NOT OPERATED	724530	3.3	8	1	1	3	4	5	6	12
B. OPERATED	9650	17.1	395	2	3	9	24	53	78	99+
TOTAL 1-999 G	438	68.8	502	22	47	84	99+	99+	99+	99+
1000-1499	1810	45.5	319	18	24	45	58	75	92	99+
1500-1749	1932	27.1	140	11	14	25	33	42	49	71
1750-2499	29222	6.8	51	1	2	4	8	15	20	34
2500+	700778	3.1	3	1	1	3	4	5	6	8
GRAND TOTAL	**734180**	**3.4**	**16**	**1**	**1**	**3**	**4**	**5**	**6**	**17**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	4	27.5	247	13	13	25	40	46	46	46
1500-1749	9	18.2	52	8	10	16	22	29	32	32
1750-2499	879	4.7	7	2	2	4	5	7	9	16
2500+	3917	4.1	3	2	2	4	5	6	7	9
B. *Operated*										
1-999 G										
1000-1499	1	46.0		46	46	46	46	46	46	46
1500-1749										
1750-2499	1	19.0		19	19	19	19	19	19	19
2500+	3	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	18	59.6	924	10	13	71	92	99+	99+	99+
1000-1499	170	40.6	261	18	23	39	51	60	70	93
1500-1749	329	24.5	105	12	14	23	29	37	44	62
1750-2499	3430	9.0	48	3	3	7	12	18	22	32
2500+	3258	5.3	10	2	3	5	6	7	9	20
B. *Operated*										
1-999 G	52	63.0	648	15	33	88	99+	99+	99+	99+
1000-1499	197	51.4	381	22	30	50	68	88	99+	99+
1500-1749	133	31.3	130	15	19	30	37	46	52	70
1750-2499	367	18.6	142	5	6	17	25	32	37	72
2500+	100	9.9	119	2	4	7	10	17	39	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4809	4.3	5	2	2	4	5	6	7	11
B. *Operated*	5	16.0	318	5	5	5	26	46	46	46
2. MULTIPLE DX										
A. *Not Operated*	7205	8.9	88	2	3	6	10	19	27	51
B. *Operated*	849	29.9	500	5	7	26	46	79	99+	99+
1. SINGLE DX	4814	4.3	5	2	2	4	5	6	7	11
2. MULTIPLE DX	8054	11.1	173	3	3	6	13	26	40	87
A. NOT OPERATED	12014	7.0	60	2	3	5	7	14	21	43
B. OPERATED	854	29.8	500	5	7	26	46	78	99+	99+
TOTAL 1-999 G	70	62.1	709	14	23	84	99+	99+	99+	99+
1000-1499	372	46.2	355	19	24	44	58	79	91	99+
1500-1749	471	26.3	121	12	14	25	32	39	48	66
1750-2499	4677	9.0	58	2	3	6	12	18	24	36
2500+	7278	4.7	8	2	2	4	6	7	8	14
GRAND TOTAL	**12868**	**8.6**	**121**	**2**	**3**	**5**	**8**	**19**	**30**	**71**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	51	2.8	4	1	1	3	3	5	5	14
2500+	1177	2.2	2	<1	1	2	3	3	4	6
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	4	49.5	950	25	25	59	92	99+	99+	99+
1000-1499	17	44.4	281	22	30	42	49	56	83	98
1500-1749	21	27.2	78	10	14	29	31	36	43	49
1750-2499	209	7.9	59	1	2	5	11	18	20	39
2500+	621	3.6	11	1	1	3	4	7	9	14
B. *Operated*										
1-999 G	4	58.0	686	23	30	86	99+	99+	99+	99+
1000-1499	7	62.6	589	35	36	72	81	92	94	94
1500-1749	8	25.5	43	16	17	26	31	33	34	34
1750-2499	28	16.9	254	2	4	12	22	34	60	66
2500+	38	6.2	39	1	1	4	7	14	20	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1228	2.3	2	<1	1	2	3	3	4	6
B. *Operated*	1	3.0		3	3	3	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	872	6.2	85	1	1	3	6	13	26	49
B. *Operated*	85	18.6	479	1	2	11	28	66	87	99+
1. SINGLE DX	1229	2.3	2	<1	1	2	3	3	4	6
2. MULTIPLE DX	957	7.3	132	1	1	3	7	18	31	76
A. NOT OPERATED	2100	3.9	40	1	1	2	3	6	12	36
B. OPERATED	86	18.5	476	1	2	10	28	66	86	99+
TOTAL 1-999 G	8	53.8	722	23	24	75	99+	99+	99+	99+
1000-1499	24	49.7	420	26	32	42	55	83	95	98
1500-1749	29	26.8	67	10	16	28	31	35	39	49
1750-2499	288	7.9	80	1	2	5	10	18	23	52
2500+	1837	2.8	6	1	1	2	3	5	6	12
GRAND TOTAL	**2186**	**4.5**	**65**	**1**	**1**	**2**	**4**	**8**	**16**	**48**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.1	3	<1	<1	1	3	4	6	9
20-34	35	2.4	6	<1	<1	1	3	7	8	11
35-49	9	1.8	1	<1	<1	1	2	4	4	4
50-64	17	2.5	8	<1	<1	2	2	3	9	13
65+	18	4.1	18	<1	<1	2	6	10	14	16
B. *Operated*										
0-19 YRS	2344	2.1	2	<1	<1	2	3	4	5	7
20-34	3135	2.2	3	<1	<1	2	3	4	5	8
35-49	1535	2.5	5	<1	<1	2	3	5	6	10
50-64	1144	2.5	5	<1	<1	2	3	4	6	9
65+	700	3.5	11	<1	1	3	4	7	10	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	2.2	13	<1	<1	1	2	4	7	22
20-34	28	1.6	2	<1	<1	1	2	3	6	7
35-49	35	1.5	1	<1	<1	1	2	3	4	5
50-64	26	3.8	43	<1	1	2	3	8	16	33
65+	34	5.7	177	<1	<1	2	4	13	16	77
B. *Operated*										
0-19 YRS	908	2.9	7	<1	<1	2	3	5	7	12
20-34	944	3.6	16	<1	1	2	4	7	10	20
35-49	588	4.0	34	<1	1	3	4	7	11	24
50-64	623	4.2	28	1	1	3	5	7	11	31
65+	704	6.1	40	1	2	4	7	13	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	2.5	7	<1	<1	1	3	6	8	14
B. *Operated*	8858	2.4	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	189	2.9	44	<1	<1	1	2	5	9	29
B. *Operated*	3767	4.1	24	<1	1	3	4	8	11	25
1. SINGLE DX	8984	2.4	4	<1	<1	2	3	4	5	10
2. MULTIPLE DX	3956	4.0	25	<1	1	3	4	8	11	25
A. NOT OPERATED	315	2.7	29	<1	<1	1	2	5	8	20
B. OPERATED	12625	2.9	11	<1	<1	2	3	5	7	16
TOTAL 0-19 YRS	3365	2.3	4	<1	<1	2	3	4	5	9
20-34	4142	2.5	6	<1	<1	2	3	4	6	12
35-49	2167	2.9	13	<1	<1	2	3	5	7	15
50-64	1810	3.1	14	<1	1	2	4	5	7	17
65+	1456	4.8	31	<1	1	3	6	10	15	26
GRAND TOTAL	**12940**	**2.9**	**11**	**<1**	**<1**	**2**	**3**	**5**	**7**	**16**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.8	2	<1	<1	<1	2	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	8	1.1		<1	<1	1	1	2	2	2
50-64	6	2.8	13	1	1	2	2	9	10	10
65+	12	1.6		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	2	4.0	18	<1	<1	3	7	7	7	7
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	1.5	2	<1	<1	1	1	3	5	8
20-34	37	2.3	2	<1	1	2	3	4	4	7
35-49	144	2.3	2	<1	1	2	2	4	5	8
50-64	171	1.7	2	<1	<1	1	2	2	3	10
65+	392	1.6	2	<1	<1	1	2	2	3	9
B. *Operated*										
0-19 YRS	11	4.4	9	2	2	3	5	10	10	10
20-34	109	3.1	15	<1	<1	2	3	7	10	21
35-49	160	3.3	19	<1	<1	1	4	9	11	17
50-64	189	5.0	68	<1	<1	2	6	12	17	46
65+	114	5.8	100	<1	<1	3	7	11	19	64
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	1.8	3	<1	<1	1	2	3	4	10
B. *Operated*	7	2.3	5	<1	<1	2	2	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	826	1.8	2	<1	<1	1	2	3	4	8
B. *Operated*	583	4.3	50	<1	<1	2	5	10	15	34
1. SINGLE DX	39	1.9	3	<1	<1	1	2	3	6	10
2. MULTIPLE DX	1409	2.8	24	<1	<1	1	2	6	9	23
A. NOT OPERATED	858	1.8	2	<1	<1	1	2	3	4	9
B. OPERATED	590	4.3	50	<1	<1	2	5	10	14	34
TOTAL 0-19 YRS	99	1.9	3	<1	<1	1	2	4	5	10
20-34	147	2.9	12	<1	<1	2	3	6	10	17
35-49	314	2.8	11	<1	<1	2	3	5	9	17
50-64	368	3.4	38	<1	<1	2	3	8	13	33
65+	520	2.5	26	<1	<1	1	2	5	8	22
GRAND TOTAL	**1448**	**2.8**	**23**	**<1**	**<1**	**1**	**2**	**5**	**9**	**23**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5th (5)	10th (6)	50th (7)	75th (8)	90th (9)	95th (10)	99th (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3384	2.4	13	<1	<1	1	3	4	6	17
20-34	4836	2.3	16	<1	<1	1	2	4	6	22
35-49	1643	2.6	17	<1	<1	1	3	5	7	24
50-64	1794	2.5	15	<1	<1	1	2	5	6	24
65+	1440	4.4	83	<1	<1	2	4	10	23	79
B. *Operated*										
0-19 YRS	1567	2.9	9	<1	<1	2	3	3	9	14
20-34	4192	3.1	11	<1	<1	2	4	7	9	13
35-49	2472	3.6	11	<1	<1	2	5	8	10	15
50-64	1682	4.3	15	<1	1	2	7	10	12	16
65+	1223	5.0	27	<1	1	3	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8034	3.8	49	<1	1	2	4	6	11	44
20-34	7755	4.2	58	<1	1	2	4	6	13	45
35-49	12624	3.7	36	1	1	2	4	6	10	33
50-64	32130	3.7	30	1	1	2	4	6	10	31
65+	32306	5.3	71	1	1	3	5	11	22	47
B. *Operated*										
0-19 YRS	2616	4.5	55	<1	1	2	5	10	14	47
20-34	5229	4.4	46	<1	<1	3	5	9	12	44
35-49	6060	5.1	45	<1	1	3	6	10	15	35
50-64	8965	5.9	56	1	1	3	7	12	17	41
65+	10617	6.9	81	1	1	4	9	15	23	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13097	2.6	23	<1	<1	1	2	5	7	25
B. *Operated*	11136	3.6	14	<1	<1	2	5	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	92849	4.3	50	1	1	2	4	7	15	40
B. *Operated*	33487	5.7	61	<1	1	3	7	12	18	45
1. SINGLE DX	24233	3.0	19	<1	<1	2	3	7	10	21
2. MULTIPLE DX	126336	4.7	53	1	1	2	5	9	16	42
A. NOT OPERATED	105946	4.1	47	<1	1	2	4	7	14	39
B. OPERATED	44623	5.2	50	<1	1	3	6	11	15	39
TOTAL 0-19 YRS	15601	3.5	39	<1	<1	2	4	7	10	35
20-34	22012	3.6	38	<1	<1	2	4	7	10	36
35-49	22799	4.0	35	<1	1	2	5	8	11	31
50-64	44571	4.1	35	1	1	2	5	8	12	32
65+	45586	5.7	73	1	1	3	6	13	22	48
GRAND TOTAL	**150569**	**4.4**	**48**	**<1**	**1**	**2**	**5**	**9**	**15**	**39**

Appendix

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290, and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40-671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2

90	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
80	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

Group Number	Title
211	Abdominal angina
165	Abdominal aortic aneurysm
338	Abdominal pain
258	Abortion, except spontaneous, elective, legal, therapeutic, and threatened
255	Abortion, elective
256	Abortion, illegal
258	Abortion, missed
256	Abortion, self-induced
257	Abortion, spontaneous
255	Abortion, therapeutic
259	Abortion, threatened
210	Abscess, anal
312	Abscess, bone
292	Abscess, digit
188	Abscess, mouth
188	Abscess, salivary gland
291	Abscess, skin and subcutaneous tissue, except digit
188	Abscess, tongue
81	Acidosis, except diabetic
72	Acidosis, diabetic
107	Acute alcoholic intoxication, except in chronic alcoholism
104	Acute alcoholic intoxication in chronic alcoholism
	Acute appendicitis – *see Appendicitis, acute*
174	Acute bronchitis
122	Acute glaucoma
84	Acute hemorrhagic anemia
48	Acute leukemia, except lymphocytic or lymphoid
47	Acute leukemia, lymphocytic or lymphoid
140	Acute myocardial infarction
95	Acute schizophrenic episode
	Addiction – *see Dependence*
	Adenocarcinoma – *see Neoplasm, malignant*
245	Adenomyosis
110	Adjustment reaction
207	Adynamic ileus

DIAGNOSIS INDEX (continued)

Group Number	Title
107	Alcohol abuse
104	Alcohol dependence
107	Alcohol intoxication, except in chronic alcoholism
104	Alcohol intoxication in chronic alcoholism
92	Alcoholic psychosis
104	Alcoholism, chronic
81	Alkalosis
183	Allergic bronchitis
1	Amebiasis
140	AMI
340	Amnesia
372	Amputation, traumatic, lower limb
371	Amputation, traumatic, upper limb
79	Amyloidosis
210	Anal abscess
210	Anal fissure
210	Anal fistula
391	Anaphylactic shock, except due to drugs
386	Anaphylactic shock due to drugs
84	Anemia, except iron deficiency, sickle cell, and of pregnancy
84	Anemia, aplastic
82	Anemia, iron deficiency
267	Anemia of pregnancy
269	Anemia of pregnancy, with delivery
83	Anemia, sickle cell
166	Aneurysm, except aorta
165	Aneurysm, aorta
211	Angina, abdominal
141	Angina pectoris
54	Angioma
301	Ankylosis
	Anomaly, congenital
318	Central nervous system
320	Circulatory system
323	Digestive system, except cleft palate and lip, and pyloric stenosis
319	Ear
319	Eye
327	Generalized
325	Genitourinary system, except undescended testis and urethral stenosis
320	Heart
317	Musculoskeletal system, except clubfoot
323	Respiratory system
340	Anorexia, except nervosa

DIAGNOSIS INDEX (continued)

Group Number	Title
111	Anorexia nervosa
140	Anterior wall infarction
101	Anxiety reaction or neurosis, except depression
102	Anxiety depression
165	Aortic aneurysm
	Aortic valve disease — *see Valvular disease*
128	Aphakia
84	Aplastic anemia
199	Appendicitis, except acute
197	Appendicitis, acute, without peritonitis
198	Appendicitis, acute, with peritonitis
199	Appendicitis, recurrent
148	Arrhythmia, heart
168	Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
164	Arteriosclerosis, except cerebral and coronary
163	Arteriosclerosis, cerebral
143	Arteriosclerosis, coronary
151	Arteriosclerotic cardiovascular disease
91	Arteriosclerotic dementia or psychosis
143	Arteriosclerotic heart disease
164	Arteriosclerotic vascular disease
299	Arthritis, except osteo- and rheumatoid
298	Arthritis, osteo-, except spine
303	Arthritis, osteo-, spine
299	Arthritis, pyogenic
297	Arthritis, rheumatoid, except spine
302	Arthritis, rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	Bacteriuria in pregnancy
287	Bacteriuria in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)

DIAGNOSIS INDEX (continued)

Group Number	Title
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
251	Bleeding, menopausal
251	Bleeding, postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Breast disease, fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Bronchitis, acute
181	Bronchitis, chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Bruise, eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Burn, any site, third degree
309	Bursitis
217	Calculus, bile duct, except cystic
231	Calculus, bladder
215	Calculus, cystic bile duct
215	Calculus, gallbladder
228	Calculus, renal
188	Calculus, salivary gland
229	Calculus, ureter
231	Calculus, urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Carcinoma in situ, cervix
148	Cardiac arrest

DIAGNOSIS INDEX (continued)

Group Number	Title
390	Cardiac arrest, postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Cataract, diabetic
124	Cataract, senile
221	Celiac disease
292	Cellulitis, digit
291	Cellulitis, skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
154	Cerebral hemorrhage, except subarachnoid, without paralysis
155	Cerebral hemorrhage, except subarachnoid, with paralysis
161	Cerebrovascular accident, without paralysis
162	Cerebrovascular accident, with paralysis
268	Cervical incompetence
280	Cervical incompetence, with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
216	Cholecystitis, without cholelithiasis
215	Cholecystitis, with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
104	Chronic alcoholism
181	Chronic bronchitis
241	Chronic cystic disease of breast
48	Chronic leukemia, except lymphocytic or lymphoid
47	Chronic leukemia, lymphocytic or lymphoid
88	Chronic lymphadenitis, except mesenteric
213	Cirrhosis, except Laennec's
212	Cirrhosis, alcoholic
213	Cirrhosis, biliary
212	Cirrhosis, Laennec's
321	Cleft palate and lip

DIAGNOSIS INDEX (continued)

Group Number	Title
122	Closed-angle glaucoma
326	Clubfoot
173	Cold, head
215	Colic, biliary
337	Colic, renal
208	Colitis, except mucous and ulcerative
211	Colitis, mucous
211	Colitis, ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Coma, diabetic
214	Coma, hepatic
11	Common warts
390	Complication of amputation stump
387	Complication of cardiac pacemaker
	Complication of drugs – *see Effect, adverse*
387	Complication of grafts
387	Complication of internal orthopedic device
391	Complication of medical care, except drugs
387	Complication of prosthesis
390	Complication of surgery NEC
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye and orbit
375	Contusion, eye and orbit
329	Convulsions, except epileptic
116	Convulsions, epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Coronary insufficiency, chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle-cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Crush injury, chest
377	Crush injury, limbs
75	Cushing's syndrome

DIAGNOSIS INDEX (continued)

Group Number	Title
161	CVA, without paralysis
162	CVA, with paralysis
128	Cyclitis
311	Cyst, Baker's
188	Cyst, mouth
243	Cyst, ovarian
293	Cyst, pilonidal
121	Cyst, retinal
294	Cyst, sebaceous
311	Cyst, synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	Cystitis of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
112	Deficiency, mental
76	Deficiency, nutritional
	Deformity, congenital – *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Delirium, acute or subacute
270	Delivery, NOS
	Delivery complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation

DIAGNOSIS INDEX (continued)

Group Number	Title
	Delivery complicated by: (continued)
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Dementia, arteriosclerotic
90	Dementia, presenile
90	Dementia, senile
104	Dependence, alcoholic
106	Dependence, amphetamine
106	Dependence, barbiturate
106	Dependence, cocaine
105	Dependence, heroin
106	Dependence, LSD
106	Dependence, marihuana
105	Dependence, methadone
105	Dependence, morphine
105	Dependence, opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Depression, neurotic
267	Depression, postpartum
98	Depression, psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Derangement, knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
340	Diabetes mellitus, chemical
71	Diabetes mellitus, uncomplicated

DIAGNOSIS INDEX (continued)

Group Number **Title**

- 73 Diabetes mellitus, uncontrolled
- 72 Diabetic acidosis
- 73 Diabetic cataract
- 72 Diabetic coma
- 73 Diabetic gangrene
- 73 Diabetic nephropathy
- 73 Diabetic neuropathy
- 73 Diabetic retinopathy
- 73 Diabetic ulcer
- 397 Dialysis, peritoneal
- 397 Dialysis, renal
- 204 Diaphragmatic hernia
- 208 Diarrhea, except infectious and functional
- 211 Diarrhea, functional
- 1 Diarrhea, infectious
- 6 Diphtheria
- Disease
  - 199 Appendix, except acute appendicitis
  - 151 Arteriosclerotic cardiovascular
  - 168 Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
  - 13 Arthropod-borne
  - 79 Autoimmune
  - 6 Bacterial, except intestinal, tuberculosis, strep throat, and septicemia
  - 218 Biliary ducts
  - 234 Bladder, except calculus and cystitis
  - 313 Bone, except osteomyelitis and osteoarthritis
  - 242 Breast, except fibrocystic
  - 241 Breast, fibrocystic
  - 221 Celiac
  - Central nervous system
    - 7 Enteroviral
    - 113 Inflammatory, except enteroviral
    - 117 Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
  - Cerebrovascular – *see Cerebrovascular accident*
  - 136 Chronic rheumatic heart
  - 296 Connective tissue, diffuse
  - 143 Coronary artery
  - 211 Crohn's
  - 75 Cushing's
  - 187 Dental
  - 209 Diverticular

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disease (continued)
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
135	Rheumatic, active
136	Rheumatic, chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Dislocation, knee
357	Dislocation, shoulder

DIAGNOSIS INDEX (continued)

Group Number	Title
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Drug dependence, opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer – *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drug NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedicinal substance
386	Radiation
386	Temperature

DIAGNOSIS INDEX (continued)

Group Number	Title
268	Elderly primigravida
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
167	Embolism, arterial, except cerebral and precerebral
158	Embolism, cerebral, without paralysis
159	Embolism, cerebral, with paralysis
156	Embolism, precerebral, without paralysis
157	Embolism, precerebral, with paralysis
144	Embolism, pulmonary, except postoperative
390	Embolism, pulmonary, postoperative
172	Embolism, vein
182	Emphysema
113	Encephalitis, except viral
12	Encephalitis, viral
18	Encephalitis, viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Endometritis, puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Enteritis, bacterial
208	Enteritis, noninfectious
211	Enteritis, regional
1	Enteritis, viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
398	Examination, follow-up
298	Examination, medical
149	Failure, heart
390	Failure, heart, postoperative
225	Failure, renal, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Failure, renal, chronic
340	Fainting
263	False labor
82	Fe deficiency anemia
135	Fever, active rheumatic
330	Fever, NOS (FUO)
1	Fever, paratyphoid
288	Fever, puerperal
4	Fever, scarlet
1	Fever, typhoid
12	Fever, yellow
147	Fibrillation or flutter, atrial
148	Fibrillation or flutter, ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee

DIAGNOSIS INDEX (continued)

Group Number	Title
	Fracture (continued)
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault
344	Spine, without cord injury
345	Spine, with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
344	Vertebra, without cord injury
345	Vertebra, with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer – *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Gastroenteritis, infectious
208	Gastroenteritis, noninfectious
220	Gastrointestinal hemorrhage
192	Gastrojejunal ulcer, without complication
193	Gastrojejunal ulcer, with complication
164	Generalized arteriosclerosis

DIAGNOSIS INDEX (continued)

Group Number	Title
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Genu valgum or varum, congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Glaucoma, acute
122	Glaucoma, closed-angle
122	Glaucoma, open-angle
222	Glomerulonephritis, except acute
223	Glomerulonephritis, acute
69	Goiter
14	Gonorrhea
80	Gout
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Hallux valgus or varus, congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Headache, migraine
111	Headache, tension
398	Healed fracture aftercare, except removal of fixation device
396	Healed fracture aftercare, removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
286	Hematoma, pelvic, with delivery
290	Hematoma, pelvic, postpartum
388	Hematoma, postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hemolytic anemia, hereditary
328	Hemolytic anemia, newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis

DIAGNOSIS INDEX (continued)

Group Number	Title
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	Intracerebral, except subarachnoid, with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	Postpartum, delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
152	Subarachnoid, without paralysis
153	Subarachnoid, with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Hepatitis, chronic
9	Hepatitis, infectious
9	Hepatitis, serum
9	Hepatitis, viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Herpes simplex, late effect
8	Herpes zoster
18	Herpes zoster, late effect
79	Histiocytosis
46	Hodgkin's disease
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Hyperbilirubinemia, neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	Hypertension of pregnancy
287	Hypertension of pregnancy, with delivery
139	Hypertension, renal
139	Hypertension, renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma
140	Infarction, acute myocardial

DIAGNOSIS INDEX (continued)

Group Number	Title
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
252	Infertility, female
240	Infertility, male
113	Inflammation, central nervous system
129	Inflammation, eye, except lacrimal tract
127	Inflammation, lacrimal tract
180	Influenza
180	Influenzal pneumonia
200	Inguinal hernia, without complication
201	Inguinal hernia, with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Crush, abdomen
366	Crush, chest
365	Head, except concussion
367	Internal, except chest
366	Internal, chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Musculoskeletal, back
361	Musculoskeletal, sacroiliac region
382	Nerve
386	Radiation
374	Radiation, late effect

DIAGNOSIS INDEX (continued)

Group Number	Title
	Injury (continued)
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia
301	Internal derangement of joint, except knee
300	Internal derangement of knee
211	Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107	Intoxication, acute alcohol
98	Involutional melancholia
128	Iridocyclitis
128	Iritis
82	Iron deficiency anemia
211	Irritable colon or bowel
143	Ischemic heart disease, except acute or subacute
142	Ischemic heart disease, acute or subacute, except acute myocardial infarction
163	Ischemic cerebrovascular disease, generalized
116	Jacksonian epilepsy
340	Jaundice, except newborn
328	Jaundice of newborn
125	Juvenile cataract
	Juvenile diabetes — *see Diabetes mellitus*
230	Kidney disease, except nephritis, nephrosis, infection, and calculus
227	Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73	Kimmelstiel-Wilson disease
316	Kyphosis
	Laceration
370	Abdominal wall
371	Arm
370	Back
365	Cerebral
370	Chest
368	Eye
371	Hand
369	Head, except eye
372	Leg
372	Lower limb

DIAGNOSIS INDEX (continued)

Group Number	Title
	Laceration (continued)
370	Multiple sites
369	Neck
285	Perineum, except first and second degree, with delivery
284	Perineum, first or second degree, with delivery
370	Trunk
371	Upper limb
255	Legal abortion
48	Leukemia, except lymphocytic
47	Leukemia, lymphocytic
214	Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6	Lockjaw
316	Lordosis
108	LSD reaction
308	Lumbago
306	Lumbosacral instability
186	Lung disease, except pneumonia, and obstructive
88	Lymphadenitis, except acute and mesenteric lymphadenitis
292	Lymphadenitis, acute
87	Lymphadenitis, mesenteric
54	Lymphangioma
172	Lymphedema
49	Lymphosarcoma
128	Macular degeneration, retina
221	Malabsorption syndrome
13	Malaria
30	Malignant melanoma, skin
99	Manic-depressive psychosis
99	Manic psychosis
242	Mastitis, except puerperal
290	Mastitis, puerperal
8	Measles
18	Measles, late effect
119	Median nerve entrapment
30	Melanoma, malignant
132	Meniere's disease
113	Meningitis, except tuberculous and viral
3	Meningitis, tuberculous
7	Meningitis, viral
18	Meningitis, viral, late effect
251	Menopause

DIAGNOSIS INDEX (continued)

Group Number	Title
250	Menstrual disorder, except metrorrhagia
112	Mental deficiency or retardation
211	Mesenteric artery syndrome
87	Mesenteric lymphadenitis
247	Metritis
249	Metrorrhagia
118	Migraine
3	Miliary tuberculosis
	Mitral valve disease — *see Valvular disease*
327	Mongolism
15	Moniliasis
10	Mononucleosis
211	Mucous colitis
268	Multiparity, without delivery
392	Multiparity, without pregnancy
268	Multiple pregnancy
275	Multiple pregnancy, with delivery
115	Multiple sclerosis
12	Mumps
117	Muscular dystrophy
15	Mycosis
140	Myocardial infarction, acute
176	Nasal polyp
339	Nausea
	Neoplasm, benign
61	Bladder
53	Bone
63	Brain
55	Breast
52	Bronchus
50	Buccal cavity
57	Cervix
53	Connective tissue
51	Digestive
65	Endocrine, except thyroid
62	Eye
59	Genitalia, female, except uterus and ovary
60	Genitalia, male
61	Kidney
52	Larynx
52	Lung
53	Muscle

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, benign (continued)
63	Nervous system
58	Ovary
50	Pharynx
60	Prostate
52	Respiratory
60	Scrotum
54	Skin
52	Thymus
64	Thyroid
61	Ureter
61	Urethra
61	Urinary
57	Uterus, except fibroma
56	Uterus, fibroma
59	Vagina
59	Vulva
	Neoplasm, malignant
44	Adrenal gland
39	Bladder
29	Bone
42	Brain
32	Breast
27	Bronchus
19	Buccal cavity
43	Cerebral meninges
33	Cervix uteri
23	Colon
29	Connective tissue
44	Endocrine glands
20	Esophagus
41	Eye
36	Fallopian tube
36	Genitalia, female, except uterus and ovary
38	Genitalia, male, except prostate
45	Ill-defined sites
25	Intestine, except colon and rectum
23	Intestine, large, except rectum
22	Intestine, small
40	Kidney
23	Large intestine, except rectum
27	Lung
49	Lymphatic, except Hodgkin's disease

DIAGNOSIS INDEX (continued)

Group Number	Title
	Neoplasm, malignant (continued)
45	Metastatic
19	Mouth
43	Nervous system, except brain
35	Ovary
26	Pancreas
19	Pharynx
44	Pituitary gland
36	Placenta
37	Prostate
24	Rectum
28	Respiratory system, except bronchus and lung
38	Scrotum
45	Secondary
31	Skin, except genitalia
22	Small intestine
43	Spinal cord and meninges
21	Stomach
44	Thyroid gland
40	Ureter
40	Urethra
40	Urinary tract, except bladder
34	Uterus, except cervix
36	Vagina
36	Vulva
49	Neoplasm, lymphatic, except leukemia and Hodgkin's disease
68	Neoplasm, unspecified type, any site
222	Nephritis, except acute
223	Nephritis, acute
222	Nephrosis, except tubular
225	Nephrosis, tubular
222	Nephropathy, except diabetic
73	Nephropathy, diabetic
109	Nervous gastritis
315	Neuralgia, except sciatic and trigeminal
307	Neuralgia, sciatic
120	Neuralgia, trigeminal
315	Neuritis, except median and sciatic
119	Neuritis, median
307	Neuritis, sciatic
120	Neuroma, except amputation stump
390	Neuroma, amputation stump
103	Neurosis, except anxiety, cardiac, and depressive

DIAGNOSIS INDEX (continued)

Group Number	Title
101	Neurosis, anxiety
109	Neurosis, cardiac
102	Neurosis, depressive
54	Nevus, skin
327	Nevus, vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	Obstructed labor, with delivery
218	Obstruction, bile duct, except calculus
207	Obstruction, intestinal, except postoperative
390	Obstruction, intestinal, postoperative
172	Obstruction, portal vein
172	Obstruction, vena cava
184	Obstructive pulmonary disease NOS (COPD)
158	Occlusion, cerebral, without paralysis
159	Occlusion, cerebral, with paralysis
156	Occlusion, precerebral, without paralysis
157	Occlusion, precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Organic brain syndrome, acute
91	Organic brain syndrome, arteriosclerotic
89	Organic brain syndrome, transient
298	Osteoarthritis, except spinal
303	Osteoarthritis, spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
130	Otitis media, chronic and unspecified

DIAGNOSIS INDEX (continued)

Group Number	Title
131	Otitis media, acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	Placenta previa, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	Pneumonia with influenza
185	Pneumothorax, spontaneous
366	Pneumothorax, traumatic
385	Poisoning, except food and drug
384	Poisoning, drug
1	Poisoning, food
374	Poisoning, late effect
7	Poliomyelitis
18	Poliomyelitis, late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Polycythemia, secondary
268	Polyhydramnios
287	Polyhydramnios, with delivery
211	Polyp, anal
68	Polyp, bladder
252	Polyp, cervix
211	Polyp, intestinal
178	Polyp, laryngeal
176	Polyp, nasal
211	Polyp, rectal
176	Polyp, sinus
178	Polyp, vocal cord
172	Portal vein thrombosis
218	Postcholecystectomy syndrome
211	Postgastrectomy dumping syndrome
172	Postmasectomy lymphedema
390	Postoperative wound dehiscence
389	Postoperative wound infection
290	Postpartum complication, NEC
267	Postpartum depression
269	Postpartum depression, with delivery
3	Pott's disease
156	Precerebral occlusion, without paralysis
157	Precerebral occlusion, with paralysis
340	Prediabetes
261	Pre-eclampsia
287	Pre-eclampsia, with delivery
123	Preglaucoma

DIAGNOSIS INDEX (continued)

Group Number	Title
398	Pregnancy
254	Pregnancy, ectopic
254	Pregnancy, ovarian
268	Pregnancy, post-term
287	Pregnancy, post-term, with delivery
254	Pregnancy, tubal
398	Pregnancy, undelivered
268	Premature rupture of membranes
282	Premature rupture of membranes, with delivery
253	Premenstrual tension
265	Prenatal hemorrhage, except threatened abortion
272	Prenatal hemorrhage, with delivery
125	Presenile cataract
90	Presenile dementia or psychosis
128	Prolapse, iris
248	Prolapse, uterovaginal
171	Prolapsed hemorrhoids
236	Prostatic disease, except hypertrophy
235	Prostatic hypertrophy
340	Proteinuria, except postural
223	Proteinuria, postural or orthostatic
	Psychogenic
109	Diarrhea
109	Hyperventilation
109	Paralysis
109	Vomiting
116	Psychomotor epilepsy
100	Psychosis
92	Psychosis, alcoholic
91	Psychosis, arteriosclerotic
98	Psychosis, depressive
93	Psychosis, drug-induced
99	Psychosis, manic-depressive
89	Psychosis, organic, acute or transient
90	Psychosis, organic, chronic, except arteriosclerotic
90	Psychosis, senile
98	Psychotic depression
290	Puerperal complication
287	Puerperal complication, with delivery
144	Pulmonary embolism
182	Pulmonary emphysema
1	Pulmonary tuberculosis
	Pulmonary valve disease — *see Valvular disease*

DIAGNOSIS INDEX (continued)

Group Number	Title
227	Pyelitis, except acute
226	Pyelitis, acute
227	Pyelonephritis, except acute
226	Pyelonephritis, acute
332	Pyloric stenosis, congenital
330	Pyrexia of unknown origin
288	Pyrexia of unknown origin, puerperal
12	Rabies
398	Radiotherapy session or treatment
340	Rash
101	Reaction, anxiety
102	Reaction, depressive
386	Reaction, drug, NEC
391	Reaction, transfusion
248	Rectocele, female
239	Redundant prepuce
211	Regional enteritis
396	Removal of internal fixation device
228	Renal calculus
397	Renal dialysis treatment
225	Renal failure, except chronic
224	Renal failure, chronic
139	Renal hypertension
139	Renovascular hypertension
2	Respiratory tuberculosis
128	Retained intraocular foreign body
273	Retained placenta
112	Retardation, mental
337	Retention, urine
121	Retinal cyst
121	Retinal detachment
121	Retinal hemorrhage
121	Retinal tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Rheumatoid arthritis, spine
13	Rickettsiosis
8	Rubella

DIAGNOSIS INDEX (continued)

Group Number	Title
18	Rubella, late effect
172	Rupture, blood vessel
304	Rupture, lumbar disc
305	Rupture of intervertebral disc, except lumbar
243	Rupture, ovarian cyst
268	Rupture, uterus
286	Rupture, uterus, with delivery
290	Rupture, uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma – *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Schizophrenia, acute episode
97	Schizophrenia, childhood
94	Schizophrenia, paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Seizures, epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Sepsis, puerperal
5	Septicemia
288	Septicemia, puerperal
9	Serum hepatitis
391	Serum sickness
391	Shock, anaphylactic, except due to drug
386	Shock, anaphylactic, due to drug
333	Shock, nontraumatic
390	Shock, postoperative
383	Shock, traumatic
83	Sickle cell anemia or crisis
178	Sinusitis

DIAGNOSIS INDEX (continued)

Group Number	Title
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfunction, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Sprain, back
360	Sprain, knee
361	Sprain, sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
322	Stenosis, pyloric, congenital
233	Stenosis, urethral, except congenital
325	Stenosis, urethral, congenital
	Stenosis, heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Strain, back
360	Strain, knee
361	Strain, sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
161	Stroke, without paralysis
162	Stroke, with paralysis
145	Subacute bacterial endocarditis
152	Subarachnoid hemorrhage, without paralysis

DIAGNOSIS INDEX (continued)

Group Number	Title
153	Subarachnoid hemorrhage, with paralysis
292	Subcutaneous infection, except cellulitis
	Syndrome, organic brain – *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Tachycardia, paroxysmal, except atrial
146	Tachycardia, paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
358	Tear, medial meniscus, current injury
300	Tear, medial meniscus, old
121	Tear, retinal
309	Tenosynovitis, except spine
308	Tenosynovitis, spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
167	Thrombosis, arterial, except cerebral and precerebral
158	Thrombosis, cerebral, without paralysis
159	Thrombosis, cerebral, with paralysis
172	Thrombosis, portal vein
156	Thrombosis, precerebral, without paralysis
157	Thrombosis, precerebral, with paralysis
172	Thrombosis, vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	Toxemia of pregnancy, with delivery
261	Toxemia of the puerperium
287	Toxemia of the puerperium, with delivery

DIAGNOSIS INDEX (continued)

Group Number	Title
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
3	Tuberculosis, bone
18	Tuberculosis, late effect
2	Tuberculosis, lung
3	Tuberculosis, nonrespiratory
2	Tuberculosis, respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
295	Ulcer, decubitus
192	Ulcer, duodenal
193	Ulcer, duodenal, with hemorrhage or perforation
190	Ulcer, gastric
191	Ulcer, gastric, with hemorrhage or perforation
192	Ulcer, gastrojejunal
193	Ulcer, gastrojejunal, with hemorrhage or perforation
192	Ulcer, peptic, except gastric
193	Ulcer, peptic, except gastric, with hemorrhage or perforation
194	Ulcer, peptic, any site, with obstruction
295	Ulcer, skin
170	Ulcer, varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic

DIAGNOSIS INDEX (continued)

Group Number	Title
224	Uremia, chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Urethral stenosis, congenital
233	Urethral stricture, except congenital
325	Urethral stricture, congenital
234	Urethritis
266	Urethritis, in pregnancy
173	URI
234	Urinary tract infection
266	Urinary tract infection, in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis
247	Vaginal infection
247	Vaginitis, except atrophic and senile
251	Vaginitis, atrophic or senile
314	Valgus deformity, limb
150	Valvular disease, nonrheumatic
136	Valvular disease, rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Viral encephalitis, late effect
7	Viral meningitis
18	Viral meningitis, late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting

DIAGNOSIS INDEX (continued)

Group Number	Title
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
92	Withdrawal, alcohol
93	Withdrawal, drug
390	Wound dehiscence, postoperative
389	Wound infection, postoperative
383	Wound infection, posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever